




Front View Camera

Last Updated: Jun 5, 2023

Camera systems in advanced driver assistance systems can analyze the video content for lane departure warning (LDW), automatic lane keeping assist (LKA), high/low beam headlight control and traffic sign recognition (TSR).

For a front view camera, an image sensor provides incoming video frames to a dual-core MCU optimized with DSP extensions for image processing. Additional system requirements include an appropriate physical communication interface, a power supply, an optional DRAM and embedded flash for low system cost.

Front View Camera Block Diagram



Recommended Products for Front View Camera

MCU	<ul style="list-style-type: none"> • MPC567xK: Ultra-Reliable MPC567xK MCU for Automotive and Industrial Radar Applications • S32V234: S32V2 Processors for Vision, Machine Learning and Sensor Fusion
Automotive Ethernet	<ul style="list-style-type: none"> • SJA1110: Multi-Gig Safe and Secure TSN Ethernet Switch with Integrated 100BASE-T1 PHYs • TJA1103: TJA1103, ASIL B Compliant Automotive Ethernet 100BASE-T1 PHY Transceiver • TJA1120: TJA1120, ASIL B Compliant Automotive Ethernet 1000BASE-T1 PHY Transceiver • SJA1105TEL: Five- Ports AVB and TSN Automotive Ethernet Switch • TJA1101: TJA1101B, IEEE 100BASE-T1 Compliant Automotive Ethernet PHY Transceiver
Power Management IC	<ul style="list-style-type: none"> • FS8400: Safety System Basis Chip for S32 Microcontrollers, Fit for ASIL B • FS5600: Automotive Dual Buck Regulator and Controller with Voltage Monitors and Watchdog Timer • PF7100: 7-Channel Power Management Integrated Circuit for High Performance Applications, Fit for ASIL B Safety Level • PF5024: Multi-Channel (4) PMIC for Automotive Applications – 4 High Power, Fit for ASIL B Safety Level

Automotive Ethernet	<ul style="list-style-type: none">• SJA1105TEL: Five- Ports AVB and TSN Automotive Ethernet Switch• TJA1101: TJA1101B, IEEE 100BASE-T1 Compliant Automotive Ethernet PHY Transceiver
Temperature Sensor	<ul style="list-style-type: none">• P3T1750DP: I3C/I²C-Bus, ±1 °C Accuracy, Digital Temperature Sensor• P3T1755DP: I3C/I²C-Bus ±0.5 °C Accurate Digital Temperature Sensor

View our complete solution for [Front View Camera](#).

Note: The information on this document is subject to change without notice.

www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2024 NXP B.V.