GPNTRN

GoPoint for i.MX Applications Processors Release Notes Rev. 4 — 2 April 2024

Release notes

Document information

Information	Content
Keywords	GPNTRN, GoPoint, i.MX, demos, MPU, machine learning, GoPoint for i.MX Applications Processors
Abstract	This document contains information about the content, new features, and limitations of the GoPoint for i.MX Applications Processors interface.



GoPoint for i.MX Applications Processors Release Notes

1 Introduction

This document contains information about the content, new features, and limitations of the GoPoint for i.MX Applications Processors interface. The interface is user-friendly and allows the user to launch preselected demonstrations. These demonstrations are included in the NXP provided version 6.6.3_1.0.0 Linux board support package (BSP). For more information, refer to *Embedded Linux for i.MX Applications Processors* (document IMXLINUX). The GoPoint for i.MX Applications Processors and its demos are classified as *demo quality* software and must be used with caution.

2 Supported i.MX reference boards

This release supports the following i.MX reference boards:

- · i.MX 9 Series
 - i.MX 93 EVK Board (93)
 - i.MX 95 EVK Board (95)
- i.MX 8 Series
 - i.MX 8ULP EVK Board (8ULP)
 - i.MX 8M Plus EVK Board (8MP)
 - i.MX 8QuadXPlus MEK Board (8QXP)
 - i.MX 8QuadMax MEK Board (8QM)
 - i.MX 8M Quad EVK Board (8MQ)
 - i.MX 8M Mini EVK Board (8MM)
 - i.MX 8M Nano EVK Board (8MN)
- · i.MX 7 Series
 - i.MX 7ULP EVKB Board (7ULP)

3 References

This release includes the following reference and additional information:

• GoPoint for i.MX Applications Processors User Guide (document GPNTUG) – provides the information about the GoPoint for i.MX Applications Processors

4 Supported demos

<u>Table 1, Table 2, Table 3</u>, and <u>Table 4</u> list the supported demos in this release.

Table 1. Machine learning demos

Demo name	Supported boards	
Object classification (NNStreamer)	8MP, 8MM, 8QM, 93	
Object detection (NNStreamer)	8MP, 8MM, 8QM, 93	
Face recognition	8MP	
Pose detection (NNStreamer)	8MP, 8QM	
ML benchmark demo	8MP, 93	
ML Gateway	8MP, 8MM, 93	
Selfie Segmenter	8MP, 93	

GPNTRN

All information provided in this document is subject to legal disclaimers.

© 2024 NXP B.V. All rights reserved.



GoPoint for i.MX Applications Processors Release Notes

Table 1. Machine learning demos...continued

Demo name	Supported boards
Driver Monitoring System (DMS)	8MP, 93
i.MX Smart Fitness	8MP, 93
LP baby cry detection	93
LP KWS detection	93

Table 2. Multimedia demos

Demo name	Supported boards
Video test demo	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP, 93
Camera using the Video Processing Unit (VPU)	8MP
Multi-camera preview	8MP
Image Sensor Processor (ISP) control demo	8MP
Video dump demo	8MP
Audio record	7ULP
Audio play	7ULP
i.MX voice control	8MP, 8MM
i.MX Multimedia Player	8MM, 8MP, 93
i.MX Smart Kitchen	8MM, 8MP, 93
2Way video streaming	8MP, 8MN, 8MM

Table 3. TSN demos

Demo name	Supported boards
TSN 802.1Qbv	8MM, 8MP

Table 4. GPU demos

Demo name	Supported boards
Tiger G2D	7ULP, 8MM, 8QM, 8QXP, 8MP, 8ULP, 8MQ, 8MN
Vivante launcher	7ULP, 8QM, 8QXP, 8MP, 8ULP
Cover flow	7ULP, 8ULP
Vivante tutorial	7ULP, 8ULP
Bloom	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP
Blur	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP
Eight layer blend	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP
Fractal shader	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP
Line builder 101	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP
Model loader	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP

GPNTRN

All information provided in this document is subject to legal disclaimers.

© 2024 NXP B.V. All rights reserved.

GoPoint for i.MX Applications Processors Release Notes

Table 4. GPU demos...continued

Demo name	Supported boards
S03 transform	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP
S04 projection	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP
S06 texturing	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP
Mapping	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP
Mapping refraction	7ULP, 8MN, 8MM, 8MQ, 8QM, 8QXP, 8MP, 8ULP

5 New features

This release includes the following new features:

- · Main repository changes:
 - Improved README.md for the main page, showing a list of applications included in the release and the supported i.MX boards.
 - The download file is now a JSON file to improve the download process of assets and its readability. The previous download file has been a raw TXT file, less robust, and maintainable.
 - All files contain their sha1sum hash to confirm correct downloads.
 - Refactored the Utils script to support the JSON downloads. json file.
 - Improved the launcher thumbnail images and removed the old ones from the repository.
 - Reviewed the Python scripts with static analyzer tool *Pylint* and improved the overall score for the scripts.
 The scripts are now better quality in terms of source code implementation and safety.
 - Separated the machine learning examples in independent folders containing the source code and information on how to run them. Their license file is also included in each folder. It is going to be applied for other example applications in the future releases.
 - The README files with detailed information are included for the following examples:
 - ML Gateway
 - Selfie Segmenter
 - i.MX Smart Fitness
 - DMS
- NNSTREAMER example applications:
 - Removed and replaced the NNStreamer examples with the newly developed examples of NXP available at: nxp-nnstreamer-examples. NNStreamer examples are licensed under the BSD-3-Clause license. Pose estimation example has better performance than the previous example.
 - Some features available in the past releases are not supported in this first version of the NNStreamer examples. Future improvements are going to be added, such as FPS and IPS information.
 - **–** Removed the LGPL-2.1-only source code from the release.
- ML benchmark:
 - The i.MX 8M Plus now supports this tool.
 - Refactored and improved the tool, allowing the user to change the model to be evaluated and compared between NPU and CPU.
 - The tool now selects the number of threads to use on a Cortex-A CPU for inference.
- · ML Gateway:
 - Refactored and improved the ML Gateway. The user experience running this example has been simplified.
 - The GUI now provides more information to the user regarding errors during testing, such as the unsupported camera device.
- · Selfie Segmenter:
 - Refactored and improved the Selfie Segmenter.

GPNTRN

All information provided in this document is subject to legal disclaimers.

© 2024 NXP B.V. All rights reserved.

GoPoint for i.MX Applications Processors Release Notes

- i.MX 93 now supports the general version of the model (better accuracy) due to improved performance on the Vela compiled model.
- The i.MX 8M Plus now supports the landscape version of the model.
- The user can now change the background image for background substitution and choose their own background.
- The GUI now provides more information logs to the users.
- · i.MX Smart Fitness:
 - A new example application integrated to GoPoint: i.MX Smart Fitness.
 - i.MX Smart Fitness is supported on both i.MX 8M Plus and i.MX 93.
- DMS:
 - Released new version of DMS.
 - The i.MX 8M Plus now supports the DMS.
 - DMS now detects smoking and calling detection.
- · Low-power baby cry detection:
 - Low-power baby cry detection integrated for i.MX93.
 - Low-power ML example that shows how to implement baby cry detection running on the Cortex-M33 core, with Linux in Suspend mode.
- · Low-power KWS detection:
 - Integrated the low-power KWS detection for i.MX 93.
 - Low-power ML example that shows how to implement keyword detection running on the Cortex-M33 core with Linux in Suspend mode.
- TSN:
 - Improved the TSN example application and fixed several bugs.
 - Added IP address dialog for i.MX 8M Plus.
 - Added ssh conditional to avoid failure of application.
 - Fixed camera client while loop break condition.

6 Known issues and workarounds

This release includes the following known issues and workarounds:

- i.MX Multimedia Player is not functional in this release, due to the deprecation of Pulse Audio and the migration of the stack to PipeWire.
- NNStreamer demos can appear on the i.MX 95 image, but are not functional.

7 Revision history

Table 5 summarizes the revisions to this document.

Table 5. Revision history

Document ID	Release date	Description
GPNTRN v.4.0		 Updated for the 6.6.3_1.0.0 release Added i.MX 95 EVK Board to Supported i.MX reference boards Updated Table 2 in Supported demos Updated New features Updated Known issues and workarounds
GPNTRN v.3.0	15 December 2023	Updated for the 6.1.55_2.2.0 release

GPNTRN

GoPoint for i.MX Applications Processors Release Notes

Table 5. Revision history...continued

Document ID	Release date	Description
		Rename from NXP Demo Experience to GoPoint for i.MX Applications Processors
GPNTRN v.2.0	30 October 2023	Updated for 6.1.36_2.1.0 release
GPNTRN v.1.0	30 August 2023	Updated for 6.1.22 release. Initial external release.

GoPoint for i.MX Applications Processors Release Notes

Legal information

Definitions

Draft — A draft status on a document indicates that the content is still under internal review and subject to formal approval, which may result in modifications or additions. NXP Semiconductors does not give any representations or warranties as to the accuracy or completeness of information included in a draft version of a document and shall have no liability for the consequences of use of such information.

Disclaimers

Limited warranty and liability — Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors.

In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including - without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory.

Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the Terms and conditions of commercial sale of NXP Semiconductors.

Right to make changes — NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without notice. This document supersedes and replaces all information supplied prior to the publication hereof.

Suitability for use — NXP Semiconductors products are not designed, authorized or warranted to be suitable for use in life support, life-critical or safety-critical systems or equipment, nor in applications where failure or malfunction of an NXP Semiconductors product can reasonably be expected to result in personal injury, death or severe property or environmental damage. NXP Semiconductors and its suppliers accept no liability for inclusion and/or use of NXP Semiconductors products in such equipment or applications and therefore such inclusion and/or use is at the customer's own risk

Applications — Applications that are described herein for any of these products are for illustrative purposes only. NXP Semiconductors makes no representation or warranty that such applications will be suitable for the specified use without further testing or modification.

Customers are responsible for the design and operation of their applications and products using NXP Semiconductors products, and NXP Semiconductors accepts no liability for any assistance with applications or customer product design. It is customer's sole responsibility to determine whether the NXP Semiconductors product is suitable and fit for the customer's applications and products planned, as well as for the planned application and use of customer's third party customer(s). Customers should provide appropriate design and operating safeguards to minimize the risks associated with their applications and products.

NXP Semiconductors does not accept any liability related to any default, damage, costs or problem which is based on any weakness or default in the customer's applications or products, or the application or use by customer's third party customer(s). Customer is responsible for doing all necessary testing for the customer's applications and products using NXP Semiconductors products in order to avoid a default of the applications and the products or of the application or use by customer's third party customer(s). NXP does not accept any liability in this respect.

Terms and conditions of commercial sale — NXP Semiconductors products are sold subject to the general terms and conditions of commercial sale, as published at https://www.nxp.com/profile/terms, unless otherwise agreed in a valid written individual agreement. In case an individual agreement is concluded only the terms and conditions of the respective agreement shall apply. NXP Semiconductors hereby expressly objects to applying the customer's general terms and conditions with regard to the purchase of NXP Semiconductors products by customer.

Export control — This document as well as the item(s) described herein may be subject to export control regulations. Export might require a prior authorization from competent authorities.

Suitability for use in non-automotive qualified products — Unless this document expressly states that this specific NXP Semiconductors product is automotive qualified, the product is not suitable for automotive use. It is neither qualified nor tested in accordance with automotive testing or application requirements. NXP Semiconductors accepts no liability for inclusion and/or use of non-automotive qualified products in automotive equipment or applications.

In the event that customer uses the product for design-in and use in automotive applications to automotive specifications and standards, customer (a) shall use the product without NXP Semiconductors' warranty of the product for such automotive applications, use and specifications, and (b) whenever customer uses the product for automotive applications beyond NXP Semiconductors' specifications such use shall be solely at customer's own risk, and (c) customer fully indemnifies NXP Semiconductors for any liability, damages or failed product claims resulting from customer design and use of the product for automotive applications beyond NXP Semiconductors' standard warranty and NXP Semiconductors' product specifications.

Translations — A non-English (translated) version of a document, including the legal information in that document, is for reference only. The English version shall prevail in case of any discrepancy between the translated and English versions.

Security — Customer understands that all NXP products may be subject to unidentified vulnerabilities or may support established security standards or specifications with known limitations. Customer is responsible for the design and operation of its applications and products throughout their lifecycles to reduce the effect of these vulnerabilities on customer's applications and products. Customer's responsibility also extends to other open and/or proprietary technologies supported by NXP products for use in customer's applications. NXP accepts no liability for any vulnerability. Customer should regularly check security updates from NXP and follow up appropriately. Customer shall select products with security features that best meet rules, regulations, and standards of the intended application and make the ultimate design decisions regarding its products and is solely responsible for compliance with all legal, regulatory, and security related requirements concerning its products, regardless of any information or support that may be provided by NXP.

NXP has a Product Security Incident Response Team (PSIRT) (reachable at PSIRT@nxp.com) that manages the investigation, reporting, and solution release to security vulnerabilities of NXP products.

NXP B.V. — NXP B.V. is not an operating company and it does not distribute or sell products.

Trademarks

Notice: All referenced brands, product names, service names, and trademarks are the property of their respective owners.

NXP — wordmark and logo are trademarks of NXP B.V.

i.MX — is a trademark of NXP B.V.

GPNTRN

GoPoint for i.MX Applications Processors Release Notes

Contents

Introduction	2
Supported i.MX reference boards	2
• •	
Known issues and workarounds	5
Revision history	5
•	
	Introduction

Please be aware that important notices concerning this document and the product(s) described herein, have been included in section 'Legal information'.