

PART INFORMATION

Mfg Item Number	AFT23H160-25SR3
Mfg Item Name	NI880X-4L4S

SUPPLIER

Company Name	Freescale Semiconductor Inc
Company Unique ID	14-141-7928
Response Date	2018-03-16
Response Document ID	00F1A1.4
Contact Name	Freescale Semiconductor Inc
Contact Title	Product Technical Support
Contact Phone	1-800-521-6274
Contact Email	support@freescale.com
Authorized Representative	Daniel Binyon
Representative Title	EPP Customer Response
Representative Phone	512-895-3406
Representative Email	eppanlst@freescale.com
URL for Additional Information	www.freescale.com

DECLARATION

EU RoHS	Yes
Pb Free	Yes
HalogenFree	Yes
Plating Indicator	e4
EU RoHS Exemption(s)	

MANUFACTURING

Mfg Item Number	AFT23H160-25SR3
Mfg Item Name	NI880X-4L4S
Version	ALL
Weight	3.541400
UoM	g
Unit Volume	EACH
J-STD-020 MSL Rating	
Peak Processing Temperature	260 C
Max Time at Peak Temperature	40 seconds
Number of Processing Cycles	3

RoHS	
RoHS Directive	2011/65/EU
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Conditions of Sale applicable to such part(s) shall apply.
RoHS Declaration	1 - Item(s) do not contain RoHS restricted substances per the definition above
Supplier Acceptance	Accepted
Signature	Daniel Binyon
Exemption List Version	2012/51/EU
List of Freescale Accepted Exemptions	<p>6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight</p> <p>6(b) : Lead as an alloying element in aluminium containing up to 0.4% lead by weight</p> <p>6(c) : Copper alloy containing up to 4% lead by weight</p> <p>7(a) : Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)</p> <p>7(b) : Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications</p> <p>7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound</p> <p>7(c)-II : Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher</p> <p>7(c)-III : Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC</p> <p>7(c)-IV : Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors</p> <p>15 : Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages</p>

MATERIAL COMPOSITION

Homogeneous Material	Weight	SubstanceClass	Substance	CAS	Exemption	SubstanceWeight	UoM	SubPart PPM	SubPart%	ARTICLEPPM	ARTICLE%
Bonding Wire, Aluminum	0.0039						g				
Bonding Wire, Aluminum		Metals	Aluminum, metal	7429-90-5		0.0039	g	1000000	100	1101	0.1101
Silicon Semiconductor Die	0.0144						g				
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.00288	g	20000	2	81	0.0081
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.014112	g	880000	98	3984	0.3984
Header Assembly	2.66						g				
Header Assembly		Metals	Aluminum Oxides (Al2O3)	1344-28-1		0.16742838	g	62943	6.2943	47277	4.7277
Header Assembly		Metals	Cobalt, metal	7440-48-4		0.0109459	g	4115	0.4115	3090	0.309
Header Assembly		Metals	Copper, metal	7440-50-8		1.13737876	g	427586	42.7586	32181	32.181
Header Assembly		Metals	Gold, metal	7440-57-5		0.00374794	g	1409	0.1409	1058	0.1058
Header Assembly		Metals	Iron, metal	7439-89-6		0.0672824	g	36364	3.6364	27313	2.7313
Header Assembly		Metals	Molybdenum, metal	7439-98-7		1.04509006	g	392891	39.2891	295106	29.5106
Header Assembly		Nickel (external applications only)	Nickel	7440-02-0		0.0955472	g	35920	3.592	26980	2.698
Header Assembly		Metals	Palladium, metal	7440-05-3		0.00236208	g	888	0.888	666	0.666
Header Assembly		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7		0.00591584	g	2224	0.2224	1670	0.167
Header Assembly		Glass	Proprietary Material-Other glass compounds (without lead, chromium, cadmium or mercury)	-		0.01252328	g	4708	0.4708	3536	0.3536
Header Assembly		Metals	Silver, metal	7440-22-4		0.04062352	g	15272	1.5272	11471	1.1471
Header Assembly		Metals	Titanium (IV) Oxide	13463-67-7		0.0108628	g	408	0.408	306	0.306
Header Assembly		Metals	Tungsten, metal	7440-33-7		0.04062352	g	15272	1.5272	11471	1.1471
Silicon Semiconductor Die	0.0144						g				
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.0014688	g	10200	1.02	41	0.0041
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.0028506	g	19796	1.9796	80	0.008
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01396806	g	970004	97.0004	3944	0.3944
Silicon Semiconductor Die	0.0144						g				
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.00288	g	20000	2	81	0.0081
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.014112	g	880000	98	3984	0.3984
Silicon Semiconductor Die	0.0144						g				
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.0014688	g	10200	1.02	41	0.0041
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.0028506	g	19796	1.9796	80	0.008
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01396806	g	970004	97.0004	3944	0.3944
Silicon Semiconductor Die	0.0144						g				
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.0014688	g	10200	1.02	41	0.0041
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.0028506	g	19796	1.9796	80	0.008
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01396806	g	970004	97.0004	3944	0.3944
Silicon Semiconductor Die	0.0144						g				
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.0014688	g	10200	1.02	41	0.0041
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.0028506	g	19796	1.9796	80	0.008
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01396806	g	970004	97.0004	3944	0.3944
Cap/Cover	0.7911						g				
Cap/Cover		Metals	Aluminum Oxides (Al2O3)	1344-28-1		0.73577046	g	930060	93.006	207762	20.7762
Cap/Cover		Plastics/polymers	Epoxy resin, EPON Resin 8091	25928-94-3		0.01345345	g	17006	1.7006	3798	0.3798
Cap/Cover		Metals	Other iron compounds	-		0.00767446	g	9701	0.9701	2167	0.2167
Cap/Cover		Glass	Silicon dioxide	7631-86-9		0.01127397	g	14251	1.4251	3183	0.3183
Cap/Cover		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7		0.02292766	g	28982	2.8982	6474	0.6474

LINKS

MCD LINK	
NXP website	http://www.nxp.com
GENERAL ENVIRONMENTAL COMPLIANCE LINKS	
RoHS signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf
China RoHS	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY
REACH signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf
ELV signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf
Conflict Minerals statement	http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf
NXP ENVIRONMENTAL INFORMATION	
Environmental Compliance website	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX
FAQ	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ
Technical Service Request	http://www.nxp.com/support/sales-and-support:SUPPORTHOME
LINKS TO BLANK IPC1752 FORMS	
Blank IPC1752 v1.1 Form	http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf

IPC1752 XML LINKS

http://www.freescale.com/mcdfs/AFT23H160-25SR3_IPC1752_v11.xml

http://www.freescale.com/mcdfs/AFT23H160-25SR3_IPC1752A.xml