

SOT994-1

plastic thermal enhanced very very thin quad flat package; no leads; 24 terminals; 0.5 mm pitch, 4 mm x 4 mm x 0.75 mm body

26 September 2019

Package information

Package summary

Terminal position code Q (quad)

Package type descriptive code HWQFN24

Package type industry code HWQFN24

Package style descriptive code HWQFN (thermal enhanced very very thin quad

flatpack; no leads)

Package body material type P (plastic)

JEDEC package outline code MO-220

Mounting method type S (surface mount)

Issue date20-09-2019Manufacturer package codeSOT994

Table 1. Package summary

Parameter	Min	Nom	Max	Unit
package length	3.9	4	4.1	mm
package width	3.9	4	4.1	mm
seated height	-	0.75	0.8	mm
nominal pitch	-	0.5	-	mm
actual quantity of termination	-	24	-	



plastic thermal enhanced very very thin quad flat package; no leads; 24 terminals; 0.5 mm pitch, 4 mm x 4 mm x 0.75 mm body

2 Package outline






Figure 1. Package outline HWQFN24 (SOT994-1)

plastic thermal enhanced very very thin quad flat package; no leads; 24 terminals; 0.5 mm pitch, 4 mm x 4 mm x 0.75 mm body

3 Soldering




plastic thermal enhanced very very thin quad flat package; no leads; 24 terminals; 0.5 mm pitch, 4 mm x 4 mm x 0.75 mm body



SOT994-1

plastic thermal enhanced very very thin quad flat package; no leads; 24 terminals; 0.5 mm pitch, 4 mm x 4 mm x 0.75 mm body



SOT994-1

plastic thermal enhanced very very thin quad flat package; no leads; 24 terminals; 0.5 mm pitch, 4 mm x 4 mm x 0.75 mm body

4 Legal information

Disclaimers

Limited warranty and liability — Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information. NXP Semiconductors takes no responsibility for the content in this document if provided by an information source outside of NXP Semiconductors.

In no event shall NXP Semiconductors be liable for any indirect, incidental, punitive, special or consequential damages (including without limitation - lost profits, lost savings, business interruption, costs related to the removal or replacement of any products or rework charges) whether or not such damages are based on tort (including negligence), warranty, breach of contract or any other legal theory.

Notwithstanding any damages that customer might incur for any reason whatsoever, NXP Semiconductors' aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the Terms and conditions of commercial sale of NXP Semiconductors.

Right to make changes — NXP Semiconductors reserves the right to make changes to information published in this document, including without limitation specifications and product descriptions, at any time and without notice. This document supersedes and replaces all information supplied prior to the publication hereof.

plastic thermal enhanced very very thin quad flat package; no leads; 24 terminals; 0.5 mm pitch, 4 mm x 4 mm x 0.75 mm body

Contents

1	Package summary	1
2	Package outline	
3	Soldering	3
4	Legal information	

Date of release: 26 September 2019