

Freescal**e** BeeStack™

For ZigBee 2007
Documentation Overview

Document Number: BSDOZB2007
Rev. 1.0
10/2008

How to Reach Us:**Home Page:**

www.freescale.com

E-mail:

support@freescale.com

USA/Europe or Locations Not Listed:

Freescale Semiconductor
Technical Information Center, CH370
1300 N. Alma School Road
Chandler, Arizona 85224
+1-800-521-6274 or +1-480-768-2130
support@freescale.com

Europe, Middle East, and Africa:

Freescale Halbleiter Deutschland GmbH
Technical Information Center
Schatzbogen 7
81829 Muenchen, Germany
+44 1296 380 456 (English)
+46 8 52200080 (English)
+49 89 92103 559 (German)
+33 1 69 35 48 48 (French)
support@freescale.com

Japan:

Freescale Semiconductor Japan Ltd.
Headquarters
ARCO Tower 15F
1-8-1, Shimo-Meguro, Meguro-ku,
Tokyo 153-0064, Japan
0120 191014 or +81 3 5437 9125
support.japan@freescale.com

Asia/Pacific:

Freescale Semiconductor Hong Kong Ltd.
Technical Information Center
2 Dai King Street
Tai Po Industrial Estate
Tai Po, N.T., Hong Kong
+800 2666 8080
support.asia@freescale.com

For Literature Requests Only:

Freescale Semiconductor Literature Distribution Center
P.O. Box 5405
Denver, Colorado 80217
1-800-521-6274 or 303-675-2140
Fax: 303-675-2150
LDCForFreescaleSemiconductor@hibbertgroup.com

Information in this document is provided solely to enable system and software implementers to use Freescale Semiconductor products. There are no express or implied copyright licenses granted hereunder to design or fabricate any integrated circuits or integrated circuits based on the information in this document.

Freescale Semiconductor reserves the right to make changes without further notice to any products herein. Freescale Semiconductor makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does Freescale Semiconductor assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation consequential or incidental damages. "Typical" parameters that may be provided in Freescale Semiconductor data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals", must be validated for each customer application by customer's technical experts. Freescale Semiconductor does not convey any license under its patent rights nor the rights of others. Freescale Semiconductor products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the Freescale Semiconductor product could create a situation where personal injury or death may occur. Should Buyer purchase or use Freescale Semiconductor products for any such unintended or unauthorized application, Buyer shall indemnify and hold Freescale Semiconductor and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that Freescale Semiconductor was negligent regarding the design or manufacture of the part.

Freescale™ and the Freescale logo are trademarks of Freescale Semiconductor, Inc. All other product or service names are the property of their respective owners.

© Freescale Semiconductor, Inc. 2006, 2007, 2008. All rights reserved.

Contents

About This Book.....	vii
Audience.....	vii
Organization.....	vii
Revision History.....	viii
Conventions.....	viii
Definitions, Acronyms, and Abbreviations.....	viii

Chapter 1 **Introduction**

Chapter 2 **Freescale ZigBee Application User’s Guide for ZigBee 2007**

Chapter 3 **BeeStack Software Reference Manual for ZigBee 2007**

Chapter 4 **BeeStack Application Development Guide for ZigBee 2007**

Chapter 5 **Freescale Platform Reference Manual for ZigBee 2007**

Chapter 6 **ZigBee Cluster Library Reference Manual**

Chapter 7 **ZigBee Test Client Reference Manual**

About This Book

This document provides a brief overview of the Freescale BeeStack for ZigBee 2007 document set. BeeStack is the Freescale implementation of the ZigBee wireless network protocol stack for the ZigBee 2007 specification. The overviews contained in each chapter serve as an aid to finding the proper detailed document for any particular BeeStack topic.

Audience

This document is intended for software developers who write applications for BeeStack-based products using Freescale development tools.

Organization

This document is organized into the following sections.

Chapter 1	Introduction – describes this document.
Chapter 2	Freescale ZigBee Applications User’s Guide for ZigBee 2007 – describes, step-by-step, how to install and run the sample applications on Freescale Reference Boards. Describes in detail the user interface for the applications.
Chapter 3	BeeStack Software Reference Manual for ZigBee 2007 – describes in detail the API to BeeStack (for ZigBee 2007) in a reference (not tutorial) style. Also includes an overview of ZigBee 2007 networking, including a diagram of the stack components.
Chapter 4	BeeStack Application Development User’s Guide for ZigBee 2007 – describes how to develop an application for BeeStack, including discussions on major considerations for commercial applications.
Chapter 5	Freescale Platform Reference Manual for ZigBee 2007 – describes in detail the API to the Freescale Platform components shared among Freescale networking solutions (e.g. BeeStack, The Freescale IEEE 802.15.4 MAC and the Freescale Simple MAC). Many components interact with reference hardware such as switches, the LCD and LEDs. Other components include timers and the task scheduler.
Chapter 6	ZigBee Cluster Library Reference Manual – describes the API to the ZigBee Cluster Library, an add-on component used in many ZigBee Application Profiles.
Chapter 7	ZigBee Test Client Reference Manual – describes the API to the ZigBee Test Client (ZTC) test harness software. This component allows a PC to control and monitor the ZigBee node through a USB or a RS-232 port. This document also includes a step-by-step example of using the ZigBee Test Client and how to update the ZigBee Test Client to include new commands and events.

Revision History

The following table summarizes revisions to this document since the previous release (Rev. 0.0).

Revision History

Location	Description
Entire document	Updated for MC1322x EVK

Conventions

This document uses the following formatting conventions when detailing commands, parameters, and sample code:

`Courier mono-space` type indicates commands, command parameters, and code examples.

Bold style indicates the command line elements, which must be entered exactly as written.

Italic type indicates command parameters that the user must type in or replace, as well as emphasizes concepts or foreign phrases and words.

Definitions, Acronyms, and Abbreviations

ADC	Analog to digital converter
AF	Application framework
API	Application programming interface
APS	Application support sub-layer
Binding	Matching ZigBee devices based on services and needs
Cluster	A collection of attributes associated with a specific cluster-identifier
Endpoint	Component within a unit; a single IEEE 802.15.4 radio may support up to 240 independent endpoints
EVB	Freescale evaluation board
IEEE	Institute of Electrical and Electronics Engineers, a standards body
LED	Light-emitting diode
MAC	Medium access control sub-layer
NCB	Freescale Network Control Board
NWK	Network layer
Profile	Set of options in a stack or an application
SAP	Service access point
SARD	Freescale Sensor Reference Design
SRB	Freescale Sensor Remote Board
Stack	ZigBee protocol stack
ZDO	ZigBee device object(s)
ZDP	ZigBee device profile

802.15.4

An IEEE standard radio specification that underlies the ZigBee Specification

Chapter 1

Introduction

This overview document provides a high level content description of each Freescale BeeStack for ZigBee 2007 document. Use this overview to find the proper document for a particular BeeStack component or task.



Chapter 2

Freescale ZigBee Application User's Guide for ZigBee 2007

This guide describes in step-by-step form, how to install and run the sample applications on Freescale Reference Boards. It describes in detail the user interface for the applications.

- Chapter 1 Introduction – introduces the Freescale implementation of ZigBee wireless sensor networks.
- Chapter 2 Freescale Development Boards – provides detailed installation and device configuration information using the Freescale BeeKit Wireless Connectivity Toolkit tools.
- Chapter 3 BeeKit and CodeWarrior – provides a simple home lighting control network to introduce users to simple ZigBee applications.
- Chapter 4 Starting and Running a Simple ZigBee Network – provides a quick tutorial to form a ZigBee network using code built and loaded into two development boards in previous chapters.
- Chapter 5 Creating a Wireless UART Application - shows how to create a Freescale Wireless UART application using the Freescale BeeKit Wireless Connectivity Toolkit.
- Chapter 6 Creating a Smart Energy Network Application - shows how to create a Smart Energy Network consisting of three different applications using the Freescale BeeKit Wireless Connectivity Toolkit.
- Chapter 7 Example Applications – provides several examples to allow users to configure and run ZigBee wireless home control applications.



Chapter 3

BeeStack Software Reference Manual for ZigBee 2007

This manual describes the API to BeeStack in detail. It also includes an overview of ZigBee networking, including a diagram of the stack components.

Chapter 1	Introduction – describes this document.
Chapter 2	ZigBee Overview – introduces ZigBee network concepts.
Chapter 3	BeeStack Overview – introduces the BeeStack architecture and source file structure.
Chapter 4	Application Framework – introduces the function calls, macros, and APIs available in the Application Framework (AF).
Chapter 5	Application Support Sub-layer – describes the function calls, macros, and APIs available in the Application Support Sub-layer (APS).
Chapter 6	ZigBee Device Objects – introduces the function calls, macros, and APIs available in the ZigBee device objects (ZDO).
Chapter 7	ZigBee Device Profile – introduces the ZigBee device profile (ZDP) and associated macros, function calls, and prototypes.
Chapter 8	Network Layer – describes the function calls and macros available in the network (NWK) layer.
Chapter 9	Application Support Layer – introduces the Application support functions and macros.
Chapter 10	BeeStack Common Functions – introduces the BeeStack common interface macros and function calls.
Chapter 11	User-Configurable BeeStack Options – introduces the BeeStack configurable items.
Chapter 12	BeeStack Security – describes how BeeStack supports full ZigBee security for stack profile 0x01 and stack profile 0x02 of the ZigBee 2007 specification.
Chapter 13	Permission Configuration Table - describes the optional BeeStack Permission Configuration Table feature.
Chapter 14	Frequency Agility – describes how BeeStack supports an example implementation of a frequency agility channel master which demonstrates how frequency agility could be implemented.
Chapter 14	Interpan Communication – details how BeeStack supports the Inter pan communication method that is specified by the Smart Energy/AMI application profile specification. The Interpan communication feature allows for communication outside the ZigBee network to very simple devices.

Appendix A Porting ZigBee 2006 to ZigBee 2007 – describes how to port from ZigBee 2006 to ZigBee 2007.

Chapter 4

BeeStack Application Development Guide for ZigBee 2007

This guide describes how to develop an application for BeeStack, including discussions on major considerations for commercial applications.

- | | |
|-----------|---|
| Chapter 1 | Provides an overview of the BeeStack Application Development Guide, including what is and not included in the guide. This guide also describes a basic development process using both BeeKit and CodeWarrior. Note that this is in concept only. This guide is not a user guide for either BeeKit or CodeWarrior. |
| Chapter 2 | Provides a step-by-step example of creating a custom sample application. |
| Chapter 3 | Describes designing a new custom-profile application, including selecting a profile, clusters, attributes and endpoints. It also describes ZigBee 2007 security options. |
| Chapter 4 | Describes selecting the appropriate hardware-related platform components, including the use of non-volatile memory, LEDs, the keyboard, RS-232 port, and general hardware selection. |
| Chapter 5 | Describes using the non-hardware-related platform components appropriately, including the use of timers, messages, data queues, the task scheduler and low power library. It also describes how to determine how much RAM and Flash is available to the application and what to do if an application exceeds memory size. |
| Chapter 6 | Describes debugging BeeStack applications, including use of the BDM, LEDs, ZigBee Test Client and ZigBee protocol over-the-air sniffers. |



Chapter 5

Freescale Platform Reference Manual for ZigBee 2007

This manual describes in detail the API to the Freescale Platform components for ZigBee 2007 shared among Freescale networking solutions (For example, BeeStack, the Freescale IEEE 802.15.4 MAC, and the Freescale Simple MAC). Many components interact with reference hardware such as switches, the LCD and LEDs. Other components include timers and the task scheduler.

Chapter 1	Provides an overview of all the platform components and where they can be found in the directory structure in a BeeStack project.
Chapter 2	Describes the task scheduler API and compile-time options.
Chapter 3	Describes the timer API and compile-time options.
Chapter 4	Describes the LED API and compile-time options.
Chapter 5	Describes the LCD API and compile-time options.
Chapter 6	Describes the keyboard API and compile-time options.
Chapter 7	Describes the UART (SCI) API and compile-time options.
Chapter 8	Describes the non-volatile memory API and compile-time options.
Chapter 9	Describes the lower power API and compile-time options.



Chapter 6

ZigBee Cluster Library Reference Manual

This manual describes the API to the ZigBee Cluster Library, an add-on component used in many ZigBee Application Profiles, including Home Automation.

- | | |
|-----------|---|
| Chapter 1 | Introduction – provides an overview of the ZigBee Cluster Library, as well as its purpose and use in Home Automation. It also contains a concise list of devices, clusters and attributes and commands supported by BeeStack. |
| Chapter 2 | ZigBee Cluster Library API – describes the API and compile-time options for the ZigBee Cluster Library. |
| Chapter 3 | Adding Custom Devices, Clusters and Attributes – introduces the function calls, macros, and APIs available in the Application Framework (AF). |



Chapter 7

ZigBee Test Client Reference Manual

This manual describes the API to the ZigBee Test Client (ZTC) test harness software. This component allows a PC to control and monitor the ZigBee node through a USB port or RS-232 port. It includes a step-by-step example of using the ZigBee Test Client and how to expand the ZigBee Test Client to include new commands and events.

Chapter 1	Introduction - Presents an overview of the BeeKit development environment and the BeeStack protocol layers, including tools and system requirements.
Chapter 2	Creating the Test Environment - Outlines the required BeeKit development tools, their installation, and provides step-by-step installation and setup instructions to prepare both the host computer and ZigBee devices for a test network.
Chapter 3	Making New ZTC Commands - Details how users can modify the Test Tool for new applications.
Chapter 4	Wireless Network Monitoring and ZTC - Gives several examples of standard wireless sniffer tests for monitoring packets between wireless network devices.
Chapter 5	ZTC Frame Format - Describes the protocol frame format used by the ZTC.
Appendix A	Commands and Events - Includes the full list of commands and events supplied with this software, including the OpCode group identification number, the OpCode number, and the associated primitive.

