

PCLIB User's Guide

DSP56800E

Document Number: DSP56800EPCLIBUG Rev. 2, 10/2015







Contents

Sec	ction number Title	Page
	Chapter 1 Library	
1.1	Introduction	
1.2	Library integration into project (CodeWarrior TM Development Studio)	7
	Chapter 2 Algorithms in detail	
2.1	PCLIB_Ctrl2P2Z	
2.2	PCLIB_Ctrl3P3Z	
2.3	PCLIB_CtrlPI	
2.4	PCLIB_CtrlPIandLPFilter	
2.5	PCLIB_CtrlPID	





Chapter 1 Library

1.1 Introduction

1.1.1 Overview

This user's guide describes the Power Control Library (PCLIB) for the family of DSP56800E core-based digital signal controllers. This library contains optimized functions.

1.1.2 Data types

PCLIB supports several data types: (un)signed integer, fractional, and accumulator. The integer data types are useful for general-purpose computation; they are familiar to the MPU and MCU programmers. The fractional data types enable powerful numeric and digital-signal-processing algorithms to be implemented. The accumulator data type is a combination of both; that means it has the integer and fractional portions.

The following list shows the integer types defined in the libraries:

- Unsigned 16-bit integer —<0; 65535> with the minimum resolution of 1
- Signed 16-bit integer —<-32768 ; 32767> with the minimum resolution of 1
- Unsigned 32-bit integer —<0; 4294967295> with the minimum resolution of 1
- Signed 32-bit integer —<-2147483648 ; 2147483647> with the minimum resolution of 1

The following list shows the fractional types defined in the libraries:

- Fixed-point 16-bit fractional —<-1 ; 1 2^{-15} > with the minimum resolution of 2^{-15}
- Fixed-point 32-bit fractional —<-1 ; 1 2^{-31} > with the minimum resolution of 2^{-31}



mroduction

The following list shows the accumulator types defined in the libraries:

- Fixed-point 16-bit accumulator —<-256.0 ; 256.0 2^{-7} > with the minimum resolution of 2^{-7}
- Fixed-point 32-bit accumulator —<-65536.0 ; 65536.0 2^{-15} > with the minimum resolution of 2^{-15}

1.1.3 API definition

PCLIB uses the types mentioned in the previous section. To enable simple usage of the algorithms, their names use set prefixes and postfixes to distinguish the functions' versions. See the following example:

f32Result = MLIB_Mac_F32lss(f32Accum, f16Mult1, f16Mult2);

where the function is compiled from four parts:

- MLIB—this is the library prefix
- Mac-the function name-Multiply-Accumulate
- F32—the function output type
- lss—the types of the function inputs; if all the inputs have the same type as the output, the inputs are not marked

The input and output types are described in the following table:

Туре	Output	Input
frac16_t	F16	S
frac32_t	F32	I
acc32_t	A32	а

Table 1-1. Input/output types

1.1.4 Supported compilers

PCLIB for the DSP56800E core is written in assembly language with C-callable interface. The library is built and tested using the following compilers:

• CodeWarrior[™] Development Studio

For the CodeWarrior[™] Development Studio, the library is delivered in the *pclib.lib* file.



The interfaces to the algorithms included in this library are combined into a single public interface include file, *pclib.h.* This is done to lower the number of files required to be included in your application.

1.1.5 Special issues

- 1. The equations describing the algorithms are symbolic. If there is positive 1, the number is the closest number to 1 that the resolution of the used fractional type allows. If there are maximum or minimum values mentioned, check the range allowed by the type of the particular function version.
- 2. The library functions require the core saturation mode to be turned off, otherwise the results can be incorrect. Several specific library functions are immune to the setting of the saturation mode.
- 3. The library functions round the result (the API contains Rnd) to the nearest (two's complement rounding) or to the nearest even number (convergent round). The mode used depends on the core option mode register (OMR) setting. See the core manual for details.
- 4. All non-inline functions are implemented without storing any of the volatile registers (refer to the compiler manual) used by the respective routine. Only the non-volatile registers (C10, D10, R5) are saved by pushing the registers on the stack. Therefore, if the particular registers initialized before the library function call are to be used after the function call, it is necessary to save them manually.

1.2 Library integration into project (CodeWarrior™ Development Studio)

This section provides a step-by-step guide to quickly and easily integrate the PCLIB into an empty project using CodeWarriorTM Development Studio. This example uses the MC56F8257 part, and the default installation path (C:\Freescale\FSLESL \DSP56800E_FSLESL_4.2) is supposed. If you have a different installation path, you must use that path instead.

1.2.1 New project

To start working on an application, create a new project. If the project already exists and is open, skip to the next section. Follow the steps given below to create a new project.

1. Launch CodeWarriorTM Development Studio.



uorary integration into project (CodeWarrior™ Development Studio)

- 2. Choose File > New > Bareboard Project, so that the "New Bareboard Project" dialog appears.
- 3. Type a name of the project, for example, MyProject01.
- 4. If you don't use the default location, untick the "Use default location" checkbox, and type the path where you want to create the project folder; for example, C: \CWProjects\MyProject01, and click Next. See Figure 1-1.



Figure 1-1. Project name and location

5. Expand the tree by clicking the 56800/E (DSC) and MC56F8257. Select the Application option and click Next. See Figure 1-2.

type filter text	
⊿ 56800/E (DSC)	
MC56F81xx	
MC56F83xx	
MC56F800x	
MC56F801x	
MC56F802x	:
MC56F803x	
MC56F823xx	
MC56F824x	
MC56F825x	
MC56F8255	
MC56F8256	
MC56F8257	
▷ MC56F827xx	
MC56F844xx	
MC56F845xx	
MC56F847xx	
ColdFire V1	
C O DE LIO	
Designet Trans (Output	
Project Type / Output:	
Opplication	
Library	

Figure 1-2. Processor selection

6. Now select the connection that will be used to download and debug the application. In this case, select the option P&E USB MultiLink Universal[FX] / USB MultiLink and Freescale USB TAP, and click Next. See Figure 1-3.



Connection to be used:
DSC Full Chip Simulator
P&E USB MultiLink Universal [FX] / USB MultiLink
P&E Cable DSC (Windows XP 32 bit Parallel Port only)
P&E Cyclone MAX
🕅 Open Source JTAG
Freescale USB TAP

Figure 1-3. Connection selection

7. From the options given, select the Simple Mixed Assembly and C language, and click Finish. See Figure 1-4.

Language:			
© C			
© C++			
Mixed C and ASM			
ASM			

Figure 1-4. Language choice

The new project is now visible in the left-hand part of CodeWarrior[™] Development Studio. See Figure 1-5.



Figure 1-5. Project folder

1.2.2 Library path variable

To make the library integration easier, create a variable that will hold the information about the library path.

1. Right-click the MyProject01 node in the left-hand part and click Properties, or select Project > Properties from the menu. The project properties dialog appears.



Library integration into project (CodeWarrior™ Development Studio)

2. Expand the Resource node and click Linked Resources. See Figure 1-6.

Properties for MyProject01				
type filter text	Linked Resources		$(\neg \bullet \bullet) \bullet \bullet \bullet$	
Resource Linked Resources	Path Variables Linked Resou	ırces		
Resource Filters Builders	Path variables specify locations in the file system, including other path variables with the syntax "\${VAR}". The locations of linked resources may be specified relative to these path variables. Defined path variables for resource 'MyProject01':			
⊳ C/C++ Build				
C/C++ General Project References	Name	Value	New	
Run/Debug Settings		C:\Freescale\CW MCU v10.6\eclipse\	Edit	
		C:\CWProjects\workspace	Remove	
	WORKSPACE LOC	C:\CWProjects\MyProject01 C:\CWProjects\workspace		
?			DK Cancel	

Figure 1-6. Project properties

- 3. Click the 'New...' button on the right-hand side.
- 4. In the dialog that appears (see Figure 1-7), type this variable name into the Name box: FSLESL_LOC
- 5. Select the library parent folder by clicking 'Folder...' or just typing the following path into the Location box: C:\Freescale\FSLESL\DSP56800E_FSLESL_4.2_CW and click OK.
- 6. Click OK in the previous dialog.

🥦 New Variable	•
Define a New Enter a new va	Path Variable riable name and its associated location.
<u>N</u> ame:	FSLESL_LOC
Location:	C:\Freescale\FSLE: <u>Fi</u> le F <u>o</u> lder <u>V</u> ariable
Resolved Location	on: C:\Freescale\FSLESL\DSP56800E_FSLESL_4.2
(?)	OK Cancel
U U	- Current

Figure 1-7. New variable

1.2.3 Library folder addition

To use the library, add it into the CodeWarrior Project tree dialog.

- 1. Right-click the MyProject01 node in the left-hand part and click New > Folder, or select File > New > Folder from the menu. A dialog appears.
- 2. Click Advanced to show the advanced options.
- 3. To link the library source, select the third option—Link to alternate location (Linked Folder).
- 4. Click Variables..., and select the FSLESL_LOC variable in the dialog that appears, click OK, and/or type the variable name into the box. See Figure 1-8.
- 5. Click Finish, and you will see the library folder linked in the project. See Figure 1-9



🔑 New Folder	
Folder Create a new folder resource.	
Enter or select the parent folder:	
MyProject01	
▷ B MyProject01	
Folder name: FSLESL_LOC	
<< <u>A</u> dvanced	
© 🔁 Use default location	
Folder is not located in the file system (Virtual Folder)	
Ink to alternate location (Linked Folder)	
FSLESL_LOC Broy	wse Variables
Resolved location: file:/C:/Freescale/FSLESL/DSP56800E_FS	SLESL_4.2
Resource Filters	
?	nish Cancel

Figure 1-8. Folder link

a 😂 MyProject01 : FLASH_SDM			
🗁 FLASH_SDM			
FSLESL_LOC			
Project_Headers			
Project_Settings			
b 🔁 Sources			
b 🗁 Utility			

Figure 1-9. Projects libraries paths

1.2.4 Library path setup

- 1. Right-click the MyProject01 node in the left-hand part and click Properties, or select Project > Properties from the menu. A dialog with the project properties appears.
- 2. Expand the C/C++ Build node, and click Settings.
- 3. In the right-hand tree, expand the DSC Linker node, and click Input. See Figure 1-11.
- 4. In the third dialog Additional Libraries, click the 'Add...' icon, and a dialog appears.



- 5. Look for the FSLESL_LOC variable by clicking Variables..., and then finish the path in the box by adding one of the following:
 - \${FSLESL_LOC}\MLIB\mlib_SDM.lib—for small data model projects
 - \${FSLESL_LOC}\MLIB\mlib_LDM.lib—for large data model projects
- 6. Tick the box Relative To, and select FSLESL_LOC next to the box. See Figure 1-9. Click OK.
- 7. Look for the FSLESL_LOC variable by clicking Variables..., and then finish the path in the box by adding one of the following:
 - \${FSLESL_LOC}\PCLIB\pclib_SDM.lib—for small data model projects
 - \${FSLESL_LOC}\PCLIB\pclib_LDM.lib—for large data model projects
- 8. Now, you will see the added in the box. See Figure 1-11.

Add file path	
File:	
\${FSLESL_LOC}\MLIB\mlib_SDM.lib	
Relative To: FSLESL_LOC -	Variables
	Workspace
	File system

Figure 1-10. Library file inclusion

) Tool Setti	ngs 🎤 Build Ste	ps 👚 Build Artifact	Binary Parsers	8 Error Parsers	Build Tool Version	s
🖄 Glob	al Settings	No Standard Library				
A 🛞 DSC	Linker l	inker Command File	\${ProjDirPath}/Proje	ect_Settings/Linker	_Files/MC56F8257_I	nternal_PFlash_SDM.
ر چي ا 👰	nput .ink Order	Entry Point	Finit_MC56F824x_5x	ISR_HW_RESET		
	General Output	Library Search Paths (-L)		🗿 🌒 🗟 🖓	۶I
⊿ 🛞 DSC	Compiler	"\${MCUToolsBaseDir}/	M56800E Support/m	sl/MSL_C/DSP_568	00E/lib"	
🖉 🖉 I	nput					
) 🖄	Access Paths					
A 19	Warnings					
	Detimization					
· ~ (20)	anguage	Library Recursive Sear	ch Paths (-Ir)		🛃 🔊 🖗) 원 원
S DSC	Assembler					
🖉 I 🖄	nput					
) 🖄	General					
(Dutput					
⊿ 🛞 DSC	Preprocessor					
A 🕅 DSC	Disassembler	Additional Librarian				6
 @	Settings	Additional Libraries				21
		"\${MCUToolsBaseDir}/	M56800E Support/ru	ntime_56800E/lib/	runtime 56800E smr	n.lib" 05 cmm lib"
		"\${FSLESL LOC}\MLIB	MLIB SDM.lib"	ISI/IVISE_C/DSP_300	00E/11D/1VISE C 3000	VE SMITH.IID
		"\${FSLESL_LOC}\MLIB	PCLIB_SDM.lib"			

Figure 1-11. Linker setting

- 9. In the tree under the DSC Compiler node, click Access Paths.
- 10. In the Search User Paths dialog (#include "..."), click the 'Add...' icon, and a dialog will appear.
- 11. Look for the FSLESL_LOC variable by clicking Variables..., and then finish the path in the box to be: \${FSLESL_LOC}\MLIB\include.
- 12. Tick the box Relative To, and select FSLESL_LOC next to the box. See Figure 1-12. Click OK.
- 13. Look for the FSLESL_LOC variable by clicking Variables..., and then finish the path in the box to be: \${FSLESL_LOC}\PCLIB\include.
- 14. Now you will see the added in the box. See Figure 1-13. Click OK.



Add directory path	
Directory:	
\${FSLESL_LOC}\MLIB\include	
Relative To: FSLESL_LOC	Variables
	Workspace
	File system
	OK Cancel

Figure 1-12. Library include path addition

🛞 Tool Settings 🎤 Build St	eps 🚇 Build Artifact 🗟 Binary Parsers	O Error Parsers	Build Tool Versions
() Global Settings	Consel Hour Daths (#include "_ ")		
▲ S DSC Linker			
🖉 Input	"\${MCUToolsBaseDir}/M56800E Support/ru	untime_56800E/incl	ude"
🖉 Link Order	"\${FSLESL_LOC}\MLIB\include" "\${FSLESL_LOC}\PCLIB\include"		
🖉 Output			
DSC Compiler			
Access Paths			
🖉 Warnings	Search User Paths Recursively		個 個 個 句 句
Optimization			
Processor			
∠singutge ▲ So DSC Assembler			

Figure 1-13. Compiler setting

The final step is typing the #include syntax into the code. Include the library into the *main.c* file. In the left-hand dialog, open the Sources folder of the project, and double-click the *main.c* file. After the *main.c* file opens up, include the following lines into the #include section:

#include "mlib.h"
#include "pclib.h"

When you click the Build icon (hammer), the project will be compiled without errors.



Library integration into project (CodeWarrior™ Development Studio)



Chapter 2 Algorithms in detail

2.1 PCLIB_Ctrl2P2Z

The PCLIB_Ctrl2P2Z function calculates the compensation block for the controller, which consists of two poles and two zeroes. The s-domain transfer function equation for two-pole two-zero control law is as follows:

$$\frac{y[s]}{x[s]} = \frac{(s-Z1)(s-Z2)}{(s-P1)(s-P2)}$$

Equation 1.

where y[s] is the output, and x[s] is the input to the system. This control law has two poles (P1 and P2) and two zeroes (Z1 and Z2). The value or the placement of these poles and zeroes in the bode plot affects the stability and performance of the control loop and the system. The z-domain controller Gc(z) at sampling time Ts is expressed using the Tustin method as follows:

$$\frac{y[t]}{x[t]} = \frac{(b2z^{-2}+b1z^{-1}+b0)}{(1-a2z^{-2}-a1z^{-1})}$$

Equation 2.

 $y[t] - a1 \cdot y[t] \cdot z^{-1} - a2 \cdot y[t] \cdot z^{-2} = b0 \cdot x[t] + b1 \cdot x[t] \cdot z^{-1} + b2 \cdot x[t] \cdot z^{-2}$

Equation 3.

where:

- y[t] = y[n] is the present output
- $y[t] \cdot z^{-1} = y[n-1]$ is the previous output
- $y[t] \cdot z^{-2} = y[n-2]$ is the previous to previous output
- x[t] = x[n] is the present error
- $x[t] \cdot z^{-1} = x[n-1]$ is the previous error
- $x[t] \cdot z^{-2} = x[n-2]$ is the previous to previous error
- b0, b1, b2, a1, and a2 are the control coefficients and functions of Z1, Z2, P1, P2, and sampling time Ts.



 $y[n] = a2 \cdot y[n-2] + a1 \cdot y[n-1] + b2 \cdot x[n-2] + b1 \cdot x[n-1] + b0 \cdot x[n]$

Equation 4.

For a proper use of this function, it is recommended to initialize the function's data by the PCLIB_Ctrl2P2ZInit function, before using the function. This function clears the internal buffers of the 2P2Z controller. You must call this function when you want the 2P2Z controller to be initialized. The init function must not be called together with PCLIB_Ctrl2P2Z, unless a periodic clearing of buffers is required.

2.1.1 Available versions

The available versions of the PCLIB_Ctrl2P2ZInit function are shown in the following table:

Function name	Input type	Parameters	Result type
PCLIB_Ctrl2P2ZInit_F16	frac16_t	PCLIB_CTRL_2P2Z_T_F16 *	void
	The inputs are a 16-bit fractional initial value and a pointer to the controller's para structure. It clears the internal delay parameter buffers of the controller.		

Table 2-1. Init function versions

The available versions of the PCLIB_Ctrl2P2Z function are shown in the following table:

Table 2-2. Function versions

Function name	Input type	Parameters	Result type
PCLIB_Ctrl2P2Z_F16	frac16_t	PCLIB_CTRL_2P2Z_T_F16 *	frac16_t
	The error input i by an input poin	s a 16-bit fractional value within the range <-1 ; 1). The parameters ter. The function returns a 16-bit fractional value in the range <-1 ;	s are pointed to 1).

2.1.2 PCLIB_CTRL_2P2Z_T_F16

Variable name	Туре	Description
f16CoeffB0	frac16_t	Control coefficient for the present error. The parameter is a 16-bit fractional value within the range <-1; 1). Set by the user.
f16CoeffB1	frac16_t	Control coefficient for the past error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffB2	frac16_t	Control coefficient for the past to past error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffA1	frac16_t	Control coefficient for the past result. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.

Table continues on the next page...



Chapter 2 Algorithms in detail

Variable name	Туре	Description
f16CoeffA2	frac16_t	Control coefficient for the past to past result. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16DelayX1	frac16_t	Delay parameter for the past error. Controlled by the algorithm.
f16DelayX2	frac16_t	Delay parameter for the past to past error. Controlled by the algorithm.
f16DelayY1	frac16_t	Delay parameter for the past result. Controlled by the algorithm.
f16DelayY2	frac16_t	Delay parameter for the past to past result. Controlled by the algorithm.

2.1.3 Declaration

The available PCLIB_Ctrl2P2Z functions have the following declarations:

```
void PCLIB_Ctrl2P2ZInit_F16(PCLIB_CTRL_2P2Z_T_F16 *psParam)
frac16_t PCLIB_Ctrl2P2Z_F16(frac16_t f16InErr, PCLIB_CTRL_2P2Z_T_F16 *psParam)
```

2.1.4 Function use

The use of the PCLIB_Ctrl2P2ZInit_F16 and PCLIB_Ctrl2P2Z functions is shown in the following example:

```
#include "pclib.h"
static frac16 t f16Result, f16InErr;
static PCLIB_CTRL_2P2Z_T_F16 sParam;
void Isr(void);
void main(void)
{
    f16InErr = FRAC16(-0.4);
    sParam.f16CoeffB0 = FRAC16(0.1);
    sParam.f16CoeffB1 = FRAC16(0.2);
    sParam.f16CoeffB2 = FRAC16(0.15);
    sParam.f16CoeffA1 = FRAC16(0.1);
    sParam.f16CoeffA2 = FRAC16(0.25);
    PCLIB Ctrl2P2ZInit F16(&sParam);
}
/* Periodical function or interrupt */
void Isr()
{
   f16Result = PCLIB_Ctrl2P2Z_F16(f16InErr, &sParam);
}
```

2.2 PCLIB_Ctrl3P3Z



ru⊔ıB_Ctrl3P3Z

The PCLIB_Ctrl3P3Z function calculates the compensation block for the controller, which consists of three poles and three zeroes. The s-domain transfer function equation for the three-pole three-zero control law is as follows:

 $\frac{y[s]}{x[s]} = \frac{(s-Z1)(s-Z2)(s-Z3)}{(s-P1)(s-P2)(s-P3)}$

Equation 5.

where y[s] is the output and x[s] is the input to the system. This control law has three poles (P1, P2, and P3) and three zeroes (Z1, Z2, and Z3). The value or the placement of these poles and zeroes in the bode plot affects the stability and performance of the control loop and the system. The z-domain controller Gc(z) at sampling time Ts is expressed using the Tustin method as follows:

$$\frac{y[t]}{x[t]} = \frac{(b3z^{-3} + b2z^{-2} + b1z^{-1} + b0)}{(1 - a3z^{-3} - a2z^{-2} - a1z^{-1})}$$

Equation 6.

$$y[t] - a1 \cdot y[t] \cdot z^{-1} - a2 \cdot y[t] \cdot z^{-2} - a3 \cdot y[t] \cdot z^{-3} = b0 \cdot x[t] + b1 \cdot x[t] \cdot z^{-1} + b2 \cdot x[t] \cdot z^{-2} + b3 \cdot x[t] \cdot z^{-3}$$

Equation 7.

where:

- y[t] = y[n] is the present output
- $y[t] \cdot z^{-1} = y[n-1]$ is the previous output
- $y[t] \cdot z^{-2} = y[n-2]$ is the previous to previous output
- $y[t] \cdot z^{-3} = y[n-3]$ is the previous to previous to previous output
- x[t] = x[n] is the present error
- $x[t] \cdot z^{-1} = x[n-1]$ is the previous error
- $x[t] \cdot z^{-2} = x[n-2]$ is the previous to previous error
- $x[t] \cdot z^{-3} = x[n-3]$ is the previous to previous to previous error
- b0, b1, b2, b3 a1, a2, and a3 are the control coefficients and functions of Z1, Z2, Z3, P1, P2, P3, and sampling time Ts.

$$y[n] = a_3 \cdot y[n-3] + a_2 \cdot y[n-2] + a_1 \cdot y[n-1] + b_3 \cdot x[n-3] + b_2 \cdot x[n-2] + b_1 \cdot x[n-1] + b_0 \cdot x[n]$$

Equation 8.

For a proper use of this function, it is recommended to initialize the function's data by the PCLIB_Ctrl3P3ZInit function, before using the function. This function clears the internal buffers of the 3P3Z controller. You must call this function when you want the 3P3Z controller to be initialized. The init function must not be called together with PCLIB_Ctrl3P3Z, unless a periodic clearing of buffers is required.



2.2.1 Available versions

The available versions of the PCLIB_Ctrl3P3ZInit function are shown in the following table:

Function name	Input type	Parameters	Result type
PCLIB_Ctrl3P3ZInit_F16	frac16_t	PCLIB_CTRL_3P3Z_T_F16 *	void
	The inputs are a structure. It clea	16-bit fractional initial value and a pointer to the controller's pars the internal delay parameter buffers of the controller.	rameters

Table 2-3. Init function versions

The available versions of the PCLIB_Ctrl3P3Z function are shown in the following table:

Table 2-4. F	Function	versions
--------------	----------	----------

Function name	Input type	Parameters	Result type
PCLIB_Ctrl3P3Z_F16	frac16_t	PCLIB_CTRL_3P3Z_T_F16 *	frac16_t
	The error input in by an input point	s a 16-bit fractional value within the range <-1 ; 1). The parameters ter. The function returns a 16-bit fractional value in the range <-1 ;	s are pointed to 1).

2.2.2 PCLIB_CTRL_3P3Z_T_F16

Variable name	Input type	Description
f16CoeffB0	frac16_t	Control coefficient for the present error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffB1	frac16_t	Control coefficient for the past error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffB2	frac16_t	Control coefficient for the past to past error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffB3	frac16_t	Control coefficient for the past to past to past error. The parameter is a 16- bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffA1	frac16_t	Control coefficient for the past result. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffA2	frac16_t	Control coefficient for the past to past result. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffA3	frac16_t	Control coefficient for the past to past to past result. The parameter is a 16- bit fractional value within the range <-1 ; 1). Set by the user.
f16DelayX1	frac16_t	Delay parameter for the past error. Controlled by the algorithm.
f16DelayX2	frac16_t	Delay parameter for the past to past error. Controlled by the algorithm.
f16DelayX3	frac16_t	Delay parameter for the past to past to past error. Controlled by the algorithm.
f16DelayY1	frac16_t	Delay parameter for the past result. Controlled by the algorithm.
f16DelayY2	frac16_t	Delay parameter for the past to past result. Controlled by the algorithm.

Table continues on the next page ...



Variable name	Input type	Description
f16DelayY3	frac16_t	Delay parameter for the past to past to past result. Controlled by the algorithm.

2.2.3 Declaration

The available PCLIB_Ctrl3P3Z functions have the following declarations:

```
void PCLIB_Ctrl3P3ZInit_F16(PCLIB_CTRL_3P3Z_T_F16 *psParam)
frac16_t PCLIB_Ctrl3P3Z_F16(frac16_t f16InErr, PCLIB_CTRL_3P3Z_T_F16 *psParam)
```

2.2.4 Function use

The use of the PCLIB_Ctrl3P3ZInit_F16 and PCLIB_Ctrl3P3Z functions is shown in the following example:

```
#include "pclib.h"
static frac16 t f16Result, f16InErr;
static PCLIB CTRL 3P3Z T F16 sParam;
void Isr(void);
void main(void)
{
    f16InErr = FRAC16(-0.4);
    sParam.f16CoeffB0 = FRAC16(0.1);
    sParam.f16CoeffB1 = FRAC16(0.2);
    sParam.f16CoeffB2 = FRAC16(0.15);
    sParam.fl6CoeffB3 = FRAC16(0.12);
    sParam.f16CoeffA1 = FRAC16(0.1);
    sParam.f16CoeffA2 = FRAC16(0.25);
    sParam.f16CoeffA3 = FRAC16(0.35);
    PCLIB Ctrl3P3ZInit F16(&sParam);
}
/* Periodical function or interrupt */
void Isr()
{
   f16Result = PCLIB Ctrl3P3Z F16(f16InErr, &sParam);
}
```

2.3 PCLIB_CtrIPI



The PCLIB_CtrlPI function calculates the Proportional-Integral (PI) compensation block for any given control system in power-control and motor-control applications. The integral output of the controller is also limited, and the limit values (IntegralUpperLimit and IntegralLowerLimit) are defined by the user. The controller output is also limited, and the limit values (UpperLimit and LowerLimit) are defined by the user. The integral state is limited by the controller limits in the same way as the controller output.

The PI algorithm in the continuous time domain is expressed as follows:

$y(t) = Kp \cdot e(t) + \int_{0}^{t} Ki \cdot e(t) \cdot dt$

Equation 9.

The above equation can be rewritten into the discrete time domain by approximating the integral term. The integral term is approximated by the Backward Euler method, also known as backward rectangular or right-hand approximation, as follows:

$$y_I(n) = y_I(n-1) + Ki \cdot Ts \cdot e(n)$$

Equation 10.

The discrete time domain representation of the PI algorithms is as follows:

 $y(n) = Kp \cdot e(n) + y_i(n-1) + Ki \cdot Ts \cdot e(n)$

Equation 11.

where:

- e(n) is the input error
- y(n) is the controller output
- Kp is the proportional gain
- Ki is the integral gain
- $y_I(n-1)$ is the previous integral output
- Ts is the sampling time

Rewritten as follows:

$$y(n) = Kp \cdot e(n) + y_I(n-1) + K_I \cdot e(n)$$

Equation 12.

 $K_I = Ki \cdot Ts$

Equation 13.



rப⊔B_CtrlPl

For a proper use of this function, it is recommended to initialize the function's data by the PCLIB_CtrlPIInit functions, before using this function. This function clears the internal buffers of a PI controller. You must call this function when you want the PI controller to be initialized. The init function must not be called together with PCLIB_CtrlPI, unless a periodic clearing of buffers is required.

2.3.1 Available versions

The available versions of the PCLIB_CtrlPIInit function are shown in the following table:

Function name	Input type	Parameters	Result type	
PCLIB_CtrlPIInit_F16	frac16_t	PCLIB_CTRL_PI_T_F16 *	void	
	The inputs are a structure. It clea	The inputs are a 16-bit fractional initial value and a pointer to the controller's para structure. It clears the internal integral accumulator buffer.		

Table 2-5. Init function versions

The available versions of the PCLIB_CtrlPI function are shown in the following table:

Table 2-6. Function versions

Function name	Input type	Parameters	Result type
PCLIB_CtrlPI_F16	frac16_t	PCLIB_CTRL_PI_T_F16 *	frac16_t
	The error input in by an input point f16UpperLimit>.	s a 16-bit fractional value within the range <-1 ; 1). The parameters ter. The function returns a 16-bit fractional value in the range <f16< td=""><td>are pointed to _owerLimit ;</td></f16<>	are pointed to _owerLimit ;

2.3.2 PCLIB_CTRL_PI_T_F16

Variable name	Input type	Description
f16Kp	frac16_t	Proportional gain. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16Ki	frac16_t	Integral gain. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16PreviousIntegralOut put	frac16_t	Internal integral accumulator. Controlled by the algorithm.
f16IntegralUpperLimit	frac16_t	Upper limit of the the integral accumulator. These parameters must be greater than f16IntegralLowerLimit. Set by the user.
f16IntegralLowerLimit	frac16_t	Lower limit of the the integral accumulator. These parameters must be lower than f16IntegralUpperLimit. Set by the user.
f16UpperLimit	frac16_t	Upper limit of the the controller's output. These parameters must be greater than f16LowerLimit. Set by the user.

Table continues on the next page...



Variable name	Input type	Description
f16LowerLimit	frac16_t	Lower limit of the the controller's output. These parameters must be lower than f16UpperLimit. Set by the user.

2.3.3 Declaration

The available PCLIB_CtrlPI functions have the following declarations:

```
void PCLIB_CtrlPIInit_F16(PCLIB_CTRL_PI_T_F16 *psParam)
frac16_t PCLIB_CtrlPI_F16(frac16_t f16InErr, PCLIB_CTRL_PI_T_F16 *psParam)
```

2.3.4 Function use

The use of the PCLIB_CtrlPIInit_F16 and PCLIB_CtrlPI functions is shown in the following example:

```
#include "pclib.h"
static frac16 t f16Result, f16InErr;
static PCLIB CTRL PI T F16 sParam;
void Isr(void);
void main(void)
{
    f16InErr = FRAC16(-0.4);
    sParam.f16Kp = FRAC16(0.1);
    sParam.f16Ki = FRAC16(0.2);
    sParam.f16IntegralUpperLimit = FRAC16(0.9);
    sParam.f16IntegralLowerLimit = FRAC16(-0.9);
    sParam.f16UpperLimit = FRAC16(0.9);
    sParam.f16LowerLimit = FRAC16(-0.9);
    PCLIB CtrlPIInit F16(&psParam);
}
/* Periodical function or interrupt */
void Isr()
{
   f16Result = PCLIB CtrlPI F16(f16InErr, &sParam);
}
```

2.4 PCLIB_CtrlPlandLPFilter



rபபB_CtrlPlandLPFilter

The PCLIB_CtrlPIandLPFilter function calculates the Proportional-Integral (PI) compensation block, along with the low-pass filter. The low-pass filter's pole and zero are placed at much higher frequency to compensate for the output capacitor ESR. It can be represented as follows:

$$Output = (Kp + \frac{Ki}{s}) \cdot [\frac{(s+a)}{(s+b)}]$$

Equation 14.

It increases the system performance even at the high frequency (in bode plot frequency domain) of system operations. This is equivalent to:

 $\frac{y[s]}{x[s]} = \frac{(s-Z1)(s-Z2)}{(s-P1)(s-P2)}$

Equation 15.

where y[s] is the output, and x[s] is the input to the system. This control law has two poles (P1 and P2) and two zeroes (Z1 and Z2). The value or the placement of these poles and zeroes in the bode plot influence the stability and performance of the control loop and the system. The z-domain controller Gc(z) at sampling time Ts is expressed using the Tustin method as follows:

 $\frac{y[t]}{x[t]} = \frac{(b2z^{-2}+b1z^{-1}+b0)}{(1-a2z^{-2}-a1z^{-1})}$

Equation 16.

 $y[t] - a1 \cdot y[t] \cdot z^{-1} - a2 \cdot y[t] \cdot z^{-2} = b0 \cdot x[t] + b1 \cdot x[t] \cdot z^{-1} + b2 \cdot x[t] \cdot z^{-2}$

Equation 17.

where:

- y[t] = y[n] is the present output
- $y[t] \cdot z^{-1} = y[n-1]$ is the previous output
- $y[t] \cdot z^{-2} = y[n-2]$ is the previous to previous output
- x[t] = x[n] is the present error
- $x[t] \cdot z^{-1} = x[n-1]$ is the previous error
- $x[t] \cdot z^{-2} = x[n-2]$ is the previous to previous error
- b0, b1, b2, a1, and a2 are the control coefficients and functions of Z1, Z2, P1, P2, and sampling time Ts.

 $y[n] = a1 \cdot y[n-1] + a2 \cdot y[n-2] + b0 \cdot x[n] + b1 \cdot x[n-1] + b2 \cdot x[n-2]$

Equation 18.



For a proper use of this function, it is recommended to initialize the function's data by the PCLIB_CtrlPIandLPInit functions, before using the function. This function clears the internal buffers of the PIandLP controller. You must call this function when you want the PIandLP controller to be initialized. The init function must not be called together with PCLIB_CtrlPIandLPFilter, unless a periodic clearing of buffers is required.

2.4.1 Available versions

The available versions of the PCLIB_CtrlPIandLPInit function are shown in the following table:

Function name	Input type	Parameters	Result type
PCLIB_CtrlPlandLPInit_F16	frac16_t	PCLIB_CTRL_PI_LP_T_F16 *	void
	The inputs are a 16-bit fractional initial value and a pointer to the controller's parameters structure. It clears the internal delay parameter buffers of the controller.		

	Table 2-7.	Init function	versions
--	------------	---------------	----------

The available versions of the PCLIB_CtrlPIandLPFilter function are shown in the following table:

Function name	Input type	Parameters	Result type
PCLIB_CtrlPlandLP_F16	frac16_t	PCLIB_CTRL_PI_LP_T_F16 *	frac16_t
	The error input is a 16-bit fractional value within the range <-1 ; 1). The parameters are pointed by an input pointer. The function returns a 16-bit fractional value in the range <-1 ; 1).		

2.4.2 PCLIB_CTRL_PI_LP_T_F16

Variable name	Input type	Description
f16CoeffB0	frac16_t	Control coefficient for the present error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffB1	frac16_t	Control coefficient for the past error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffB2	frac16_t	Control coefficient for the past to past error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffA1	frac16_t	Control coefficient for the past result. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16CoeffA2	frac16_t	Control coefficient for the past to past result. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.

Table continues on the next page ...



Variable name	Input type	Description
f16DelayX1	frac16_t	Delay parameter for the past error. Controlled by the algorithm.
f16DelayX2	frac16_t	Delay parameter for the past to past error. Controlled by the algorithm.
f16DelayY1	frac16_t	Delay parameter for the past result. Controlled by the algorithm.
f16DelayY2	frac16_t	Delay parameter for the past to past result. Controlled by the algorithm.

2.4.3 Declaration

The available PCLIB_CtrlPIandLPFilter functions have the following declarations:

```
void PCLIB_CtrlPIandLPInit_F16(PCLIB_CTRL_PI_LP_T_F16 *psParam)
frac16_t PCLIB_CtrlPIandLP_F16(frac16_t f16InErr, PCLIB_CTRL_PI_LP_T_F16 *psParam)
```

2.4.4 Function use

The use of the PCLIB_CtrlPIandLPInit_F16 and PCLIB_CtrlPIandLPFilter functions is shown in the following example:

```
#include "pclib.h"
static frac16 t f16Result, f16InErr;
static PCLIB_CTRL_PI_LP_T_F16 sParam;
void Isr(void);
void main(void)
{
    f16InErr = FRAC16(-0.4);
    sParam.f16CoeffB0 = FRAC16(0.1);
    sParam.f16CoeffB1 = FRAC16(0.2);
    sParam.f16CoeffB2 = FRAC16(0.15);
    sParam.f16CoeffA1 = FRAC16(0.1);
    sParam.f16CoeffA2 = FRAC16(0.25);
   PCLIB CtrlPIandLPInit F16(&sParam);
}
/* Periodical function or interrupt */
void Isr()
   f16Result = PCLIB_CtrlPIandLP_F16(f16InErr, &sParam);
}
```

2.5 PCLIB_CtrIPID



The PCLIB_CtrlPID function calculates the Proportional-Integral-Derivative (PID) algorithm, according to the proportional (Kp), integral (Ki), and differential (Kd) coefficients. The controller output is limited, and you can define the limit values.

The PID algorithm in the continuous time domain is expressed as follows:

$$y(t) = Kp \cdot e(t) + \int_{0}^{t} (Ki \cdot e(t) \cdot dt) + Kd \cdot \frac{de(t)}{dt}$$

Equation 19.

where:

- e(t) is the input error in the continuous time domain
- y(t) is the controller output in the continuous time domain
- Kp is the proportional coefficient
- Ki is the integral coefficient
- Kd is the differential coefficient

It can be rewritten as:

 $Kp \cdot e(t) = Kp \cdot x(t)$

Equation 20.

$$Ki \int_{0}^{t} e(t) \cdot dt = \frac{Ki}{1 - z^{-1}} \cdot x(t)$$

Equation 21.

$$Kd \cdot \frac{de(t)}{dt} = Kd \cdot (1 - z^{-1}) \cdot x(t)$$

Equation 22.

 $y(t) = \frac{(Kp + Ki + Kd)x(t) + (-Kp - 2Kd)x(t)z^{-1} + Kdx(t)z^{-2}}{1 - z^{-1}}$

Equation 23.

It can be further simplified as:

 $K_p+K_i+K_d=KA$

$$-K_p-2K_d=KB$$

K_d=KC

therefore:

$$y(t) = \frac{Kax(t) + Kbx(t)z^{-1} + Kox(t)z^{-2}}{1 - z^{-1}}$$

Equation 24.



 $y(t) = y(t) \cdot z^{-1} + Ka \cdot x(t) + Kb \cdot x(t) \cdot z^{-1} + Kc \cdot x(t) \cdot z^{-2}$

Equation 25.

 $y[n] = y[n-1] + Ka \cdot x[n] + Kb \cdot x[n-1] + Kc \cdot x[n-2]$

Equation 26.

where:

- y(t) = y[n] is the present output
- $y(t) \cdot z^{-1} = y[n-1]$ is the previous output
- x(t) = x[n] is the present error
- $x(t) \cdot z^{-1} = x[n-1]$ is the previous error
- $x(t) \cdot z^{-2} = x[n-2]$ is the previous to previous error

For a proper use of this function, it is recommended to initialize the function's data by the PCLIB_CtrlPIDInit functions, before using this function. This function clears the internal buffers of the PID controller. You must call this function when you want the PID controller to be initialized. The init function must not be called together with PCLIB_CtrlPID, unless a periodic clearing of buffers is required.

2.5.1 Available versions

The available versions of the PCLIB_CtrlPIDInit function are shown in the following table:

Table 2-9. Init function versions

Function name	Input type	Parameters	Result type	
PCLIB_CtrlPIDInit_F16	frac16_t	PCLIB_CTRL_PID_T_F16 *	void	
	The inputs are a 16-bit fractional initial value and a pointer to the controller parameters' structure. It clears the internal delay parameter buffers of the controller.			

The available versions of the PCLIB_CtrlPID function are shown in the following table:

Table 2-10. Function versions

Function name	Input type	Parameters	Result type
PCLIB_CtrlPID_F16	frac16_t	PCLIB_CTRL_PID_T_F16 *	frac16_t
	The error input is by an input point f16UpperLimit>.	s a 16-bit fractional value within the range <-1 ; 1). The parameters ter. The function returns a 16-bit fractional value in the range <f16< td=""><td>are pointed to _owerLimit ;</td></f16<>	are pointed to _owerLimit ;



2.5.2 PCLIB_CTRL_PID_T_F16

Variable name	Input type	Description
f16Ka	frac16_t	Control coefficient for the present error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16Kb	frac16_t	Control coefficient for the past error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16Kc	frac16_t	Control coefficient for the past to past error. The parameter is a 16-bit fractional value within the range <-1 ; 1). Set by the user.
f16DelayX1	frac16_t	Delay parameter for the past error. Controlled by the algorithm.
f16DelayX2	frac16_t	Delay parameter for the past to past error. Controlled by the algorithm.
f16DelayY1	frac16_t	Delay parameter for the past result. Controlled by the algorithm.
f16UpperLimit	frac16_t	Upper limit of the controller's output. This parameter must be greater than f16LowerLimit. Set by the user.
f16LowerLimit	frac16_t	Lower limit of the controller's output. This parameter must be lower than f16UpperLimit. Set by the user.

2.5.3 Declaration

The available PCLIB_CtrlPID functions have the following declarations:

```
void PCLIB_CtrlPIDInit_F16(PCLIB_CTRL_PID_T_F16 *psParam)
frac16_t PCLIB_CtrlPID_F16(frac16_t f16InErr, PCLIB_CTRL_PID_T_F16 *psParam)
```

2.5.4 Function use

The use of the PCLIB_CtrlPIDInit_F16 and PCLIB_CtrlPID functions is shown in the following example:

```
#include "pclib.h"
static frac16_t f16Result, f16InErr;
static PCLIB_CTRL_PID_T_F16 sParam;
void Isr(void);
void main(void)
{
    f16InErr = FRAC16(-0.4);
    sParam.f16Ka = FRAC16(0.1);
    sParam.f16Kb = FRAC16(0.2);
    sParam.f16Kc = FRAC16(0.15);
    sParam.f16LowerLimit = FRAC16(-0.9);
    PCLIB_CtrlPIDInit_F16(&sParam);
}
```



```
/* Periodical function or interrupt */
void Isr()
{
    f16Result = PCLIB_CtrlPID_F16(f16InErr, &sParam);
}
```

Appendix A Library types

A.1 bool_t

The bool_t type is a logical 16-bit type. It is able to store the boolean variables with two states: TRUE (1) or FALSE (0). Its definition is as follows:

typedef unsigned short bool_t;

The following figure shows the way in which the data is stored by this type:

	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
Value															Logi cal	
TRUE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
THUE		()			()			()			1		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FALSE		()			()			()			()	

Table A-1. Data storage

To store a logical value as **bool_t**, use the **FALSE** or **TRUE** macros.

A.2 uint8_t

The uint8_t type is an unsigned 8-bit integer type. It is able to store the variables within the range <0; 255>. Its definition is as follows:

typedef unsigned char int8_t;

The following figure shows the way in which the data is stored by this type:





Table A-2. Data storage

A.3 uint16_t

The uint16_t type is an unsigned 16-bit integer type. It is able to store the variables within the range <0; 65535>. Its definition is as follows:

typedef unsigned short uint16_t;

The following figure shows the way in which the data is stored by this type:

	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
Value									Integei							
65535	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
00000		F	=			F	-			I	F			I	F	
5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
		()			()			(0			į	5	•
15510	0	0	1	1	1	1	0	0	1	0	0	1	1	1	1	0
15518		:	3			(5			ę	9			E	Ξ	
40769	1	0	0	1	1	1	1	1	0	1	0	0	0	0	0	0
40700		ę	9			F	=			4	4			(0	

Table A-3. Data storage

A.4 uint32_t



The uint32_t type is an unsigned 32-bit integer type. It is able to store the variables within the range <0; 4294967295>. Its definition is as follows:

typedef unsigned long uint32_t;

The following figure shows the way in which the data is stored by this type:

	31	24	23	16	15	8	7	0
Value				In	teger			
4294967295	F	F	F	F	F	F	F	F
2147483648	8	0	0	0	0	0	0	0
55977296	0	3	5	6	2	5	5	0
3451051828	С	D	В	2	D	F	3	4

Table A-4. Data storage

A.5 int8_t

The int8_t type is a signed 8-bit integer type. It is able to store the variables within the range <-128 ; 127>. Its definition is as follows:

typedef char int8_t;

The following figure shows the way in which the data is stored by this type:

	7	6	5	4	3	2	1	0
Value	Sign				Integer			
107	0	1	1	1	1	1	1	1
127		7	,	•		•	F	
100	1	0	0	0	0	0	0	0
-120		8	}				0	
60	0	0	1	1	1	1	0	0
00		3	}				C	
07	1	0	0	1	1	1	1	1
-97		9		•		•	F	

Table A-5. Data storage



A.6 int16_t

The int16_t type is a signed 16-bit integer type. It is able to store the variables within the range <-32768 ; 32767>. Its definition is as follows:

typedef short int16_t;

The following figure shows the way in which the data is stored by this type:

	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
Value	Sign								Integei	r						
20767	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32101		-	7			F	-			I				ſ	-	
-32768 -	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		8	3	•		()			()			. ()	
- 15518	0	0	1	1	1	1	0	0	1	0	0	1	1	1	1	0
		:	3	•		(5			ę	9			E		
04769	1	0	0	1	1	1	1	1	0	1	0	0	0	0	0	0
-24/00		Ģ	9			F	-			4	1			. ()	



A.7 int32_t

The int32_t type is a signed 32-bit integer type. It is able to store the variables within the range <-2147483648 ; 2147483647>. Its definition is as follows:

typedef long int32_t;

The following figure shows the way in which the data is stored by this type:

	31	24	23	16	15	8	7	0
Value	S			In	teger			
2147483647	7	F	F	F	F	F	F	F
-2147483648	8	0	0	0	0	0	0	0
55977296	0	3	5	6	2	5	5	0
-843915468	С	D	В	2	D	F	3	4

Table A-7. Data storage





A.8 frac8_t

The frac8_t type is a signed 8-bit fractional type. It is able to store the variables within the range <-1; 1). Its definition is as follows:

typedef char frac8_t;

The following figure shows the way in which the data is stored by this type:

	7	6	5	4	3	2	1	0
Value	Sign				Fractional			
0.00010	0	1	1	1	1	1	1	1
0.99219		7	,				F	
10	1	0	0	0	0	0	0	0
-1.0		8	;				0	
0 46975	0	0	1	1	1	1	0	0
0.40075		3	}			(C	
0 75701	1	0	0	1	1	1	1	1
-0.73781		9)				F	

Table A-8.	Data	storage
------------	------	---------

To store a real number as frac8_t, use the FRAC8 macro.

A.9 frac16_t

The frac16_t type is a signed 16-bit fractional type. It is able to store the variables within the range <-1; 1). Its definition is as follows:

typedef short frac16_t;

The following figure shows the way in which the data is stored by this type:

	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
Value	Sign															
0.99997	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		7	7			F	-			F	=			F	=	
-1.0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table A-9. Data storage

Table continues on the next page ...

PCLIB User's Guide, Rev. 2, 10/2015



		8	3			C)			()			()	
0 47257	0	0	1	1	1	1	0	0	1	0	0	1	1	1	1	0
0.47357		3	3			C)			ç	9			E	=	
-0.75586	1	0	0	1	1	1	1	1	0	1	0	0	0	0	0	0
		9	9	•		F	=			2	1			()	

Table A-9. Data storage (continued)

To store a real number as frac16_t, use the FRAC16 macro.

A.10 frac32_t

The frac32_t type is a signed 32-bit fractional type. It is able to store the variables within the range <-1; 1). Its definition is as follows:

typedef long frac32_t;

The following figure shows the way in which the data is stored by this type:

	31	24	23	16	15	8	7	0
Value	S			Fra	ctional			
0.9999999995	7	F	F	F	F	F	F	F
-1.0	8	0	0	0	0	0	0	0
0.02606645970	0	3	5	6	2	5	5	0
-0.3929787632	С	D	В	2	D	F	3	4

 Table A-10.
 Data storage

To store a real number as frac32_t, use the FRAC32 macro.

A.11 acc16_t

The acc16_t type is a signed 16-bit fractional type. It is able to store the variables within the range <-256; 256). Its definition is as follows:

typedef short acc16_t;

The following figure shows the way in which the data is stored by this type:



	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
Value	Sign				Inte	eger						Fi	raction	al		
255 0021875	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
255.9921075		7	7			F	=			F	-			F	-	
-256.0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
-250.0		8	3			()			()			()	
1.0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
		()			()			8	3			()	
1.0	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0
-1.0		F	=			F	=			8	3			()	
12 7900625	0	0	0	0	0	1	1	0	1	1	1	0	0	1	0	1
13.7890625		()			6	3			E				Ę	5	
90 71975	1	1	0	1	0	0	1	1	0	0	1	0	0	1	0	0
-09./10/5		[)			3	3			2	2			2	1	



To store a real number as acc16_t, use the ACC16 macro.

A.12 acc32_t

The acc32_t type is a signed 32-bit accumulator type. It is able to store the variables within the range <-65536; 65536). Its definition is as follows:

typedef long acc32_t;

The following figure shows the way in which the data is stored by this type:

31		24 23		16 15		8 7		0	
S	Integer					Fractional			
	7	F	F	F	F	F	F	F	
	8	0	0	0	0	0	0	0	
	0	0	0	0	8	0	0	0	
	F	F	F	F	8	0	0	0	
	0	0	0	В	E	5	1	6	
	F	D	В	6	5	8	В	С	
	31 S	31 S 7 8 0 F 0 F F	31 24 S 7 F 8 0 0 0 F F 0 0 F D	31 24 23 S Integer 7 F F 8 0 0 0 0 0 F F F 0 0 0 F D B	31 24 23 16 S Integer 7 F F 8 0 0 0 0 0 F F F 0 0 0 F F F F D B	31 24 23 16 15 S Integer 7 F F F 8 0 0 0 0 0 0 0 0 8 F F F F 8 0 0 0 0 8 F F F 8 8 0 0 0 0 8 F D B 6 5	31 24 23 16 15 8 S Integer Frage 7 F F F F 8 0 0 0 0 0 0 0 0 0 8 0 F F F F 8 0 0 0 0 0 8 0 F F F F 8 0 F D B 6 5 8	31 24 23 16 15 8 7 S Integer Fractional 7 F F F F 8 0 0 0 0 0 0 0 0 0 0 0 F F F 8 0 0 F F F 8 0 0 F F F 8 0 0 F D B 6 5 8 B	

To store a real number as acc32_t, use the ACC32 macro.



A.13 FALSE

The FALSE macro serves to write a correct value standing for the logical FALSE value of the bool_t type. Its definition is as follows:

A.14 TRUE

The TRUE macro serves to write a correct value standing for the logical TRUE value of the bool_t type. Its definition is as follows:

A.15 FRAC8

The FRAC8 macro serves to convert a real number to the frac8_t type. Its definition is as follows:

The input is multiplied by 128 (= 2^7). The output is limited to the range <0x80 ; 0x7F>, which corresponds to <-1.0 ; 1.0- 2^{-7} >.



```
#include "mlib.h"
static frac8_t f8Val;
void main(void)
{
    f8Val = FRAC8(0.187); /* f8Val = 0.187 */
}
```

A.16 FRAC16

The FRAC16 macro serves to convert a real number to the frac16_t type. Its definition is as follows:

The input is multiplied by $32768 (=2^{15})$. The output is limited to the range <0x8000; 0x7FFF>, which corresponds to <-1.0; $1.0-2^{-15}>$.

```
#include "mlib.h"
static frac16_t f16Val;
void main(void)
{
    f16Val = FRAC16(0.736); /* f16Val = 0.736 */
}
```

A.17 FRAC32

The FRAC32 macro serves to convert a real number to the frac32_t type. Its definition is as follows:

```
#define FRAC32(x) ((frac32_t)((x) < 1 ? ((x) >= -1 ? (x) *0x80000000 : 0x80000000) : 0x7FFFFFF))
```

The input is multiplied by 2147483648 (= 2^{31}). The output is limited to the range <0x80000000 ; 0x7FFFFFF>, which corresponds to <-1.0 ; 1.0- 2^{-31} >.



A.18 ACC16

The ACC16 macro serves to convert a real number to the acc16_t type. Its definition is as follows:

The input is multiplied by $128 (=2^7)$. The output is limited to the range <0x8000; 0x7FFF> that corresponds to <-256.0; 255.9921875>.

A.19 ACC32

The ACC32 macro serves to convert a real number to the acc32_t type. Its definition is as follows:

The input is multiplied by $32768 (=2^{15})$. The output is limited to the range <0x80000000; 0x7FFFFFF, which corresponds to <-65536.0; $65536.0-2^{-15}>$.



How to Reach Us:

Home Page: freescale.com

Web Support: freescale.com/support Information in this document is provided solely to enable system and software implementers to use Freescale products. There are no express or implied copyright licenses granted hereunder to design or fabricate any integrated circuits based on the information in this document. Freescale reserves the right to make changes without further notice to any products herein.

Freescale makes no warranty, representation, or guarantee regarding the suitability of its products for any particular purpose, nor does Freescale assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation consequential or incidental damages. "Typical" parameters that may be provided in Freescale data sheets and/or specifications can and do vary in different applications, and actual performance may vary over time. All operating parameters, including "typicals," must be validated for each customer application by customer's technical experts. Freescale does not convey any license under its patent rights nor the rights of others. Freescale sells products pursuant to standard terms and conditions of sale, which can be found at the following address: www.freescale.com/salestermsandconditions.

Freescale and the Freescale logo are trademarks of Freescale Semiconductor, Inc. All other product or service names are the property of their respective owners.

© 2015 Freescale Semiconductor, Inc.

Document Number DSP56800EPCLIBUG Revision 2, 10/2015

