

Test Report

號碼(No.): ETR22A04790 頁數(Page): 1 of 32 日期(Date): 11-Nov-2022

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) 陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.)

樣品名稱(Sample Name) COPPER OXIDE (氧化銅)

樣品型號(Style/Item No.) 42101 樣品編碼(Sample No.) C22028-1 顏色(Color) 黑色 (BLACK)

______ 收件日(Sample Receiving Date) 31-Oct-2022

測試期間(Testing Period) 31-Oct-2022 to 11-Nov-2022

測試需求(Test Requested) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試

> 鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs,

PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 依據客戶指定,測試 PAHs 及其他測項。 (As specified by client, to test PAHs and

other item(s).)

測試結果(Test Results) 請參閱下一頁 (Please refer to following pages.)

論(Conclusion) (1) 根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP,

BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863

amending Annex II to Directive 2011/65/EU.)

根據客戶所提供的樣品,多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS PAHs第 3 類 「其它產品」之限值要求。(Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3) Other consumer products as set by

German Committee on Product Safety (AfPS) GS PAHs.)

Signed for and on behalf 💸 SGS TAIWAN LTD. Chemical Laboratory - Taipei





Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 2 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 黑色粉末 (BLACK POWDER)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	·
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)	參考IEC 62321-5: 2013·以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-97-6)	參考IEC 62321-4: 2013 + AMD1: 2017 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013 + AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) (CAS No.: 18540-29-9)	參考IEC 62321-7-2: 2017·以紫外光-可見 光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)] *参考IEC 62321-6: 2015·以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)	iii 儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)	GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)	,,	mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 3 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)	 參考IEC 62321-6: 2015 · 以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)	iii儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)	GC/1V13.)	mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	ı	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) (CAS No.: 85-68-7)		mg/kg	50	n.d.	1000
phthalate (BBP)) (CAS No.: 85-68-7) 鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2)		mg/kg	50	n.d.	1000
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7)		mg/kg	50	n.d.	1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) (CAS No.: 84-69-5)	食力压C C2221 0 2017 以存扣房长净板	mg/kg	50	n.d.	1000
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by	mg/kg	50	n.d.	-
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)		mg/kg	50	n.d.	-
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)		mg/kg	50	n.d.	-
鄰苯二甲酸二異戊酯 (DIPP) (Diisopentyl phthalate (DIPP)) (CAS No.: 605-50-5)		mg/kg	50	n.d.	-
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3)		mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 4 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鄰苯二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)	·参考IEC 62321-8: 2017·以氣相層析儀/質	mg/kg	50	n.d.	-
鄰苯二甲酸二(支鏈及直鏈戊基)酯 (DPP) (1,2-Benzenedicarboxylic acid, dipentylester, branched and linear (DPP)) (CAS No.: 84777-06-0)	譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
鄰苯二甲酸二正戊酯 (DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0)		mg/kg	50	n.d.	-
中鏈氯化石蠟(C14-C17) (MCCP) (Medium Chain Chlorinated Paraffins(C14-C17) (MCCP)) (CAS No.: 85535-85-9)	參考ISO 18219: 2015 · 以氣相層析儀/質譜儀分析。(With reference to ISO 18219: 2015, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
四溴雙酚-A (TBBP-A) (Tetrabromobisphenol A (TBBP-A)) (CAS No.: 79-94-7)	參考RSTS-E&E-121.以液相層析儀/質譜 儀分析。(With reference to RSTS-E&E- 121, analysis was performed by LC/MS.)	mg/kg	10	n.d.	-
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)	參考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582:	mg/kg	50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)	2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
多氯聯苯 (PCBs) (Polychlorinated biphenyls (PCBs))	參考US EPA 3550C: 2007·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	0.5	n.d.	-
多氯三聯苯 (PCTs) (Polychlorinated terphenyls (PCTs))	參考US EPA 3550C: 2007·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	0.5	n.d.	-



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 5 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
多氯奈 (PCNs) (Polychlorinated	参考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	5	n.d.	-
naphthalene (PCNs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
L-N+ E T-155 (C10 C10) (CCCD) (C1	GC/MS.)				
短鏈氯化石蠟(C10-C13) (SCCP) (Short	参考ISO 18219: 2015・以氣相層析儀/質	mg/kg	50	n.d.	-
Chain Chlorinated Paraffins(C10-C13) (SCCP)) (CAS No.: 85535-84-8)	譜儀分析。(With reference to ISO 18219: 2015, analysis was performed by				
(SCCF)) (CAS No.: 65555-64-6)	GC/MS.)				
	参考IEC 62321: 2008 · 以氣相層析儀/質譜	mg/kg	5	n.d.	-
物(HBCDD) (α- HBCDD, β- HBCDD, γ-	儀分析。(With reference to IEC 62321:	9, 9			
HBCDD) (Hexabromocyclododecane	2008, analysis was performed by				
(HBCDD) and all major	GC/MS.)				
diastereoisomers identified (α - HBCDD,					
β- HBCDD, γ- HBCDD)) (CAS No.:					
25637-99-4, 3194-55-6 (134237-51-7,					
134237-50-6, 134237-52-8))	# **UC FDA 2550C 2007 N = 11 = 1/2 / /	41	-		
四溴雙酚-A-雙 (TBBP-A-bis) (CAS No.: 21850-44-2)	參考US EPA 3550C: 2007·以氣相層析儀/ 質譜儀分析。(With reference to US EPA	mg/kg	5	n.d.	-
21630-44-2)	3550C: 2007, analysis was performed by				
	GC/MS.)				
富馬酸二甲酯 (DMFu) (Dimethyl	参考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	0.1	n.d.	-
fumarate (DMFu)) (CAS No.: 624-49-7)	質譜儀分析。(With reference to US EPA	9, 9			
	3550C: 2007, analysis was performed by				
	GC/MS.)				
三丁基錫 (TBT) (Tributyl tin (TBT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
三苯基錫 (TPT) (Triphenyl tin (TPT))	焰光度偵測器分析。(With reference to	mg/kg	0.03	n.d.	-
二丁基錫 (DBT) (Dibutyl tin (DBT))	ISO 17353: 2004, analysis was	mg/kg	0.03	n.d.	-
二辛基錫 (DOT) (Dioctyl tin (DOT))	performed by GC/FPD.)	mg/kg	0.03	n.d.	-
氧化雙三丁基錫 (TBTO) (Bis(tributyltin)	由三丁基錫測試結果計算得之。	mg/kg	0.03 ▲	n.d.	-
oxide (TBTO)) (CAS No.: 56-35-9)	(Calculated from the result of Tributyl				
	Tin (TBT).)				



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 6 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
多環芳香烴 (Polycyclic Aromatic					
Hydrocarbons) (PAHs)					
苯駢(a)芘 (Benzo[a]pyrene) (CAS No.:		mg/kg	0.2	n.d.	Δ
50-32-8)					
苯駢(e)芘 (Benzo[e]pyrene) (CAS No.:		mg/kg	0.2	n.d.	Δ
192-97-2)					
苯駢蒽 (Benzo[a]anthracene) (CAS No.:		mg/kg	0.2	n.d.	Δ
56-55-3)					
苯(b)苯駢芴 (Benzo[b]fluoranthene)		mg/kg	0.2	n.d.	Δ
(CAS No.: 205-99-2)					
苯(j)苯駢芴 (Benzo[j]fluoranthene) (CAS		mg/kg	0.2	n.d.	Δ
No.: 205-82-3)		_			
苯(k)苯駢芴 (Benzo[k]fluoranthene)		mg/kg	0.2	n.d.	Δ
(CAS No.: 207-08-9)	參考AfPS GS 2019:01 PAK,以氣相層析儀				
菌 (Chrysene) (CAS No.: 218-01-9)	/質譜儀分析。(With reference to AfPS GS		0.2	n.d.	Δ
二苯駢蒽 (Dibenzo[a,h]anthracene)	2019:01 PAK, analysis was performed by	mg/kg	0.2	n.d.	Δ
(CAS No.: 53-70-3)	GC/MS.)				
苯駢菲 (Benzo[g,h,i]perylene) (CAS No.:		mg/kg	0.2	n.d.	Δ
191-24-2)					
茚酮芘 (Indeno[1,2,3-c,d]pyrene) (CAS		mg/kg	0.2	n.d.	Δ
No.: 193-39-5)					
蒽 (Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	Δ
苯駢芴 (Fluoranthene) (CAS No.: 206-		mg/kg	0.2	n.d.	Δ
44-0)					
菲 (Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	Δ
芘 (Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	Δ
萘 (Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	Δ
多環芳香烴15項總和 (Sum of 15 PAHs)		mg/kg	-	n.d.	Δ



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 7 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
石綿 (Asbestos)				INO.1	
陽起石綿 (Actinolite) (CAS No.: 77536-66-4)		-	-	Negative	-
褐石綿/鐵石綿 (Amosite) (CAS No.: 12172-73-5)	参考EPA 600/R-93/116: 1993·以立體顯 微鏡(SM)與分散染色式偏光顯微鏡(DS-	-	-	Negative	-
斜方角閃石綿 (Anthophyllite) (CAS No.: 77536-67-5)	PLM)及X光繞射光譜分析法(XRD)分析。 (With reference to EPA 600/R-93/116:	-	-	Negative	-
白石綿/溫石綿 (Chrysotile) (CAS No.: 12001-29-5)	1993, analysis was performed by Stereo Microscope (SM), Dispersion Staining	-	=	Negative	-
青石綿 (Crocidolite) (CAS No.: 12001- 28-4)	Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).)	-	1	Negative	-
透閃石綿 (Tremolite) (CAS No.: 77536- 68-6)	(AND).)	-	ı	Negative	-
偶氮染料 (AZO Dyes)					
4-氨基二苯 (4-aminodiphenyl) (CAS No.: 92-67-1)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
聯苯胺 (Benzidine) (CAS No.: 92-87-5)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
4-氯鄰甲苯胺 (4-chloro-o-toluidine) (CAS No.: 95-69-2)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 8 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
2-萘胺 (2-naphthylamine) (CAS No.: 91-59-8)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
鄰-胺基偶氮甲苯 (o-aminoazotoluene) (CAS No.: 97-56-3)	參考EN ISO 14362-1: 2017·以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
2-胺基-4-硝基甲苯 (5-nitro-o-toluidine) (CAS No.: 99-55-8)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
4-氯苯胺 (4-chloroaniline) (CAS No.: 106-47-8)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
2,4-二氨基苯甲醚 (2,4-diaminoanisole) (CAS No.: 615-05-4)	參考EN ISO 14362-1: 2017·以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
4,4'-二胺基二苯甲烷 (4,4'- diaminodiphenylmethane (MDA)) (CAS No.: 101-77-9)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 9 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	'
3,3'-二氯聯苯胺 (3,3'-dichlorobenzidine) (CAS No.: 91-94-1)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
3,3'-二甲氧基聯苯胺 (3,3'-dimethoxybenzidine) (CAS No.: 119-90-4)	參考EN ISO 14362-1: 2017‧以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
3,3'-二甲基聯苯胺 (3,3'-dimethylbenzidine) (CAS No.: 119-93-7)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
3,3'-二甲基-4,4'-二胺基二苯甲烷 (3,3'-dimethyl-4,4'-diaminodiphenylmethane) (CAS No.: 838-88-0)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
2-甲氧基-5-甲基苯胺 (2-methoxy-5-methylaniline) (CAS No.: 120-71-8)	參考EN ISO 14362-1: 2017·以氣相層析 質譜儀及高效液相層析儀/二極體陣列偵測 器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
4,4'-亞甲雙(2-氯苯胺) (4,4'-methylene- bis-(2-chloroaniline)) (CAS No.: 101-14- 4)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 10 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
4,4'-二胺基二苯醚 (4,4'-oxydianiline) (CAS No.: 101-80-4)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	No.1 n.d.	-
4,4'-硫二苯胺 (4,4'-thiodianiline) (CAS No.: 139-65-1)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
鄰-甲苯胺 (o-toluidine) (CAS No.: 95-53-4)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
2,4-甲苯二胺 (2,4-diaminotoluene) (CAS No.: 95-80-7)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
2,4,5-三甲苯胺 (2,4,5-trimethylaniline) (CAS No.: 137-17-7)	參考EN ISO 14362-1: 2017·以氣相層析 質譜儀及高效液相層析儀/二極體陣列偵測 器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
鄰-甲氧基苯胺 (o-anisidine) (CAS No.: 90-04-0)	參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 11 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
4-苯基偶氮基苯胺 (4-aminoazobenzene) (CAS No.: 60-09-3)	ISO 14362-3: 2017·以氣相層析質譜儀及 高效液相層析儀/二極體陣列偵測器分析。 (With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS &	mg/kg	3	n.d.	-
	HPLC/DAD.)				
2,4-二甲基苯胺 (2,4-xylidine) (CAS No.: 95-68-1)	參考EN ISO 14362-1: 2017,以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
2,6-二甲基苯胺 (2,6-xylidine) (CAS No.: 87-62-7)	參考EN ISO 14362-1: 2017 · 以氣相層析 質譜儀及高效液相層析儀/二極體陣列偵測 器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.)	mg/kg	3	n.d.	-
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2013 · 以傅立葉轉換紅外線光譜儀及焰色法分析。(With reference to ASTM E1252: 2013, analysis was performed by FT-IR and Flame Test.)	**	-	Negative	-
雙酚A (Bisphenol A) (CAS No.: 80-05-7)	參考RSTS-CHEM-239-1 · 以液相層析串聯 質譜儀分析。(With reference to RSTS- CHEM-239-1, analysis was performed by LC/MS/MS.)	mg/kg	1	n.d.	-
甲醛 (Formaldehyde) (CAS No.: 50-00-0)	參考ISO 17226-1: 2021·以液相層析儀/ 二極體陣列偵測器分析。(With reference to ISO 17226-1: 2021, analysis was performed by LC/DAD.)	mg/kg	3	n.d.	-
過氯酸鹽 (Perchlorate) (CAS No.: 14797-73-0)	以離子層析儀分析。(Analysis was performed by IC.)	μg/g	0.006	n.d.	-



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 12 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	參考US EPA 3052: 1996,以感應耦合電漿	mg/kg	2	n.d.	-
36-0)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				
砷 (As) (Arsenic (As)) (CAS No.: 7440-	參考US EPA 3052: 1996·以感應耦合電漿	mg/kg	2	n.d.	-
38-2)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-	參考US EPA 3052: 1996·以感應耦合電漿	mg/kg	2	n.d.	-
41-7)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				
全氟辛烷磺酸及其鹽類 (PFOS and its	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
salts) (CAS No.: 1763-23-1 and its salts)	聯質譜儀分析。(With reference to				
	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
全氟辛酸及其鹽類 (PFOA and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(CAS No.: 335-67-1 and its salts)	聯質譜儀分析。(With reference to				
	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 13 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.)

台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 石綿定性分析試驗範圍: <0.1%~100%,石綿鑑定的判定基準是以檢出含有石綿纖維為『Positive』,未檢出石綿纖維為『Negative』。(Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".)
- 8. 全氟辛烷磺酸及其鹽類包含等物質 (PFOS and its salts including):

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

9. 全氟辛酸及其鹽類包含等物質 (PFOA and its salts including):

CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.

10. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.) 換算公式 (Conversion Formula): AX = A × F

AX	Α	F
氧化雙三丁基錫	一丁甘역 (Tributul Tip) (TDT)	1 0276
(Bis(tributyltin)oxide) (TBTO)	三丁基錫 (Tributyl Tin) (TBT)	1.0276

參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region_TW/DocDownload.aspx#otherDoc

11. 除非另有說明·參照ILAC-G8:09/2019·採用簡單二元(w=0)允收規則進行符合性判定;根據此規則·符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 14 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

Remark:

△ 德國產品安全委員會(AfPS): GS PAHs 要求

AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第 2 類(Category 2)		第 3 類(Category 3)	
項目 (Parameter)	意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的 2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30	不屬於第 1 類的材料·並意圖或可預 見與皮膚接觸逾 30 秒(長期皮膚接觸) 或重複的短時間接觸(Materials that are not in Category 1, with intended or foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin)		不屬於第 1 類或第 2 類的材料·並意 圖或可預見與皮膚接觸不超過 30 秒 (短期皮膚接觸)(Materials not covered by Category 1 or 2, with	
		a. 供 14 歲以下兒童使 用的產品(Use by children under 14)	consumer	a. 供 14 歲以下兒童使 用的產品(Use by children under 14)	consumer
Naphthalene	< 1	< 2		< 10	
Phenanthrene					
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene		< 5 Suili	< 10 Suili	< 20 Suiti	< 50 Suiti
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
15 項 PAH 總濃度 (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50

單位(Unit): mg/kg



Test Report


號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 15 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 16 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 17 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】





Test Report


號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 18 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 19 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 20 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 21 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 22 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

四溴雙酚-A-雙分析流程圖 / Analytical flow chart - TBBP-A-bis

初次測試程序 / First testing process → 選擇性篩檢程序 / Optional screen process ••••• 確認程序 / Confirmation process → • • • • •






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 23 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

富馬酸二甲酯分析流程圖 / Analytical flow chart - Dimethyl Fumarate






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 24 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

多環芳香烴分析流程圖 / Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 25 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

有機錫分析流程圖 / Analytical flow chart - Organic-Tin






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 26 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

石綿鑑定分析流程圖 / Analysis flow chart for determination of Asbestos 【參考方法(Reference method): EPA 600/R-93/116】






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 27 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 28 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

雙酚A分析流程圖 / Analytical flow chart - Bisphenol A






Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 29 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

甲醛分析流程圖 / Analytical flow chart - Formaldehyde





Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 30 of 32


陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.




Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 31 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETR22A04790 日期(Date): 11-Nov-2022 頁數(Page): 32 of 32

陸昌化工股份有限公司 (PAN-CONTINENTAL CHEMICAL CO., LTD.) 台中市大甲區幼獅工業區青年路159號 (NO. 159, CHINGNIAN RD., TACHIA (437), TAICHUNG CITY, TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR22A04790



** 報告結尾 (End of Report) **