

TEST REPORT No. CPSA/221201783-CB05534 REPORTED DATE: 06-December-2022

Job Ref. C&P/2022-10-20-038

SHOWA DENKO MATERIALS (MALAYSIA) SDN BHD

2512, JALAN PERUSAHAAN BARU, KAWASAN PERUSAHAAN PERAI, 13600 PERAI, PENANG, MALAYSIA.

The following sample(s) was/were submitted and identified by applicant as:

Sample Description : Epoxy Molding Compound

CEL-8240HF 16 Series

Sample Received : 20-October-2022

Testing Period : 20-October-2022 to 06-December-2022

Test Requested : Selected test(s) as requested by customer

Test Method : -PLEASE REFER TO NEXT PAGE(S)-

Test Results : -PLEASE REFER TO NEXT PAGE(S)-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021

Page 1 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



TEST REPORT No. CPSA/221201783-CB05534 REPORTED DATE: 06-December-2022

Job Ref. C&P/2022-10-20-038

Test results by chemical method:

Test Part Description:

Sample Description: -PLEASE REFER TO PAGE 1-

Test Parameter(s):	Unit	Test Method	Result	MDL
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Fluorine content.	N.D.	50
Halogen-Chlorine (CI)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Chlorine content.	N.D.	50
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Bromine content.	N.D.	50
Halogen-lodine (I)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for lodine content.	N.D.	50

Note: (a) mg/kg = ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD



Test Report Form No.; SGS/TR/CP/002, Ver; 1.0, Effective Date: 04/02/2021

Page 2 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



TEST REPORT

No. CPSA/221201783-CB05534

Job Ref. C&P/2022-10-20-038

REPORTED DATE:


06-December-2022

Test Part Description:

Sample Description:

-PLEASE REFER TO PAGE 1-

SHOWA DENKO MATERIALS (MALAYSIA) SDN BHD



SGS authenticate the photo on original report only

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021


Page 3 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document.. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



TEST REPORT

No. CPSA/221201783-CB05534 Job Ref. C&P/2022-10-20-038 REPORTED DATE: 06-December-2022



SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD



Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021

*** End of test report ***

Page 4 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.