



# FRDM Automotive S32K144 Development Board for General Purpose

**FRDM-A-S32K144** NEW

## Preproduction

This page contains information on a preproduction product. Specifications and information herein are subject to change without notice. For additional information please contact your sales representative.


Last Updated: Mar 16, 2026

The FRDM Automotive S32K144 is a development board for general-purpose industrial and automotive applications.

Based on the 32-bit Arm® Cortex®-M4F S32K1 microcontroller unit (MCU), the FRDM Automotive S32K144 offers CAN and LIN through NXP [FS23](#), robust two-way power delivery supply with USB Type-C® and DNP Power JACK connectors, temperature sensor, JTAG and an on-board debugger with NXP [K20](#) MCU.

The FRDM Automotive S32K144 offers a standard-based form factor compatible with the Arduino® UNO pin layout, providing a broad range of expansion board options for quick application prototyping and demonstration.

# FRDM-A-S32K144 Development Board Block Diagram



View additional information for [FRDM Automotive S32K144 Development Board for General Purpose](#).

**Note:** The information on this document is subject to change without notice.

**[www.nxp.com](http://www.nxp.com)**

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2026 NXP B.V.