



Kinetis® KL4x-48 MHz, USB, Segment LCD, Ultra-Low-Power Microcontrollers (MCUs) based on Arm® Cortex®-M0+ Core


KL4x

Last Updated: Jan 7, 2026

The Kinetis® KL4x MCU family combines ultra-low-power performance with a rich suite of analog, communication, timing and control peripherals (including a segment LCD controller) for applications like electronic scales, flow meters, smart meters, and thermostats.

- Includes multiple flexible low-power modes, including new compute mode which reduces dynamic power by placing peripherals in an asynchronous stop mode
- Features security circuitry to prevent unauthorized access to RAM and flash contents
- Provides a migration path to lower and higher performance and feature integration through compatibility with other Kinetis families
- Backed by robust development tools and software

Kinetis L Series KL4x MCUs Block Diagram



View additional information for [Kinetis® KL4x-48 MHz, USB, Segment LCD, Ultra-Low-Power Microcontrollers \(MCUs\) based on Arm® Cortex®-M0+ Core](#).

Note: The information on this document is subject to change without notice.

www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2026 NXP B.V.