


## **Mobile Robotics Ecosystem**

Last Updated: May 25, 2022


The Hovergames drone system is a modular flying robot development system that allows anyone interested in drone and automated driving technology to develop their own. The drone is PX4-enabled, the largest commercially deployed open source flight stack.

The platform is open and extensible. New components, from sensors to processors, can be easily added. The combination makes it perfect for learning and developing new forms of industrial mobility, whether it flies, roves on land or glides in water.

## **Mobile Robotics Architecture Block Diagram**



Ultrawideband	<ul> <li>Trimension MCJ29D5: UWB IC for Automotive Applications</li> <li>S32K1 Microcontrollers for General-Purpose</li> </ul>
Ultrawideband	<ul> <li>Trimension<sup>TM</sup> NCJ29D5: UWB IC for Automotive Applications</li> <li>S32K1 Microcontrollers for General-Purpose</li> </ul>
CAN-FD Node	S32K1 Microcontrollers for General-Purpose
Vehicle Management Unit	i.MX RT Crossover MCUs: i.MX RT Crossover MCUs     K Series Cortex-M4: Kinetis <sup>®</sup> K Series: High-Performance Microcontrollers (MCUs) based on Arm <sup>®</sup> Cortex <sup>®</sup> -M4 Core
IMU	• FXLS8964AF: ±2g/±4g/±8g/±16g, Low-Power 12-Bit Digital Accelerometer
Companion Computer	<ul> <li>i.MX 8M Mini - Arm<sup>®</sup> Cortex<sup>®</sup>-A53, Cortex-M4, Audio, Voice, Video</li> <li>i.MX 8M Plus – Arm<sup>®</sup> Cortex<sup>®</sup>-A53, Machine Learning, Vision, Multimedia and Industrial IoT</li> </ul>
Communications	QN908x: Ultra-Low-Power Bluetooth Low Energy System on Chip Solution     OL2385AHN: Low-Power Multi-Channel UHF RF Wireless Platform     KW41Z: Kinetis <sup>®</sup> KW41Z-2.4 GHz Dual Mode: Bluetooth <sup>®</sup> Low Energy and 802.15.4 Wireless Radio Microcontroller (MCU) based on Arm <sup>®</sup> Cortex <sup>®</sup> -M0+ Core
TSN Ethernet Switch	SJA1110: Multi-Gig Safe and Secure TSN Ethernet Switch with Integrated 100BASE-T1 PHYs
D2X - IDU	RoadLINK <sup>®</sup> SAF5400 Single Chip Modem for V2X
Motor Control ESC	i.MX RT1050 Crossover MCU with Arm® Cortex®-M7 Core     S32K1 Microcontrollers for General-Purpose     KV Series Cortex-M4/M0+/M7: KV Series: Real-time Motor Control and Power Conversion MCUs based on Arm® Cortex®-M0+/M4/M7
Battery Management	MC33772B: 6-Channel Li-Ion Battery Cell Controller IC     S32K1 Microcontrollers for General-Purpose
Security and Authentication	EdgeLock® SE050: Plug & Trust Secure Element Family – Enhanced IoT security with high flexibility
Qi Wireless Charging	Single Coil Wireless Power Solution
Ethernet Media Converter	Ethernet Media Converter for Drones, Rovers, Mobile Robotics and Automotive
Ethernet Media Converter	Ethernet Media Converter for Drones, Rovers, Mobile Robotics and Automotive



## **Recommended Products for Hovergames Drone Systems**

Authentication	EdgeLock® SE050: Plug & Trust Secure Element Family – Enhanced IoT security with high flexibility
Authentication	EdgeLock® SE050: Plug & Trust Secure Element Family – Enhanced IoT security with high flexibility
Authentication	EdgeLock® SE050: Plug & Trust Secure Element Family – Enhanced IoT security with high flexibility
CAN-FD NODE	S32K1 Microcontrollers for General-Purpose
Lighting	PCA9685: 16-Channel, 12-Bit PWM Fm+ I <sup>2</sup> C-Bus LED Controller     ASL341ySHN: Three-Channel Automotive LED Buck Driver     ASL5XXXYHZ: Smart Matrix LED Controller for Automotive Lighting
SBC	UJA1169LTK: Mini High-Speed CAN Companion System Basis Chip
NFC	NTAG® 5 Boost: NFC Forum-Compliant I²C Bridge for Tiny Devices NCx3320: Automotive-Grade NFC Frontend IC
NFC	NTAG® 5 Boost: NFC Forum-Compliant I²C Bridge for Tiny Devices NCx3320: Automotive-Grade NFC Frontend IC
NFC	NTAG® 5 Boost: NFC Forum-Compliant I²C Bridge for Tiny Devices  NCx3320: Automotive-Grade NFC Frontend IC

Sensors	Accelerometers: Accelerometers     Barometric Pressure 15 to 150 kPa: Barometric Pressure 15 to 150 kPa
USB-C	PTN5110: USB PD TCPC PHY IC     NX20P3483UK: USB PD and Type-C High-Voltage Sink/Source Combo Switch with Protection
Bluetooth + Wi-Fi 6	• Wi-Fi® + Bluetooth®: Wi-Fi® + Bluetooth®
Bluetooth + Wi-Fi 6	• Wi-Fi® + Bluetooth®: Wi-Fi® + Bluetooth®
SigFox	OL2385AHN: Low-Power Multi-Channel UHF RF Wireless Platform
Automotive Switch	SJA1110: Multi-Gig Safe and Secure TSN Ethernet Switch with Integrated 100BASE-T1 PHYs     VR5510: Multi-Channel (9) PMIC for S32G Processor – 8 High Power, 1 Low Power, Fit for ASIL D Safety Level
Google Edge TPU	Coral Dev Board TPU
D2X - IDU	* i.MX 6 Processors: i.MX 6 Series Applications Processors: Multicore, Arm <sup>®</sup> Cortex <sup>®</sup> -A7 Core, Cortex-A9 Core, Cortex-M4 Core
Smart Camera	Front View Camera: Front View Camera  i.MX 8M Mini - Arm® Cortex®-A53, Cortex-M4, Audio, Voice, Video
OpenMV Cam	• i.MX RT1060 Crossover MCU with Arm <sup>®</sup> Cortex <sup>®</sup> -M7 Core
Motor Control ESC	KV4x: Kinetis KV4x-168 MHz, High Performance Motor / Power Conversion MCUs based on Arm® Cortex®-M4  i.MX RT Crossover MCUs: i.MX RT Crossover MCUs  S32K1 Microcontrollers for General-Purpose
Qi Wireless Charging	Single Coil Wireless Power Solution
Battery Management Systems	Smart Battery Management for Mobile Robotics
IoT Adapter	Rapid-IOT to Drone Adapter Board     NXP® Rapid IoT Prototyping Kit
Ethernet Media Converter	Ethernet Media Converter for Drones, Rovers, Mobile Robotics and Automotive
PX4 Robotic Drone FMU (RDDRONE-FMUK66)	PX4 Robotic Drone Vehicle/Flight Management Unit (VMU/FMU) - RDDRONE-FMUK66
Ultrawideband	<ul> <li>Trimension <sup>™</sup> NCJ29D5: UWB IC for Automotive Applications</li> <li>S32K1 Microcontrollers for General-Purpose</li> </ul>

D2X - IDU	• RoadLINK <sup>®</sup> SAF5400 Single Chip Modem for V2X
Ethernet Media Converter	Ethernet Media Converter for Drones, Rovers, Mobile Robotics and Automotive

View our complete solution for Mobile Robotics Ecosystem.

Note: The information on this document is subject to change without notice.

## www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2022 NXP B.V.