



TJA1121, MACsec Enabled ASIL B Compliant Automotive Ethernet 1000BASE-T1 PHY Transceiver

TJA1121

Preproduction


This page contains information on a preproduction product. Specifications and information herein are subject to change without notice. For additional information [contact support](#) or your sales representative.

Last Updated: May 8, 2024

TJA1121 adds MACsec to NXP's 1000BASE-T1 Automotive Ethernet PHY portfolio. It addresses the security concerns for future networks and provides an efficient HW based solution for MACsec at 1 Gbps line rate. To enable speed grade scaling for platform designs with and without MACsec, the TJA1121 is kept drop in compatible with [TJA1103](#), [TJA1104](#) and [TJA1120](#). The device comes in compact package HVQFN36 (6 x 6 mm) for space constraint use cases.

TJA1121 complies with all state-of-the-art conformance test specifications and is designed according to ISO 26262 to meet ASIL B, providing enhanced monitoring and diagnostic features. Further, it integrates OPEN Alliance TC-10 compliant wake-up forwarding over the Ethernet data line. It supports shielded (STP) and unshielded twisted pair (UTP) cable applications.

TJA1121 Block Diagram



View additional information for [TJA1121, MACsec Enabled ASIL B Compliant Automotive Ethernet 1000BASE-T1 PHY Transceiver](#).

Note: The information on this document is subject to change without notice.

www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2024 NXP B.V.