



© NXP SEMICONDUCTORS N.V. ALL RIGHTS RESERVED	<b>MECHANICAL OUTLINE</b>	PRINT VERSION NOT TO SCALE
TITLE: 360 CBGA 25 X 25, 1.27 PITCH 6 CAPS	DOCUMENT NO: 98ARS23857W	REV: E
	STANDARD: JEDEC MO-156 ABJ	
	SOT1603-6	04 JAN 2016



NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETERS.
2. INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M-1994.

3. DIMENSION  $b$  IS THE MAXIMUM SOLDER BALL DIAMETER MEASURED PARALLEL TO DATUM A.

4. DATUM A, THE SEATING PLANE, IS DETERMINED BY THE SPHERICAL CROWNS OF THE SOLDER BALLS.

5. D2 AND E2 DEFINE THE AREA OCCUPIED BY THE DIE AND UNDERFILL. ACTUAL SIZE OF THIS AREA MAY BE SMALLER THAN SHOWN. D3 AND E3 ARE THE MINIMUM CLEARANCE FROM THE PACKAGE EDGE TO THE CHIP CAPACITORS.

6. CAPACITORS MAY NOT BE PRESENT ON ALL DEVICES.

7. CAUTION MUST BE TAKEN NOT TO SHORT EXPOSED METAL CAPACITOR PADS ON PACKAGE TOP.

A	2.72	-	3.2	E1	-	22.86	BSC	-	-	-	-
A1	0.8	-	1	E2	-	-	14.3	-	-	-	-
A2	1.1	-	1.3	E3	3	-	-	-	-	-	-
A3	-	-	0.6	E4	8	-	11	-	-	-	-
A4	0.82	-	0.9	-	-	-	-	-	-	-	-
b	0.82	-	0.93	-	-	-	-	-	-	-	-
D	-	25	BSC	-	-	-	-	-	-	-	-
D1	-	22.86	BSC	-	-	-	-	-	-	-	-
D2	-	-	12.5	-	-	-	-	-	-	-	-
D3	2.75	-	-	-	-	-	-	-	-	-	-
D4	6	-	9	-	-	-	-	-	-	-	-
e	-	1.27	BSC	-	-	-	-	-	-	-	-
E	-	25	BSC	-	-	-	-	-	-	-	-

© NXP SEMICONDUCTORS N.V.  
ALL RIGHTS RESERVED

MECHANICAL OUTLINE

PRINT VERSION NOT TO SCALE

TITLE: 360 CBGA  
25 X 25, 1.27 PITCH  
6 CAPS

DOCUMENT NO: 98ARS23857W REV: E

STANDARD: JEDEC MO-156 ABJ

SOT1603-6

04 JAN 2016