


RELEASED FOR EXTERNAL ASSEMBLY ONLY

THIS DESIGN ONLY MEETS EXTERNAL DESIGN AND ASSEMBLY RULES. MUST BE REVIEWED AND UPDATED BEFORE BEING ASSEMBLED INTERNALLY.

© NXP SEMICONDUCTORS N.V. ALL RIGHTS RESERVED	MECHANICAL OUTLINE	PRINT VERSION NOT TO SCALE
TITLE: THERMALLY ENHANCED DUAL FLAT NON-LEADED PACKAGE (UDFN) 8 TERMINAL, 0.5 PITCH (2 X 2 X 0.6)	DOCUMENT NO: 98ASA00223D	REV: A
	STANDARD: NON-JEDEC	
	SOT1589-1	06 JAN 2016



DETAIL G

© NXP SEMICONDUCTORS N.V. ALL RIGHTS RESERVED	MECHANICAL OUTLINE	PRINT VERSION NOT TO SCALE	
TITLE: THERMALLY ENHANCED DUAL FLAT NON-LEADED PACKAGE (UDFN) 8 TERMINAL, 0.5 PITCH (2 X 2 X 0.6)		DOCUMENT NO: 98ASA00223D	REV: A
		STANDARD: NON-JEDEC	
		SOT1589-1	06 JAN 2016



NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETERS.
2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994.
3. THIS IS NON JEDEC REGISTERED PACKAGE.

4. COPLANARITY APPLIES TO THE TERMINALS AND ALL OTHER BOTTOM SURFACE METALLIZATION.
5. THIS DIMENSION APPLIES TO METALLIZED TERMINAL AND IS MEASURE BETWEEN 0.15 AND 0.25 FROM THE TERMINAL TIP. IF THE TERMINAL HAS THE OPTIONAL RADIUS ON THE OTHER END OF THE TERMINAL, THIS DIMENSION SHALL NOT BE MEASURED IN THE RADIUS AREA.

© NXP SEMICONDUCTORS N.V. ALL RIGHTS RESERVED	MECHANICAL OUTLINE	PRINT VERSION NOT TO SCALE	
TITLE: THERMALLY ENHANCED DUAL FLAT NON-LEADED PACKAGE (UDFN) 8 TERMINAL, 0.5 PITCH (2 X 2 X 0.6)		DOCUMENT NO: 98ASA00223D	REV: A
		STANDARD: NON-JEDEC	
		SOT1589-1	06 JAN 2016