



| © NXP SEMICONDUCTORS N.V.<br>ALL RIGHTS RESERVED                        | MECHANICAL OUTLINE       | PRINT VERSION NOT TO SCALE |
|---|--------------------------|----------------------------|
| TITLE:<br>WLCSP,<br>6.619 X 6.331 X 0.564 PKG,<br>0.4 MM PITCH, 210 I/O | DOCUMENT NO: 98ASA00996D | REV: 0                     |
|   | STANDARD: NON-JEDEC      | SOT1875-1                  |
|   |                          | 27 APR 2016                |



NOTES:

1. ALL DIMENSIONS IN MILLIMETERS.
2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994.
3. MAXIMUM SOLDER BALL DIAMETER MEASURED PARALLEL TO DATUM A.
4. DATUM A, THE SEATING PLANE, IS DETERMINED BY THE SPHERICAL CROWNS OF THE SOLDER BALLS.
5. PARALLELISM MEASUREMENT SHALL EXCLUDE ANY EFFECT OF MARK ON TOP SURFACE OF PACKAGE.

|   |  |                            |
|---|--|----------------------------|
| © NXP SEMICONDUCTORS N.V.<br>ALL RIGHTS RESERVED                        | MECHANICAL OUTLINE   | PRINT VERSION NOT TO SCALE |
| TITLE:<br>WLCSP,<br>6.619 X 6.331 X 0.564 PKG,<br>0.4 MM PITCH, 210 I/O | DOCUMENT NO: 98ASA00996D<br>STANDARD: NON-JEDEC<br>SOT1875-1 | REV: 0<br>27 APR 2016      |