



#### Menus and Keyboard Shortcuts (some menus/items can be hidden in any perspective)

##### File Menu

New	Alt+Shift+N	▶
Open Path	Ctrl+Shift+A	
Open File		
Close	Ctrl+W	
Close All	Ctrl+Shift+W	
Save	Ctrl+S	
Save As		
Save All	Ctrl+Shift+S	
Revert		
Move		
Rename	F2	
Refresh	F5	
Convert Line Delimiters To		▶
Print	Ctrl+P	
Switch Workspace		▶
Restart		
Import		
Export		
Properties	Alt+Enter	
Exit		

##### Edit Menu

Undo	Ctrl+Z	
Redo	Ctrl+Y	
Cut	Ctrl+X	
Copy	Ctrl+C	
Paste	Ctrl+V	
Delete	Delete	
Select All	Ctrl+A	
Expand Selection To		▶
Find/Replace	Ctrl+F	
Find Word		
Find Next	Ctrl+K	
Find Previous	Ctrl+Shift+K	
Incremental Find Next	Ctrl+J	
Incremental Find Previous	Ctrl+Shift+J	
Add Bookmark		
Add Task		
Smart Insert Mode	Ctrl+Shift+Insert	
Show Tooltip Description	F2	
Word Completion	Alt+/	
Quick Fix	Ctrl+1	
Content Assist	Ctrl+Space	
Parameter Hints	Ctrl+Shift+Space	
Set Encoding		

##### Source Menu

Toggle Comment	Ctrl/+	
Add Block Comment	Ctrl+Shift+/_	
Remove Block Comment	Ctrl+Shift+\	
Shift Right		
Shift Left	Shift+Tab	
Correct Indentation	Ctrl+I	
Format	Ctrl+Shift+F	
Add Include	Ctrl+Shift+N	
Sort Lines	Ctrl+Alt+S	
Implement Method		
Generate Getters and Setters		
Surround With	Alt+Shift+Z	▶

##### Refactor Menu

Rename	Alt+Shift+R	
Extract Local Variable	Alt+Shift+L	
Extract Constant	Alt+C	
Toggle Function	Alt+Shift+T	
Extract Function	Alt+Shift+M	
Hide Method		
Apply Script		
Create Script		
History		

▶ Denotes a hierarchical menu

Note: Most of these menu items are dynamic and will change relative to the active context.



## Menus and Keyboard Shortcuts (continued)

### Navigate Menu

Go Into	
Go To	▶
Open Declaration	F3
Open Type Hierarchy	F4
Open Call Hierarchy	Ctrl+Alt+H
Open Include Browser	Ctrl+Alt+I
Toggle Source/Header	Ctrl+`
Open Element	Ctrl+Shift+T
Open Type in Hierarchy	Ctrl+Shift+H
Open Element in Call Hierarchy	
Open Resource	Ctrl+Shift+R
Show In	Alt+Shift+W ▶
Quick Outline	Ctrl+O
Next Annotation	Ctrl+.
Previous Annotation	Ctrl+,
Last Edit Location	Ctrl+Q
Go to Line	Ctrl+L
Back	Alt+Left ▶
Forward	Alt+Right ▶

### Search Menu

Search	Ctrl+H
File	
C/C++	
Text	▶

### Project Menu

Open Project	
Close Project	
Build All	Ctrl+B
Build Configurations	▶
Build Project	
Build Working Set	▶
Clean	
Build Automatically	
Make Target	▶
Generate Makefiles	Ctrl+6
Properties	

### Run Menu

Move to Line (C/C++)	
Resume At Line (C/C++)	
Resume	
Suspend	
Terminate	
Resume Without Signal	
Step Into	
Step Over	
Step Return	
Run to Line	
Run	Ctrl+F11
Debug	F11
Profile	
Profile History	▶
Profile As	▶
Profile Configurations	
Run History	▶
Run As	▶
Run History	▶
Run As	▶
Run Configurations	
Debug History	▶
Debug As	▶
Debug Configurations	
Toggle Breakpoint	Ctrl+Shift+B
Toggle Line Breakpoint	
Toggle Method Breakpoint	
Toggle Watchpoint	
Skip All Breakpoints	
Remove All Breakpoints	
Breakpoint Types	▶
Reset	
Multicore Resume	Alt+Shift+F8
Multicore Suspend	
Multicore Restart	
Multicore Terminate	
External Tools	▶

▶ Denotes a hierarchical menu

Note: Most of these menu items are dynamic and will change relative to active context.

## Menus and Keyboard Shortcuts (continued)

### Window Menu

- New Window
- New Editor
- Open Perspective ▶
- Show View ▶
- Customize Perspective
- Save Perspective As
- Reset Perspective
- Close Perspective
- Close All Perspectives
- Navigation ▶
- Refresh Debug Views
- Preferences


### Help Menu

- Welcome
- Help Contents
- Search
- Dynamic Help
- Key Assist                      Ctrl+Shift+L
- Videos
- Tip and Tricks
- Cheat Sheets
- Check for Updates
- Install New Software
- Documentation
- StarCore Device Information
- About CodeWarrior Development Studio
- Freescale Licenses

▶ Denotes a hierarchical menu

Note: Most of these menu items are dynamic and will change relative to active context.

## Welcome Page




1. Welcome page — the first page you see when you launch Eclipse IDE for the first time
2. Launches the New Project wizard
3. Provides you access to the sample projects available in the product
4. Takes you to the Workbench window
5. Welcome page toolbar. Toolbar options include (from left to right):
  - Home
  - Navigate to previous topic
  - Navigate to next topic
  - Reduce
  - Magnify
  - Customize page
  - Minimize
  - Restore
6. Gives you information about the major new features in this release of the product
7. Takes you to the web resources for CodeWarrior Development Tools and StarCore Device Documentation
8. Takes you to the Tutorials page that provides links to the Cheat Sheets, Getting Started guide and Help system

### Tips and Tricks

- To return to the Welcome page or to access the Welcome page from the Workbench window, select Help > Welcome from the IDE menu bar.
  - To customize the Welcome page, click the Customize page icon in the Welcome page toolbar. In the Customize dialog box, click the appropriate tab and make the required changes.
- \* Depending on the product you are working with, there may be a slight variation in the screenshot of the Welcome page above and/or the screenshots on page 4-11 of this card.

## Workbench Window — C/C++ Perspective




1. Workbench window
2. Workbench menu bar
3. Workbench toolbar containing commands for C/C++ perspective
4. CodeWarrior Projects view
5. CodeWarrior Projects view toolbar
6. Problems view
7. Perspective switcher. Toolbar options include (from left to right):
  - Open perspective
  - C/C++ perspective
8. Editor area
9. Outline view
10. Tabbed views or View stack (Problems, Tasks, Console, Properties, and Remote Systems views)
11. Toggle visibility of details pane
12. Problems view pull-down menu. Menu options include:
  - Show
  - Group By
  - Sort By
  - New Problems View
  - Configure Contents
  - Configure Columns
13. Click to minimize the View stack (in this case, for the Problems view)

14. Click to maximize the View stack (in this case, for the Problems view)
15. Welcome page icons

### Tips and Tricks

- To activate a view that is part of a tabbed view or view stack, click its tab.
- Press Ctrl+F6 to switch between editors, Ctrl+F7 to switch between views, Ctrl+F8 to switch between perspectives, and F12 to activate the editor.
- To see a complete list of the currently available key bindings in the editor or view you are currently working with, press Ctrl+Shift+L.
- To quickly import files and folders to your workspace, drag them from the Windows file system to a view, such as CodeWarrior Projects view. Similarly, to export files and folders, drag them from a view to the Windows file system.
- To change the default way perspective opens in the Workbench window, such as to open it in a different window, use the Open a new perspective options in the Window > Preferences > General > Perspectives page.
- Right-click the title of a view to:
  - Display it as a fast or detached view
  - Restore or move the view
  - Size the view to left, right, top or bottom
  - Minimize, maximize, or close the view

## Workbench Window — Debug Perspective




1. Workbench toolbar containing commands for Debug perspective
2. Debug view
3. Debug view toolbar
4. Editor area
5. Commander view
6. Show View as a fast view button. Clicking the button displays a list of views. Select a view from the list to display it as a fast view
7. View stack (Variables, Breakpoints, Cache, Registers, Modules)
8. Variables view
9. Console view

### Tips and Tricks

1. To open other views in a perspective, select **Window > Show View > Other** and select a new view from the Show View dialog box.
  - To save the changes made in the current perspective, select **Window > Save Perspective As**.
  - To return the perspective to its original state, select **Window > Reset Perspective**.
  - To open a new perspective, select **Window > Open Perspective > Other** and select a new perspective from the Open Perspective dialog box.




## Debug Configurations Dialog Box



1. Toolbar options include (from left to right):
  - New launch configurations
  - Duplicates the currently selected launch configuration
  - Delete selected launch configuration(s)
  - Collapses all expanded launch configurations
  - Filter launch configurations
2. Type text to filter the launch configurations
3. List of launch configurations that apply to the current application. CodeWarrior generates launch configurations with names that follow the pattern projectname-configtype-target-type
4. Type text to filter the projects
5. Specifies the name of launch configuration selected in the list (3)
6. Shows following tabs:
  - Main: Identifies the project and application you want to debug
  - Arguments: Specifies the program arguments and working directory that an application uses for a debug configuration
  - Debugger: Specifies the debugger to use when debugging an application
  - Trace and Profile: Specifies the trace and profiling options required for hardware profiling
  - Source: Specifies the location of source files used when debugging an application
  - Environment: Specifies environment variables and values to use when an application runs
  - Common: Specifies the location in which to store the run configuration and how to access it, how standard input and output is handled, and if background launches are enabled or not
7. Click to debug the selected launch configuration




## Preferences Dialog Box



1. Type text to filter the preference panels
2. Select a preference panel from the hierarchical list to view and edit its settings on the right. The collection of panels varies, depending on the current build target and chosen settings
3. Allows you to navigate through the previously viewed pages
4. Edit preference settings in this panel
5. Restore default settings
6. Save settings for the current project

## Help View




1. Help view
2. Click to display a list of all the help topics provided with the IDE
3. Click to activate the Help documentation search functionality
4. Click to view the bookmarked help topics
5. Click to view an index of the help documentation

## Tips and Tricks

- To open the Help view, select Help > Dynamic Help or Help > Search.
- You can press F1 to activate context-sensitive help.
- Help window—You can also access the help system in the Workbench window using the Help window, which opens as a separate window. To open the Help window, select Help > Help Contents.


## Cheat Sheets



1. To launch a cheat sheet in the Workbench window, select Help > Cheat Sheets.
2. From the Cheat Sheet Selection dialog box, select the cheat sheet you want to open.
3. Follow the steps given in the cheat sheet to perform a particular task, such as Creating and Debugging a StarCore Project.

## Other Tips and Tricks



### Search Dialog Box

- You can open the Search dialog box by clicking  on the Workbench toolbar or using the Search menu.
- The File Search tab allows you to search for files or text in the Workbench.
- The C/C++ Search tab allows you to search C/C++ elements, such as class, struct, function, variable, union, field, enumeration and namespace.
- The search functions support the following wildcards: Use \* to represent any series of characters Use ? to represent any single character Use \ to represent literals (such as \\*, \?).

### Properties Dialog Box

- You can open the Properties dialog box by right-clicking a project in a view, such as CodeWarrior Projects or Project Explorer, and selecting Properties from the context menu.
- The left pane of this dialog box has a Properties list. This list shows the build properties that apply to the current project.
- You can use the right pane to modify the build properties of the project, as required. For example, to set properties for linker, assembler, and compiler, select C/C++ Build > Settings in the left pane. You can make the required changes in the Tool settings page in the right pane.

### Miscellaneous

- To rename an object in a project, such as class and type name, variable, and method, right-click on the object in the editor area and select Refactor > Rename or press Alt+Shift+R. The refactoring engine renames all instances of the object in all referenced files. You can undo refactoring by right-clicking the object again and selecting Refactor > Undo.
- To set software and hardware breakpoint, right-click the marker bar in the editor area and select Set Special Breakpoint > Software or Hardware respectively.
- You can link the navigation views, such as CodeWarrior Projects and Project Explorer, with the editor to automatically activate the file in editor every time you select that the file in the view. To link the view to the editor, click  in the view toolbar.
- To open a file in a different editor other than the default editor, select Open With from the file's context menu and select the required editor.
- To restore a maximized view, click the  icon.

#### Learn More:

For more information about Freescale products, please visit [www.freescale.com/codewarrior](http://www.freescale.com/codewarrior).

Freescale, the Freescale logo, CodeWarrior, PowerQUICC, QorIQ, Qorivva, StarCore are trademarks of Freescale Semiconductor, Inc., Reg. U.S. Pat. & Tm. Off. QorIQ Converge, QUICC Engine are trademarks of Freescale Semiconductor, Inc. All other product or service names are the property of their respective owners. The Power Architecture and Power.org word marks and the Power and Power.org logos and related marks are trademarks and service marks licensed by Power.org.

© 2012–2016 Freescale Semiconductor, Inc.

950-00619  
REV A  
14 January 2016

