i.MX 952 Partners Ecosystem

E-Book Version

| **Public** | NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. © 2025 NXP B.V. Version 2.9.

NXP Public

Table of Contents

i.MX 952 MPU Intro

Security

Advanced Vision Processing

Connectivity Ecosystem

Hardware Partners

To go directly to a partner's solution click the company logo.

NXP Platinum Partner

PHYTEC

Toradex Swiss. Embedded. Computing.

TQ

TRIA AN AVNET COMPANY

variscite

NXP Gold Partner

ADLINK TECHNOLOGY INC.

ADVANTECH

Compulab

ENGICAM

ezurio

FORLINX Embedded

iWave Global

SECO

NXP Registered Partner


Vantron

OSM


Solderable and ultra-low power, ideal for rugged environments and industrial applications. They support ARM, x86, and MCU32, with rich I/O and high scalability for edge computing and AI.



ADVANTECH



TRIA



TRIA

SMARC


Use connectors and support ARM and x86 with low power consumption. They offer flexible I/O and display options, making them great for multimedia, automation, and robotics.



ADLINK




DIGI



ezurio



iWave Global



SECO



TRIA



TQ



variscite



Vantron

Short › 82 × 50 mm
Full › 82 × 80 mm

Proprietary

Modules are tailored by vendors for specific applications, offering optimized performance and unique features that meet specialized design needs.




Compulab



DIGI



ENGICAM



FORLINX



PHYTEC



TQ



Toradex
Swiss. Embedded. Computing.



variscite

To go directly to a partner's solution, click the board picture.

NXP Public

AI-powered sensor fusion with the new i.MX 952 processor

High-performance Edge compute

- Quad-core Arm® Cortex-A55 + Cortex-M7 and Cortex-M33
- Integrated NXP eIQ® Neutron NPU delivering 2 eTOPS for efficient edge AI/ML acceleration

Rich multimedia & display for modern HMIs

- Arm Mali-G310 GPU + 4K H.264/H.265 VPU for responsive, immersive user interfaces
- Dual-display support with MIPI-DSI + 8-lane LVDS, advanced 2D/3D graphics capabilities and local dimming

Scalable Architecture & Advanced Security

- Drop-in pin compatibility[1] with i.MX 95 and i.MX 937 for seamless platform scaling
- Integrated EdgeLock® Secure Enclave with secure boot, cryptography, PQC, OTA enablement




NXP Public

i.MX 952 Family

High-Performance AI Vision Processing for Automotive & IIoT Solutions

Intelligent and secure edge processor family for automotive and IIoT applications with key features including:

- Lifecycle management and on-device embedded security enabled by EdgeLock® Secure Enclave
- Efficient acceleration of Edge AI applications with a dedicated neural processing unit
- Quad-core Linux platform with embedded MCU enables heterogeneous processing using Energy Flex architecture, with dedicated GPU and VPU for performance-critical IoT workloads
- Integrated vision processing pipeline combining ISP, VPU and eIQ® Neutron NPU supports camera-based sensing and safety-critical display applications
- World's first processor with integrated local dimming delivers functionally safe, high-contrast displays that improve readability and road safety whilst reducing power and system cost



02

Hardware

Platinum and Gold Partners

PHYTEC

PHYTEC delivers embedded solutions including SOMs, SBCs, and imaging systems for industrial and IoT applications. With over 30 years of experience and a strong alliance with NXP, PHYTEC helps customers accelerate development, reduce costs, and minimize design risks across industries like automation, energy, medical, and transportation.



phyFLEX-i.MX 937 & 952 FPSC

The FPSC interface supports compatibility across the phyFLEX-Gamma family, helping simplify carrier board development and support long-term product planning.

- Proprietary 40 x 37 mm
- Operating System: Linux, Yocto Project

Key features

- Robust FTGA soldering module, compatible with i.MX 937 or i.MX 952 processor
- Dual- or Quad-Core Arm® Cortex®-A55 with up to 1,7 GHz
- Energy-efficient real-time with Arm® Cortex®-M7 (800 MHz) and -M33 (333 MHz)
- With future-proof LPDDR5 memory

Market segments

- Embedded Vision
- Industrial HMI
- Machine Vision
- Multimedia applications

Toradex
Swiss. Embedded. Computing.

Global embedded computing company specializing in Arm-based system-on-modules (SoMs), single-board computers, and software platforms for IoT and edge applications. Operating across multiple international locations. Supports industries such as medical, industrial, and transportation with reliable hardware and open-source software solutions.



Verdin iMX952

Part of the pin-compatible Verdin family, Verdin iMX952 brings functional safety to AI-powered sensor fusion, advanced HMI and vision sensing products across different industries with the best cost-performance ratio.

- Proprietary 69.6 x 36 mm
- Operating System: Torizon OS, Yocto, Toradex Easy Installer, Free Rtos, QNX

Key features

- Dual Cortex-M processor, for real-time applications
- 2 eTOPS eIQ Neutron NPU
- Ideal for medical, automotive, industrial and commercial (IoT) applications
- LTS-supported Linux Software stack, including OTA, Remote Access, and Device Monitoring

Market segments

- Industrial automation and robotics
- Smart transportation
- Medical devices
- Retail systems

TQ Systems GmbH

Global technology company founded in 1994 across 14 locations worldwide, specializing in embedded systems, electronics development, and manufacturing solutions. The company supports a wide range of industries with innovative hardware and software technologies



TQMa952xxLA

With up to 2 eTOPS and an IPU (Image Processor Unit) in the implementation of applications where artificial intelligence, machine learning/vision is to be applied.

- Proprietary 44 X 44 mm
- Operating System: Linux

Key features

- Machine Learning Accelerator 2 eTOPS
- Integrated Cortex M33 and M7
- High-speed communication via 2x Gbit Ethernet (with TSN), 1x PCIe and 2x USB 2.0 interface
- MIPI CSI with ISP support
- Low power consumption (typ. 4 W)
- Integrated security functions

Market segments

- Robotics
- Power & Energy
- Industrial HMI
- Home & Building Automation
- Fleet Management

Platinum Partner

TQ Systems GmbH

Global technology company founded in 1994 across 14 locations worldwide, specializing in embedded systems, electronics development, and manufacturing solutions. The company supports a wide range of industries with innovative hardware and software technologies



TQMa952xxSA

Embedded Cortex®-A55 module based on i.MX 952 with Machine Learning Accelerator

- SMARC 82 X 50 mm
- Operating System: Linux

Key features

- Machine Learning Accelerator 2 eTOPS
- Integrated Cortex M33 and M7
- High-speed communication via 2x Gbit Ethernet (with TSN), 1x PCIe and 2x USB 2.0 interface
- MIPI CSI with ISP support
- Low power consumption (typ. 4 W)
- Integrated security functions

Market segments

- Robotics
- Power & Energy
- Industrial HMI
- Home & Building Automation
- Fleet Management

NXP Public

Platinum Partner

TRIA AN AVNET COMPANY

Tria Technologies is a world leader in the design and manufacture of embedded computing for OEMs. We offer a broad range of off-the-shelf modules to fully customized systems built for our customers. With a global footprint and deep in-house expertise, we support innovators from design to delivery.



TRIA SM2S-IMX952

Designed for seamless integration into industrial and embedded systems, it combines AI-enabled processing, advanced graphics and vision capabilities with excellent power efficiency. As the balanced mid-range member of TRIA's scalable i.MX 95 SMARC platform, it provides an optimized combination of performance, functionality and cost.

- SMARC 82 x 50 mm
- Operating System: Linux (Yocto BSP) Android (on request)

Key features

- i.MX 952 processor with Quad/Dual Arm Cortex-A55 and Arm Cortex-M33 + Arm Cortex-M7
- Advanced graphics and AI acceleration
- Up to 16GB LPDDR5 (inline ECC), 256GB eMMC
- 2x 1GbE, 5x USB, MIPI-DSI, HDMI, LVDS, MIPI-CSI, PCIe
- Rich industrial IO incl. CAN-FD and wireless connectivity
- Consumer + Industrial grade with -40°C/+85°C

Market segments

- Smart Buildings / HMI
- Medical / Healthcare
- Energy / Utilities
- Inspection
- Industrial Control / Robotics

NXP Public

Tria Technologies is a world leader in the design and manufacture of embedded computing for OEMs. We offer a broad range of off-the-shelf modules to fully customized systems built for our customers. With a global footprint and deep in-house expertise, we support innovators from design to delivery.



TRIA OSM-LF-IMX952 (OSM Size L)

High-performance module, that combines scalability, rich multimedia capabilities and industrial connectivity, it provides an ideal balance between performance and system cost while maintaining full compatibility within the TRIA OSM-LF-IMX95 product family.

- OSM L 45 x 45 mm
- Operating System: Linux (Yocto BSP) Android (on request)


Key features

- i.MX 952 processor with Quad/Dual Arm Cortex-A55 and Arm Cortex-M33 + Arm Cortex-M7
- Advanced graphics and AI acceleration
- Up to 16GB LPDDR4 (inline ECC), 256GB eMMC
- 2x 1GbE, 2x USB, MIPI-DSI, LVDS, MIPI-CSI
- Rich industrial IO incl. 3x CAN-FD
- Consumer + Industrial grade with -40°C/+85°C

Market segments

- Smart Buildings
- Medical / Healthcare
- Transportation & Mobility
- Energy / Utilities
- Edge Gateways
- Industrial Control / Robotics

Tria Technologies is a world leader in the design and manufacture of embedded computing for OEMs. We offer a broad range of off-the-shelf modules to fully customized systems built for our customers. With a global footprint and deep in-house expertise, we support innovators from design to delivery.



TRIA OSM-MF-IMX952 (OSM Size M)

Featuring a fully solderable and single-sided design optimized for automated assembly, reflow soldering and manufacturing processes, it delivers an outstanding balance of performance, power efficiency and system cost for industrial and embedded applications.

- OSM Size-M (30 x 45 mm)
- Operating System: Linux (Yocto BSP) Android (on request)

Key features

- i.MX 952 processor with Quad/Dual Arm Cortex-A55 and Arm Cortex-M33 + Arm Cortex-M7
- Advanced graphics and AI acceleration
- Up to 16GB LPDDR4 (inline ECC), 256GB eMMC
- 2x 1GbE, 2x USB, MIPI-DSI, LVDS, MIPI-CSI, PCIe
- Rich industrial IO incl. 3x CAN-FD
- Consumer + Industrial grade with -40°C/+85°C

Market segments

- Smart Buildings
- Medical / Healthcare
- Transportation & Mobility
- Energy / Utilities
- Edge Gateways
- Industrial Control / Robotics

Variscite designs and manufactures scalable System on Modules based on NXP i.MX processors. Modules can be configured to the customer's requirements and support Linux, Android, and RTOS. The company offers the industry's broadest Arm-based SoM portfolio, backed by ISO-certified in-house production, extended longevity, and direct engineer-to-engineer hardware and software support.



DART-MX952

Designed for vision-based and edge AI applications, this i.MX 952-based System on Module combines AI/ML acceleration, image signal processing, high-performance graphics, and advanced security and safety features in compact DART form factor.

- Proprietary: DART form factor, 55 x 30 mm
- Operating Systems: Yocto-based Linux, Debian, Android, FreeRTOS, Zephyr

Key features

- Energy-flex architecture
- Up to four Arm Cortex-A55 cores at 1.7GHz, plus independent Arm Cortex-M7 and Cortex-M33 real-time co-processors
- Variscite's DART Pin2Pin family, enabling scalability across a wide performance range
- Certified dual-band Wi-Fi 6 with optional 802.15.4, Bluetooth/BLE 5.4, and dual Gigabit Ethernet with TSN support
- Industrial temperature range

Market segments

- Industrial automation
- Robotics and vision systems
- Medical and healthcare
- POS and security
- IoT and home automation

Variscite designs and manufactures scalable System on Modules based on NXP i.MX processors. Modules can be configured to the customer's requirements and support Linux, Android, and RTOS. The company offers the industry's broadest Arm-based SoM portfolio, backed by ISO-certified in-house production, extended longevity, and direct engineer-to-engineer hardware and software support.



VAR-SMARC-MX952

SMARC-compliant System on Module powered by the NXP i.MX 952 SoC, combining AI/ML acceleration, image signal processing, high-performance graphics, and safety features. Layered hardware security pairs NXP's EdgeLock Secure Enclave with an on-module TPM chip.

- SMARC form factor: 82 x 50 mm
- Operating Systems: Yocto-based Linux, Debian, Android, FreeRTOS, Zephyr

Key features

- Energy-flex architecture
- Up to four Arm Cortex-A55 cores at 1.7GHz, plus independent Arm Cortex-M7 and Cortex-M33 real-time co-processors
- Certified dual-band Wi-Fi 6 with optional 802.15.4, Bluetooth/BLE 5.4, and dual Gigabit Ethernet with TSN support
- High-performance 2D/3D graphics, 4K display support and video encode/decode, MIPI-CSI camera connectivity
- Industrial temperature range
- On-SoM hardware TPM 2.0


Market segments

- Industrial automation
- Robotics and vision systems
- Medical and healthcare
- POS and security
- IoT and home automation

NXP Gold Partner

ADLINK LEADING EDGE COMPUTING

Global leader in edge computing, delivering AI-powered solutions that connect people, places, and things. With a strong portfolio of rugged hardware and real-time data tools, ADLINK supports industries like automation, healthcare, aerospace, and transportation across 40+ countries.



LEC-IMX952

Whether you're building smart city infrastructure, industrial robotics, or medical devices, this open-standard module gives you a proven foundation to get to market sooner and stay there.

- SMARC- 82 x 50 mm)
- Operating System: Yocto Linux BSP, Android (by project)

Key features

- NXP i.MX 952 SoC with 4x Arm Cortex-A55; 1x Arm Cortex-M7, 1x Arm Cortex-M33
- NXP eIQ® NPU up to 2 eTOPS
- Up to 16GB LPDDR5, up to 128GB eMMC
- HDMI, MIPI DSI, LVDS graphic output, MIPI CSI support
- Dual GbE Ethernet with TSN support

Market segments

- Industrial Robotics
- Smart Building
- Medical / Health Care
- AI Vision

NXP Public

Gold Partner

ADVANTECH

Global leader in IoT and embedded platforms, driving industrial intelligence through its Edge Intelligence WISE-PaaS solutions. By co-creating ecosystems with partners, Advantech helps connect industrial chains and accelerate digital transformation



AOM-2522

Delivers high-performance processing, robust security, and advanced multimedia capabilities in a compact, power-sufficient module.

- OSM L 45 X 45 mm
- Operating System: Yocto Linux

Key features

- Integrated eIQ Neutron NPU up to 2 eTOPS
- 4 GB LPDDR5; 64GB eMMC capacity under validation
- 2 x GbE with TSN / IEEE 1588 PTP for deterministic networking
- 1 x PCIe Gen3 x1, 2 x USB 2.0, 3 x CAN-FD, 21 x GPIO, SDIO / PTP
- MIPI-CSI camera and DSI / LVDS display interfaces
- Wide-temperature target: -40 to +85 C

Market segments

- Medical Systems
- Industrial Automation
- Machine Vision
- IoT Gateways
- Smart HMI and Control Systems

NXP Public

NXP Gold Partner

Compulab

Compulab is a leading manufacturer of System-on-Modules, Computer-on-Modules, IoT Gateways and fanless Industrial Computers. Compulab SoMs are embedded in telecommunication systems, automotive devices, gaming systems, medical devices, aerospace and marine systems, and countless other applications and can be found in thousands of products, some are of the world's leading companies.



UCM-iMX952

High performance graphics and image processing.
Optimized for industrial applications

- Proprietary: 28 x 40 mm
- Operating system: Linux, Yocto Project and RTOS

Key features

- Quad-core ARM Cortex-A55 CPU, 1.7 GHz
- Up to 16GB RAM and 128GB eMMC
- ARM Mali GPU, 4K VPU and AI/ML NPU
- Tiny size and weight - 28 x 40 mm, 9 gram
- Availability guaranteed until 2040

Market segments

- Industrial Automation
- Automotive and Telematics
- Smart Infrastructure
- Advanced HMI Systems
- Edge AI and Vision

NXP Public

Gold Partner

Digi International, based in Hopkins, Minnesota with global locations, is a leader in IoT and embedded solutions. Our ConnectCore® SOMs with Digi Embedded Yocto, TrustFence® security, OTA, and cloud integration help developers build, deploy and manage secure, scalable connected devices.



Digi ConnectCore 95 CC-WMX-B88D-B1

High-performance wireless all-in-one SOM solution based on NXP® i.MX 95 with integrated cloud, security, AI/ML services and scalability for industrial IoT applications

- Proprietary (40 x 45 mm)
- Operating System: Yocto Project (Digi Embedded Yocto)

Key features

- Memory: 8 GB flash (eMMC) 2 GB LPDDR5 (32-bit, ECC)
- Artificial intelligence: AI/ML NXP eIQ® Neutron NPU N3-1024S, 2 TOPs (hardware), up to 8 TOPs sparse model performance
- PMIC: NXP PF09 + PF53 and Energy Flex Multi-Domain architecture for maximum power efficiency
- Image signal processor: NXP ISP (12 MP at 45 fps, 8 MP at 30 fps) with RGB-IR support (4x4 array pattern), YUV 420, YUV 422, YUV 444, RGB 888
- Ethernet:2x 1 Gb Ethernet with TSN, AVB, IEEE 1588 PTP and Energy Efficient Ethernet (EEE); 1x 10 GbE

Market segments

- Industrial Automation
- Medical Healthcare
- Energy / Utilities
- AI and Vision

NXP Public

NXP Gold Partner

Digi International, based in Hopkins, Minnesota with global locations, is a leader in IoT and embedded solutions. Our ConnectCore® SOMs with Digi Embedded Yocto, TrustFence® security, OTA, and cloud integration help developers build, deploy and manage secure, scalable connected devices.



ConnectCore 95 SMARC CC-MX-B88D-BS

delivering integrated intelligence, connectivity and security — built in from the start.

- SMARC (82 x 50 mm)
- Operating System: Yocto Project (Digi Embedded Yocto)

Key features

- NXP ISP (12 MP at 45 fps, 8 MP at 30 fps) with RGB-IR support (4x4 array pattern), YUV 420, YUV 422, YUV 444, RGB 888
- Trusted Platform Module — population option
- Temperature Sensor — population option
- Ethernet:
- 1x 1 Gb Ethernet with TSN, AVB, IEEE 1588 PTP and Energy Efficient Ethernet (EEE); 1x 10 GbE

Market segments

- Industrial Automation
- Medical Healthcare
- Energy / Utilities
- AI and Vision

NXP Public

NXP Gold Partner

ENGICAM

Engicam is a rapidly growing technology company focusing on embedded computing products and services. We design, develop, and manufacture high-performance System on Modules and Computer on Modules, Carrier boards and HMI. Our products are used in medical devices, transportation, industrial automation, telecommunication, aerospace and marine systems and countless other applications.



i.Core MX952

Built on the EDIMM 2.0 standard and powered by NXP® i.MX952, the i.Core MX952 delivers energy-efficient edge computing for AI-driven vision and sensor fusion

- Proprietary 32 x 67,6 mm
- Operating System: Linux, Yocto

Key features

- Standard EDIMM 2.0
- Powerful NXP®i.MX952processor with GPU, NPU and VPU
- Suitable for HMI and advanced multimedia applications


Market segments

- Automotive Connectivity
- Industrial
- IoT Platforms
- Edge AI and Multimedia
- Smart Infrastructure

NXP Public

NXP Gold Partner

Ezurio, Your Connectivity Expert, specializing in certified wireless modules, system-on-modules (SOMs), single-board computers, and end-to-end IoT solutions. Operating across multiple global locations. Supports industries such as medical, industrial, and commercial with innovative hardware and software technologies.



Nitrogen952 SMARC

NXP i.MX 952 module with quad Cortex-A55, 2 eTOPS NPU, 3D graphics, up to 3 displays and multi-camera vision. Optional Sona NX611 Wi-Fi 6 and Bluetooth 5.4, SMARC 2.2, Yocto/Android/QNX. Assembled in the USA.

- SMARC 82 X 50 MM
- Operating System: Android, Linux, RT OS

Key features

- Integrated NXP eIQ Neutron NPU delivering 2 eTOPS for edge AI and machine vision
- Up to 3 simultaneous displays (MIPI-DSI to 4K30, dual LVDS), Mali GPU, and 4K60 video decode
- Vision pipeline with MIPI-CSI virtual channels, 500 MP/s ISP, and 4K30 H.264 video encode
- SMARC 2.2 (82 x 50 mm), up to 16GB LPDDR5, 2x GbE, optional NX611 Wi-Fi 6/BT 5.4

Market segments


- Industrial Automation
- Machine vision / edge AI
- Healthcare
- Test and measurement
- Building automation, digital signage
- Power & Energy management

NXP Public

NXP Gold Partner

FORLINX Embedded

Forlinx Embedded Technology is a well-established and constantly growing company, focused on designing, developing and manufacturing embedded systems solutions. Since 2007, Forlinx has committed to provide user-friendly, cost-efficient, stable and advanced embedded solutions which are based on ARM architecture, and offer a variety of platforms including SOMs (System-on-Module), SBCs (Single Board Computer) and industrial embedded PCs.



FET-MX952x-C System on Module

scalable real-time capabilities, security and application processing partitions, making it suitable for a wide range of platforms

- Proprietary: 68 x 50 mm
- Operating system: Linux

Key features

- Advanced Graphics: GPU Mali-G310 supporting OpenGL ES 3.2, Vulkan 1.2, and OpenCL 3.0.
- Lightweight Edge AI: Built-in 2eTOPS NPU, suitable for lightweight edge computing applications.
- Rich Vision Interfaces: Integrated Image Signal Processor (ISP), supporting 2x MIPI-CSI camera interfaces.
- Industrial Networking: Supports 3x CAN-FD, 3x Gigabit Ethernet ports, and TSN.

Market segments

- Industrial Automation
- Edge computing
- Smart Healthcare
- Intelligent Cockpit
- Automotive Wireless Connectivity

NXP Public

NXP Gold Partner

iWave Global

iWave delivers embedded solutions for industrial, medical, automotive, and IoT applications. With 25+ years of experience, it offers SOMs, SBCs, and ODM products like telematics units, HMI systems, and aerospace-grade solutions. iWave supports secure, long-life designs with custom hardware/software services and Linux/Android BSPs.



i.MX 952 SMARC

Built for high-performance edge applications, combining AI/ML acceleration, multimedia capabilities, and industrial-grade reliability. It's designed for scalable deployment across automotive, industrial, and HMI systems.

- SMARC: 82 x 50 mm
- Operating System: Linux, Android, Ubuntu BSP

Key features

- Integrated NXP eIQ® Neutron NPU
- Up to 16GB LPDDR5
- 16GB eMMC Flash (Expandable) & 16Mb QSPI Flash
- Wi-Fi 6 & Bluetooth 5.3 Connectivity

Market segments

- Industrial Automation
- Automotive and Telematics
- Smart Infrastructure
- Advanced HMI Systems
- Edge AI and Vision

NXP Public

NXP Gold Partner

A company that develops advanced hardware and software solutions to accelerate the digitalization of industrial products and processes. Its technologies integrate edge computing, IoT, AI, and data analytics to boost efficiency, enable smart device control, and support sustainable operations.



SOM-SMARC-MX952

Built around a standardized SMARC foundation, the module helps OEMs develop connected HMI, sensor-based, and camera-enabled products where local responsiveness, maintainability, and integration flexibility are key design priorities.

- SMARC 82 X 50 MM
- Operating System: Clea OS, Yocto, Linux

Key features

- Hardware highlights include quad Arm Cortex-A55 application processing
- Cortex-M7 and Cortex-M33 real-time/system resources, Arm Mali-G310 graphics
- Integrated NPU acceleration up to 0.5 TOPS, LPDDR5 memory support, camera/display interfaces, Gigabit Ethernet options, and optional wireless connectivity.
- Full integration support from carrier board design to OS.

Market segments

- Transportation
- Industrial Automation
- Smart Devices
- Smart Buildings
- Smart Cities

NXP Public

NXP Registered Partner

Vantron

Founded in 2002, Vantron Technology, Inc. is a globally leading provider of edge computing and embedded IoT solutions. Driven by continuous innovation and a customer-centric philosophy, we deliver advanced, cost-effective turnkey solutions that empower our clients to achieve lasting success.



VT-SBC-SMARC-IMX952

Built on the EDIMM 2.0 standard and powered by NXP® i.MX952, the i.Core MX952 delivers energy-efficient edge computing for AI-driven vision and sensor fusion

- SMARC (2.1) 82 x 50 mm
- Operating System: Android, Yocto Linux, other Linux distributions (support upon request)

Key features

- 4K 30P H.264 encoding, 4K 60P H.265/H.264 decoding
- Up to two simultaneous displays on MIPI DSI and LVDS
- Rich I/O signals for flexible peripheral expansion
- 1/2.5 Gigabit Ethernet, Wi-Fi 5, Bluetooth 5.0
- Dedicated NPU and GPU for AI acceleration

Market segments

- Automotive Connectivity
- Industrial
- IoT Platforms
- Edge AI and Multimedia
- Smart Infrastructure

NXP Public



Brighter
Together

nxp.com

| **Public** | NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. © 2025 NXP B.V. Version 2.9.