

Date : 2017/12/25

Page : 1 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

The following samples was/were submitted and identified by/on behalf of the applicant as :

Sample Submitted By	:	SHINKO ELECTRIC INDUSTRIES CO., LTD.
Sample Description	:	CDA194
Sample Receiving Date	:	2017/12/15
Testing Period	:	2017/12/15 TO 2017/12/25

Test Requested

- As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).
- (2) Please refer to next pages for the other item(s).

Test Result(s)

: Please refer to following pages.

Conclusion : (1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS and amending Directive (EU) 2015/863.





Date : 2017/12/25

Page : 2 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Test Result(s)

PART NAME No.1 : COPPER COLORED METAL

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n.d.	100
Lead (Pb)	mg/kg	With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n.d.	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n.d.	1000
Hexavalent Chromium Cr(VI)(#2)	µg/cm²	With reference to IEC 62321-7-1 (2015) and performed by UV-VIS.	0.10	n.d.	-
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321-7-2 (2017) and performed by UV-VIS.	8	n.d.	-
Sum of PBBs	mg/kg		-	n.d.	1000
Monobromobiphenyl	mg/kg		5	n.d.	-
Dibromobiphenyl	mg/kg		5	n.d.	-
Tribromobiphenyl	mg/kg		5	n.d.	-
Tetrabromobiphenyl	mg/kg		5	n.d.	-
Pentabromobiphenyl	mg/kg			n.d.	-
Hexabromobiphenyl	mg/kg	1	5	n.d.	-
Heptabromobiphenyl	mg/kg	1	5	n.d.	-
Octabromobiphenyl	mg/kg	1	5	n.d.	-
Nonabromobiphenyl	mg/kg	1	5	n.d.	-
Decabromobiphenyl	mg/kg	With reference to IEC 62321-6 (2015) and	5	n.d.	-
Sum of PBDEs	mg/kg	performed by GC/MS.	-	n.d.	1000
Monobromodiphenyl ether	mg/kg	1	5	n.d.	-
Dibromodiphenyl ether	mg/kg	1	5	n.d.	-
Tribromodiphenyl ether	mg/kg]	5	n.d.	-
Tetrabromodiphenyl ether	mg/kg]	5	n.d.	-
Pentabromodiphenyl ether	mg/kg	1	5	n.d.	-
Hexabromodiphenyl ether	mg/kg	1	5	n.d.	-
Heptabromodiphenyl ether	mg/kg]	5	n.d.	-
Octabromodiphenyl ether	mg/kg]	5	n.d.	-
Nonabromodiphenyl ether	mg/kg]	5	n.d.	-
Decabromodiphenyl ether	mg/kg	1	5	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en



Date : 2017/12/25

Page : 3 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Took Home (a)	Unit	Method	MDL	Result	1.1
Test Item(s)				No.1	Limit
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n.d.	1000
BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg		50	n.d.	1000
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n.d.	1000
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg		50	n.d.	-
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg		50	n.d.	-
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg		50	n.d.	-
DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg		50	n.d.	1000
DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.	-
DHNUP (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters) (CAS No.: 68515-42- 4)	mg/kg		50	n.d.	-
DIHP (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (CAS No.: 71888- 89-6)	mg/kg		50	n.d.	-
DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	mg/kg		50	n.d.	-
DNPP (Di-n-pentyl phthalate) (CAS No.: 131-18-0)	mg/kg		50	n.d.	-
DIPP (Di-iso-pentyl phthalate) (CAS No.: 605-50-5)	mg/kg		50	n.d.	-



Date : 2017/12/25

Page : 4 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Test Item(s)	Unit	Method	MDL	Result	Limit
	onic		MDL	No.1	Linit
Perfluorooctane sulfonates (PFOS- Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n.d.	-
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n.d.	-
Halogen					
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.	-
Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	With reference to BS EN 14582 (2016).	50	n.d.	-
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	Analysis was performed by IC.	50	n.d.	-
Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	-
PVC	**	Analysis was performed by FTIR and FLAME Test.	-	Negative	-
Antimony (Sb)	mg/kg	With reference to US EPA 3050B (1996). Analysis was performed by ICP-AES.	2	n.d.	-
Antimony (Sb)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n.d.	-
Arsenic (As)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n.d.	-
Beryllium (Be)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4 and 3194- 55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	With reference to IEC 62321 (2008). Analysis was performed by GC/MS.	5	n.d.	-
Polychlorinated Biphenyls (PCBs) (CAS No.: 1336-36-3)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.5	n.d.	-
Polychlorinated Naphthalene (PCNs)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	5	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



Date : 2017/12/25

Page : 5 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Polychlorinated Terphenyls (PCTs)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	0.5	n.d.	-
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by GC/MS.	100	n.d.	-
Tributyl Tin (TBT)	mg/kg		0.03	n.d.	-
Triphenyl Tin (TphT)	mg/kg		0.03	n.d.	-
Bis(tributyltin)oxide (TBTO)*** (CAS No.: 56-35-9)	mg/kg	With reference to ISO 17353 (2004). Analysis was performed by GC/FPD.	-	n.d.	-
Dibutyl Tin (DBT)	mg/kg		0.03	n.d.	-
Dioctyl Tin (DOT)	mg/kg		0.03	n.d.	-

Note :

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected = less than MDL
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μ g/cm². The sample coating is considered to contain Cr(VI)
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 8. ***: The substance was calculated by the test result of Tributyl Tin. The MDL was evaluated for Tributyl Tin.
- 9. Parameter Conversion Table : http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp

PFOS Reference Information : POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $1\mu g/m^2$.



Date : 2017/12/25

Page : 6 of 19


SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)

Technician : JR Wang








Date : 2017/12/25

Page : 7 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart – PBB / PBDE



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



Date : 2017/12/25


Page : 8 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Phthalate

- Technician: Andy Hsu
- Supervisor: Troy Chang

[Test method: IEC 62321-8]






Date : 2017/12/25

Page : 9 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - PFOA/PFOS

Technician: Yaling TuSupervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an




Date : 2017/12/25

Page : 10 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Halogen

- Technician: Rita Chen
- Supervisor: Troy Chang






Date : 2017/12/25

Page : 11 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analysis flow chart - PVC

- Technician: Yaling Tu
- Supervisor: Troy Chang





Date : 2017/12/25


Page : 12 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

> These samples were dissolved totally by pre-conditioning method according to below flow chart.

- Technician: JR Wang
- Supervisor: Troy Chang

Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
Others	Added appropriate reagent to total digestion




Date : 2017/12/25

Page : 13 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - HBCDD

- Technician: Yaling Tu
- Supervisor: Troy Chang






Date : 2017/12/25

Page : 14 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - PCBs

- Technician: Yaling Tu
- Supervisor: Troy Chang






Date : 2017/12/25

Page : 15 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - PCNs

- Technician: Yaling Tu
- Supervisor: Troy Chang






Date : 2017/12/25

Page : 16 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - PCTs

- Technician: Barry Tseng
- Supervisor: Troy Chang






Date : 2017/12/25

Page : 17 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Chlorinated Paraffins

- Technician: Yaling Tu
- Supervisor: Troy Chang






Date : 2017/12/25

Page : 18 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

Analytical flow chart - Organic-Tin

- Technician: Yaling Tu
- Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



Date : 2017/12/25

Page : 19 of 19

SHINKO ELECTRIC INDUSTRIES CO., LTD. 80 OSHIMADA-MACHI, NAGANO-SHI, 381-2287 JAPAN

* The tested sample / part is marked by an arrow if it's shown on the photo. *



** End of Report **