

Table of Contents

1	Title
2	Notes
3	Sensors

Revisions

Rev	Description	Date
X1	Original Release	07-19-15
A	Release	11-3-15
A1	Update (1x3 header : 210-80734)	12-18-15
AZ	Freescale LOGO	1-12-15

FRDMSTBC-P3115

		RF, Analog & Sensor Group 6501 William Cannon Drive West Austin, TX 78752-9299	
<small>This document contains information proprietary to Freescale Semiconductor and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of Freescale Semiconductor.</small>			
ICAP Classification: FCP:		FIUC: X PUB:	
Designer: Frank L	Drawing Title: FRDMSTBC-P3115		
Drawn by: Frank L	Page Title: CONTENT		
Approved: Team	Size C	Document Number SCH-28981 PDF: SPF-28981	Rev A2
Date: Tuesday, January 12, 2016		Sheet 1 of 4	

1. Unless Otherwise Specified:

All resistors are in ohms, most are 1%, 1/10 Watt. Otherwise are 5%, 1/8 Watt.

All capacitors are in uF, some are 10% or 20%

All voltages are DC

All polarized capacitors are tantalum

2. Interrupted lines coded with the same letter or letter combinations are electrically connected.

3. Device type number is for reference only. The number varies with the manufacturer.

4. Special signal usage:

_B Denotes - Active-Low Signal

<> or [] Denotes - Vectored Signals





5. Interpret diagram in accordance with American National Standards Institute specifications, current revision, with the exception of logic block symbology.




ICAP Classification: FCP: _____ FIUC: X PUBL: _____		
Drawing Title: FRDMSTBC-P3115		
Page Title: NOTES		
Size C	Document Number SCH-28981 PDF: SPF-28981	Rev A2
Date: Tuesday, January 12, 2016	Sheet 2	of 4

MPL3115A PRESSURE SENSOR BLOCK

SHIELD BOARD ARDUINO HEADER



SHIELD BOARD ARDUINO HEADER



ICAP Classification: FCP: _____		FIUC: X	PUBL: _____
Drawing Title: FRDMSTBC-P3115			
Page Title: NOTES			
Size C	Document Number SCH-28981 PDF: SPF-28981	Rev A2	
Date: Tuesday, January 12, 2016	Sheet 3	of 4	

