

PART INFORMATION	
Mfg Item Number	AFT26H160-4S4R3
Mfg Item Name	NI880X-4L4S
SUPPLIER	
Company Name	Freescale Semiconductor Inc
Company Unique ID	14-141-7928
Response Date	2018-03-16
Response Document ID	00F1K04154D002A1.20
Contact Name	Freescale Semiconductor Inc
Contact Title	Product Technical Support
Contact Phone	1-800-521-6274
Contact Email	support@freescale.com
Authorized Representative	Daniel Binyon
Representative Title	EPP Customer Response
Representative Phone	512-895-3406
Representative Email	eppanlst@freescale.com
URL for Additional Information	www.freescale.com
DECLARATION	
EU RoHS	Yes
Pb Free	Yes
HalogenFree	Yes
Plating Indicator	e4
EU RoHS Exemption(s)	
MANUFACTURING	
Mfg Item Number	AFT26H160-4S4R3
Mfg Item Name	NI880X-4L4S
Version	ALL
Weight	3.541400
UoM	g
Unit Volume	EACH
J-STD-020 MSL Rating	
Peak Processing Temperature	260 C
Max Time at Peak Temperature	40 seconds
Number of Processing Cycles	3

RoHS	
RoHS Directive	2011/65/EU
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Conditions of Sale applicable to such part(s) shall apply.
RoHS Declaration	1 - Item(s) do not contain RoHS restricted substances per the definition above
Supplier Acceptance	Accepted
Signature	Daniel Binyon
Exemption List Version	2012/51/EU
List of Freescale Accepted Exemptions	6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight  6(b) : Lead as an alloying element in aluminium containing up to 0.4% lead by weight 6(c) : Copper alloy containing up to 4% lead by weight 7(a) : Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead) 7(b) : Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications 7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound 7(c)-II : Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher 7(c)-III : Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC 7(c)-IV : Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors 15 : Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages

MATERIAL COMPOSITION

Homogeneous Material	Weight	SubstanceClass	Substance	CAS	Exemption	SubstanceWeight	UoM	SubPart PPM	SubPart%		ARTICLEPPM	ARTICLE%
Bonding Wire, Aluminum	0.0039						g					
Bonding Wire, Aluminum		Metals	Aluminum, metal	7429-90-5		0.0039	g	1000000	100		1101	0.1101
Silicon Semiconductor Die	0.0144						g					
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.000288	g	20000	2		81	0.0081
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.014112	g	880000	98		3984	0.3984
Header Assembly	2.66						g					
Header Assembly		Metals	Aluminum Oxides (Al2O3)	1344-28-1		0.16742838	g	62943	6.2943		47277	4.7277
Header Assembly		Metals	Cobalt, metal	7440-48-4		0.0109459	g	4115	0.4115		3090	0.309
Header Assembly		Metals	Copper, metal	7440-50-8		1.13737876	g	427586	42.7586		321181	32.1181
Header Assembly		Metals	Gold, metal	7440-57-5		0.00374794	g	1409	0.1409		1058	0.1058
Header Assembly		Metals	Iron, metal	7439-89-6		0.09672824	g	36364	3.6364		27313	2.7313
Header Assembly		Metals	Molybdenum, metal	7439-98-7		1.04509006	g	392891	39.2891		295106	29.5106
Header Assembly		Nickel (external applications only)	Nickel	7440-02-0		0.0955472	g	35920	3.592		26980	2.698
Header Assembly		Metals	Palladium, metal	7440-05-3		0.00236208	g	888	0.0888		666	0.0666
Header Assembly		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7		0.00591584	g	2224	0.2224		1670	0.167
Header Assembly		Glass	Proprietary Material-Other glass compounds (without lead, chromium, cadmium or mercury).	-		0.01252328	g	4708	0.4708		3536	0.3536
Header Assembly		Metals	Silver, metal	7440-22-4		0.04062352	g	15272	1.5272		11471	1.1471
Header Assembly		Metals	Titanium (IV) Oxide	13463-67-7		0.00108628	g	408	0.0408		306	0.0306
Header Assembly		Metals	Tungsten, metal	7440-33-7		0.04062352	g	15272	1.5272		11471	1.1471
Silicon Semiconductor Die	0.0144						g					
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.00014688	g	10200	1.02		41	0.0041
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.00028506	g	19796	1.9796		80	0.008
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01396806	g	970004	97.0004		3944	0.3944
Silicon Semiconductor Die	0.0144						g					
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.000288	g	20000	2		81	0.0081
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.014112	g	980000	98		3984	0.3984
Silicon Semiconductor Die	0.0144						g					
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.00014688	g	10200	1.02		41	0.0041
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.00028506	g	19796	1.9796		80	0.008
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01396806	g	970004	97.0004		3944	0.3944
Silicon Semiconductor Die	0.0144						g					
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.00014688	g	10200	1.02		41	0.0041
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.00028506	g	19796	1.9796		80	0.008
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01396806	g	970004	97.0004		3944	0.3944
Silicon Semiconductor Die	0.0144						g					
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.00014688	g	10200	1.02		41	0.0041
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.00028506	g	19796	1.9796		80	0.008
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01396806	g	970004	97.0004		3944	0.3944
Silicon Semiconductor Die	0.0144						g					
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.00014688	g	10200	1.02		41	0.0041
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.00028506	g	19796	1.9796		80	0.008
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01396806	g	970004	97.0004		3944	0.3944
Cap/Cover	0.7911						g					
Cap/Cover		Metals	Aluminum Oxides (Al2O3)	1344-28-1		0.73577046	g	930060	93.006		207762	20.7762
Cap/Cover		Plastics/polymers	Epoxy resin, EPON Resin 8091	25928-94-3		0.01345345	g	17006	1.7006		3798	0.3798
Cap/Cover		Metals	Other iron compounds	-		0.00767446	g	9701	0.9701		2167	0.2167
Cap/Cover		Glass	Silicon dioxide	7631-86-9		0.01127397	g	14251	1.4251		3183	0.3183
Cap/Cover		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7		0.02292766	g	28982	2.8982		6474	0.6474

LINKS	
MCD LINK	
NXP website	<a href="http://www.nxp.com">http://www.nxp.com</a>
GENERAL ENVIRONMENTAL COMPLIANCE LINKS	
RoHS signed letter	<a href="http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf">http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf</a>
China RoHS	<a href="http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY">http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY</a>
REACH signed letter	<a href="http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf">http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf</a>
ELV signed letter	<a href="http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf">http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf</a>
Conflict Minerals statement	<a href="http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf">http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf</a>
NXP ENVIRONMENTAL INFORMATION	
Environmental Compliance website	<a href="http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX">http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX</a>
FAQ	<a href="http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ">http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ</a>
Technical Service Request	<a href="http://www.nxp.com/support/sales-and-support:SUPPORTHOME">http://www.nxp.com/support/sales-and-support:SUPPORTHOME</a>
LINKS TO BLANK IPC1752 FORMS	
Blank IPC1752 v1.1 Form	<a href="http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf">http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf</a>

IPC1752 XML LINKS

[http://www.freescale.com/mcds/AFT26H160-4S4R3\\_IPC1752\\_v11.xml](http://www.freescale.com/mcds/AFT26H160-4S4R3_IPC1752_v11.xml)

[http://www.freescale.com/mcds/AFT26H160-4S4R3\\_IPC1752A.xml](http://www.freescale.com/mcds/AFT26H160-4S4R3_IPC1752A.xml)