SUPPLIER

**URL** for Additional Information

PART INFORMATION

Mfg Item Number

Mfg Item Name

FXTH87EH116T1

QFN-EP MAP 24 7\*7\*2.2 P1

Company Name Freescale Semiconductor Inc Company Unique ID 14-141-7928 Response Date 2018-05-17 Response Document ID 00CAA1.8 Contact Name Freescale Semiconductor Inc Contact Title Product Technical Support **Contact Phone** 1-800-521-6274 Contact Email support@freescale.com Daniel Binyon **Authorized Representative** Representative Title **EPP Customer Response** Representative Phone 512-895-3406 Representative Email eppanlst@freescale.com

DECLARATION

EU RoHS
Pb Free
No
HalogenFree
Plating Indicator
EU ROHS Exemption(s)

Yes
7c-I

www.freescale.com

MANUFACTURING Mfg Item Number FXTH87EH116T1 Mfg Item Name QFN-EP MAP 24 7\*7\*2.2 P1 Version ALL Weight 0.306300 UoM Unit Volume EACH J-STD-020 MSL Rating 3 Peak Processing Temperature 260 C Max Time at Peak Temperature 40 seconds Number of Processing Cycles 3

2011/65/EU **RoHS Directive** RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium **RoHS Definition** Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess **RoHS Legal Definition** restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Conditions of Sale applicable to such part(s) shall apply. Sale applicable to such part(s) shall apply. 4 - Item(s) does not contain RoHS restricted substances per the definition above except for selected exemptions **RoHS Declaration** Accepted Supplier Acceptance Daniel Binyon Signature **Exemption List Version** 2012/51/EU Exemptions in this part 7c-I:Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound 6(a): Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight List of Freescale Accepted Exemptions 6(b): Lead as an alloying element in aluminium containing up to 0.4% lead by weight 6(c): Copper alloy containing up to 4% lead by weight 7(a): Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead) 7(b): Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for 7(c)-I: Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound 7(c)-II: Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher 7(c)-III: Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC

7(c)-IV: Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors

15: Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages

SAME AND MANIER STATE OF THE	Homogeneous Material	Weight	SubstanceClass	Substance	CAS	Exemption	SubstanceWeight	UoM	SubPart PPM	SubPart%	ARTICLEPPM	ARTICLE%
Company         Company <t< td=""><td>Bonding Wire</td><td>0.00025</td><td></td><td></td><td></td><td></td><td></td><td>q</td><td></td><td></td><td></td><td></td></t<>	Bonding Wire	0.00025						q				
Ministrage			Metals	Gold, metal	7440-57-5		0.00025	g	1000000	100	816	0.0816
Charteningeringeringeringeringeringeringering	Non-Conductive Epoxy/Adhesive	0.0001						g				
Marchignorm	Non-Conductive Epoxy/Adhesive		Plastics/polymers	Proprietary Material-Other Epoxy resins	-		0.0000075	g	75000	7.5	24	0.0024
Month	Non-Conductive Epoxy/Adhesive		Plastics/polymers	Crosslinked acrylate polymer	25767-43-5		0.00002	g	200000	20	65	0.0065
Second	Non-Conductive Epoxy/Adhesive		Plastics/polymers	Other polymers	-		0.0000075	g	75000	7.5	24	0.0024
Manuscland   100	Non-Conductive Epoxy/Adhesive		Plastics/polymers	Proprietary Material-Other polymers	-		0.00002	g	200000	20	65	0.0065
Second   S	Non-Conductive Epoxy/Adhesive		Glass	Silica, vitreous	60676-86-0		0.000045	g	450000	45	146	0.0146
Manusharing	Non-conductive Epoxy	0.0003						g				
Manuscharder   Manu	Non-conductive Epoxy		Plastics/polymers	Poly[(o-cresyl glycidyl ether)-co-formaldehyde]	29690-82-2		0.00003	g	100000		97	0.0097
Section   Sect	Non-conductive Epoxy		Plastics/polymers	4,4'-lsopropylidenediphenol-1-chloro-2,3-epoxypropane concentrate	25068-38-6		0.000075	g	250000	25	244	0.0244
Commanda Sagrome         Commanda Sagrome         Companion of the	Non-conductive Epoxy		Plastics/polymers		26834-02-6		0.00009	q	300000	30	293	0.0293
Content	Non-conductive Epoxy		Glass	Silicon dioxide	7631-86-9		0.000075	g	250000	25	244	0.0244
Content	Non-conductive Epoxy							g			97	
Obligation         Modern (Manus)         Obligation         Obligation         Application		0.0067						g				
Code State 1         Code State 1<	Gel Die Encapsulant		Solvents, additives, and other materials	Siloxanes and silicones, di-Me, vinyl group-terminated	68083-19-2		0.00666642	g	994988	99.4988	21764	2.1764
Seys Control         Seys         Leading of the control of the contro	Gel Die Encapsulant		Solvents, additives, and other materials	Ethylbenzene	100-41-4		0.00003358	g	5012	0.5012	109	0.0109
Marie	Bonding Wire	0.00025						g				
Marie			Metals	Gold, metal	7440-57-5		0.00025	g	1000000	100	816	0.0816
Some particular programment         Company particular programment         Memory particular programment         Mem		0.0025						g				
Mary Carlon			Solvents, additives, and other materials	Siloxanes and silicones, di-Me, vinyl group-terminated	68083-19-2		0.0015	g	600000	60	4897	0.4897
Sched planel         Sembation of the Management of Ma								g				
DescriptionOrderMarch March Mar								g		9.1		
Section   Composition   Com					-			g			73	
Commentation of the control		0.1993						g				
Designation Segment Se			Solvents, additives, and other materials	Carbon Black	1333-86-4		0.0009967	g	5001	0.5001	3253	0.3253
Deficient Mayor before the properties of the pro	Die Encapsulant, Halogen-free		Plastics/polymers	Phenolic Resin	125133-38-2		0.0049835	g	25005	2.5005	16269	1.6269
Definitional tribugation of the properties of th								q				
Dept	Die Encapsulant, Halogen-free		Glass	Silica, vitreous	60676-86-0		0.16341882	g	819964	81.9964	533554	53.3554
Open Isalifame         Compound Improved         Section of Management         Compound Improved	Die Encapsulant, Halogen-free		Plastics/polymers	Epoxy Resin	115254-47-2		0.01495049	g	75015	7.5015	48809	4.8809
Open Inform         Compound from         10mm         Month         Caper Land From         10mm         Compound From         Compound From         10mm         Compound From              10mm         Compound From         10mm         Compound From         10mm         Compound From         10mm         Compound From         10mm         Compound From         10mm         Compound From	Copper Lead Frame	0.0072						g				
Cope Inform			Metals	Copper, metal	7440-50-8		0.00698241	g	969780	96.978	22795	2.2795
Copy Instalfamine         Incl. Instalfamine         Monitor John State (1998)         40.004 (1998)         40.003 (1998)         20.003 (1998)         40.004 (1998)         40.003 (1998) <td>Copper Lead Frame</td> <td></td> <td>Metals</td> <td>Gold, metal</td> <td>7440-57-5</td> <td></td> <td>0.00000137</td> <td>g</td> <td>190</td> <td>0.019</td> <td>4</td> <td>0.0004</td>	Copper Lead Frame		Metals	Gold, metal	7440-57-5		0.00000137	g	190	0.019	4	0.0004
Open Land Frame         In Minimary (any politions)         Load of Among politions (any politions)         1,94 (any politions)	Copper Lead Frame		Solvents, additives, and other materials	Phosphorus, elemental (not containing red allotrope)	7723-14-0		0.00000204	g	284	0.0284	6	0.0006
Open Leaf Frame         Image: 10 Mover Improved on the Province of Transport of Transpor	Copper Lead Frame		Metals	Iron, metal	7439-89-6		0.00015373	g	21351	2.1351	501	0.0501
Coper Leaf Frame         Leaf Marie Mar	Copper Lead Frame		Lead/Lead Compounds	Lead	7439-92-1		0.00000007	g	10	0.001	0	0
Copy Information         Incl. Main         Main         Shern minute         74.00 mm         0.00 mm<	Copper Lead Frame		Nickel (external applications only)	Nickel	7440-02-0		0.00005728	g	7955	0.7955	187	0.0187
Exception of the Company of the Co	Copper Lead Frame		Metals	Palladium, metal	7440-05-3		0.0000018	g	250	0.025	5	0.0005
Secure   S	Copper Lead Frame		Metals	Silver, metal	7440-22-4		0.0000013	g	180	0.018	4	0.0004
Exemptode   Company   Co	Encapsulant Gel	0.0067						g				
Left   Communication   Commu	Encapsulant Gel		Solvents, additives, and other materials	Siloxanes and silicones, di-Me, vinyl group-terminated	68083-19-2		0.00666642	g	994988	99.4988	21764	2.1764
Median   M	Encapsulant Gel		Solvents, additives, and other materials	Ethylbenzene	100-41-4		0.00003358	g	5012	0.5012	109	0.0109
Description   Control	Lid	0.0696						g				
Description   Company	Lid		Metals	Chromium, metal	7440-47-3		0.01324175	g	190255	19.0255	43231	4.3231
Description   Company	Lid		Solvents, additives, and other materials	Sulfur	7704-34-9		0.00001392	g	200	0.02	45	0.0045
Lid	Lid		Solvents, additives, and other materials	Phosphorus, elemental (not containing red allotrope)	7723-14-0		0.00002088	g	300	0.03	68	0.0068
Description   Metals   Managenes, metal   2439-86-5   0.0014539   0.15020   1.5020	Lid		Solvents, additives, and other materials	Silicon	7440-21-3		0.0006969	g	10013	1.0013	2275	0.2275
Lid	Lid		Metals	Iron, metal	7439-89-6		0.04809966	g	691087	69.1087	157034	15.7034
Lid	Lid		Metals	Manganese, metal	7439-96-5		0.00104539	g	15020	1.502	3412	0.3412
Epoxy Die Attach   0.0001   Carbon Black   Carbon Black   133-86-4   0.0001016   g   10611   10611   3   0.0003	Lid		Nickel (external applications only)	Nickel	7440-02-0		0.00644663	g				
Epoxy Die Attach         Solvents, additives, and other materials         Carbon Black         1333-86-4         0.0000106         g         10611         1.0611         3         0.0003           Epoxy Die Attach         Solvents, additives, and other materials         (3.4-Epoxycyclobexyletyltrimethoxysilane         338-04-3         0.00001001         g         10061         32         0.0032           Epoxy Die Attach         Solvents, additives, and other materials         Siloxanes and silicones, di-Me, viryl group-terminated         6803-19-2         0.00005982         g         596261         194         0.0194           Epoxy Die Attach         Plastics/polymers         Polyterafluoroethylene         9002-84-0         0.00002931         g         293077         29.3077         95         0.0095           Pb Glass Frit Semiconductor Di         0.0026         1.0004         70-1         g         g         1.0004         88         0.0088           Pb Glass Frit Semiconductor Di         Class         Fibrous-glass-wool         6599-71-3         0.00002585         g         9943         0.9943         84         0.0084           Pb Glass Frit Semiconductor Di         Glass         Silvents, additives, and other materials         2.2-4-timethyl-1,3-pentanediol-1-monoisobutyrate         25265-77-4         0.00002585         g <td>Lid</td> <td></td> <td>Solvents, additives, and other materials</td> <td>Carbon</td> <td>7440-44-0</td> <td></td> <td>0.00003487</td> <td>g</td> <td>501</td> <td>0.0501</td> <td>113</td> <td>0.0113</td>	Lid		Solvents, additives, and other materials	Carbon	7440-44-0		0.00003487	g	501	0.0501	113	0.0113
Epoxy Die Attach   Solvents, additives, and other materials   (3.4-Epoxycyclohexy/jethyltrimethoxysilane   3388-04-3   0.0001001   g   100051   10.0051   32   0.0032		0.0001						g				
Epoxy Die Attach   Solvents, additives, and other materials   Siloxanes and silicones, di-Me, vinyl group-terminated   68083-19-2   0.00005962   g   596261   596261   194   0.0194	Epoxy Die Attach		Solvents, additives, and other materials	Carbon Black	1333-86-4		0.00000106	g	10611	1.0611	3	0.0003
Poly Dec	Epoxy Die Attach		Solvents, additives, and other materials	(3,4-Epoxycyclohexyl)ethyltrimethoxysilane	3388-04-3		0.00001001	g	100051			
Pb Glass Frit Semiconductor Di   0.0026	Epoxy Die Attach		Solvents, additives, and other materials	Siloxanes and silicones, di-Me, vinyl group-terminated	68083-19-2		0.00005962	g	596261	59.6261	194	0.0194
Pb Glass Frit Semiconductor Di   Lead/Lead Compounds   Lead (II) titanate   1266-00-3   0.0002699   g   10381   1.0381   88   0.0088	Epoxy Die Attach		Plastics/polymers	Polytetrafluoroethylene	9002-84-0		0.00002931	g	293077	29.3077	95	0.0095
Pb Glass Frit Semiconductor DI         Glass         Fibrous-glass-wool         65997-17-3         0.0002585         g         9943         0.9943         84         0.0084           Pb Glass Frit Semiconductor DI         Solvents, additives, and other materials         2,2,4-trimethyl-1,3-pentanediol-1-monoisobutyrate         25265-77-4         0.0002585         g         9943         0.9943         84         0.0084           Pb Glass Frit Semiconductor DI         Glass         Silicon, doped         -         0.00252131         g         9943         0.9943         84         0.0084           Silicon Semiconductor Die         0.00535         Glass         Silicon, doped         -         0.00107         g         90933         96.9733         8231         0.8231           Silicon Semiconductor Die         Solvents, additives, and other materials         Other miscellaneous substances (less than 5%).         -         0.000107         g         20000         2         349         0.0349           Silicon Semiconductor Die         Solvents, additives, and other materials         Other miscellaneous substances (less than 5%).         -         0.000107         g         20000         2         349         0.0349           Silicon Semiconductor Die         Solvents, additives, and other materials         Other miscellaneous substance	Pb Glass Frit Semiconductor Di	0.0026				7c-l		g				
Pb Glass Frit Semiconductor DI         Solvents, additives, and other materials         2,2,4-trimethyl-1,3-pentanediol-1-monoisobutyrate         2566-77-4         0.0002585         g         9943         0.9943         84         0.0084           Pb Glass Frit Semiconductor DI         Glass         Silicon, doped         -         0.0025131         g         969733         96.9733         8231         0.8231           Silicon Semiconductor Die         0.00535         L	Pb Glass Frit Semiconductor Di		Lead/Lead Compounds	Lead (II) titanate	12060-00-3		0.00002699	g			88	0.0088
Pb Glass Frit Semiconductor Di         Glass         Glass         Silicon, doped         -         0.0025131         g         969733         96,9733         8231         0.8231           Silicon Semiconductor Die         0.00535         L         <	Pb Glass Frit Semiconductor Di		Glass	Fibrous-glass-wool	65997-17-3		0.00002585	g	9943	0.9943	84	0.0084
Silicon Semiconductor Die         0.00535         Image: Composition of the compositio	Pb Glass Frit Semiconductor Di		Solvents, additives, and other materials	2,2,4-trimethyl-1,3-pentanediol-1-monoisobutyrate	25265-77-4		0.00002585	g	9943	0.9943	0.	0.0084
Silicon Semiconductor Die         Solvents, additives, and other materials         Other miscellaneous substances (less than 5%).         -         0.000107         g         20000         2         349         0.0349           Silicon Semiconductor Die         Glass         Silicon, doped         -         0.005243         g         980000         98         17117         1.7117           Silicon Semiconductor Die         0.0035         Image: Control of the control	Pb Glass Frit Semiconductor Di		Glass	Silicon, doped	-		0.00252131	g	969733	96.9733	8231	0.8231
Silicon Semiconductor Die         Glass         Silicon, doped         -         0.005243         g         980000         98         17117         1,7117           Silicon Semiconductor Die         0.00535         Image: Control of the control of	Silicon Semiconductor Die	0.00535						g				
Silicon Semiconductor Die         0.00535         Image: Control of the control of th	Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.000107	g	20000	2	349	0.0349
Silicon Semiconductor Die Solvents, additives, and other materials Other miscellaneous substances (less than 5%).  - 0.000107 g 20000 2 349 0.0349	Silicon Semiconductor Die		Glass	Silicon, doped	-		0.005243	g	980000	98	17117	1.7117
	Silicon Semiconductor Die	0.00535						g				
Silicon Semiconductor Die         Glass         Silicon, doped         -         0.005243         g         980000         98         17117         1.7117	Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.000107	g			349	0.0349
	Silicon Semiconductor Die		Glass	Silicon, doped	-		0.005243	g	980000	98	17117	1.7117

LINKS MCD LINK NXP website http://www.nxp.com GENERAL ENVIRONMENTAL COMPLIANCE LINKS http://www.nxp.com/files/corporate/doc/support\_info/NXP-ROHS-DECLARATION.pdf RoHS signed letter China RoHS http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV\_CHINA\_ROHS\_STRATEGY http://www.nxp.com/files/corporate/doc/support\_info/NXP-REACH-STATEMENT.pdf REACH signed letter http://www.nxp.com/files/corporate/doc/support\_info/NXP-ELV-STATEMENT.pdf ELV signed letter http://www.nxp.com/files/corporate/doc/support\_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf Conflict Minerals statement NXP ENVIRONMENTAL INFORMATION Environmental Compliance website http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX FAQ http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON\_FAQ http://www.nxp.com/support/sales-and-support:SUPPORTHOME Technical Service Request

http://www.NXP.com/files/abstract/corporate/ehs\_epp/IPC-1752-2\_v1.1\_MCD\_Template.pdf

LINKS TO BLANK IPC1752 FORMS Blank IPC1752 v1.1 Form IPC1752 XML LINKS

http://www.freescale.com/mcds/FXTH87EH116T1\_IPC1752\_v11.xml

http://www.freescale.com/mcds/FXTH87EH116T1\_IPC1752A.xml