

PART INFORMATION

Mfg Item Number	MPC8548CVTAUJB
Mfg Item Name	FCPBGA 783 29SQ*3.7P1.0

SUPPLIER

Company Name	Freescale Semiconductor Inc
Company Unique ID	14-141-7928
Response Date	2016-11-08
Response Document ID	8423K11256D031A1.21
Contact Name	Freescale Semiconductor Inc
Contact Title	Product Technical Support
Contact Phone	1-800-521-6274
Contact Email	support@freescale.com
Authorized Representative	Daniel Binyon
Representative Title	EPP Customer Response
Representative Phone	512-895-3406
Representative Email	eppanlst@freescale.com
URL for Additional Information	www.freescale.com

DECLARATION

EU RoHS	Yes
Pb Free	No
HalogenFree	No
Plating Indicator	e2
EU RoHS Exemption(s)	15

MANUFACTURING

Mfg Item Number	MPC8548CVTAUJB
Mfg Item Name	FCPBGA 783 29SQ*3.7P1.0
Version	ALL
Weight	11.436400
UoM	g
Unit Volume	EACH
J-STD-020 MSL Rating	3
Peak Processing Temperature	260 C
Max Time at Peak Temperature	40 seconds
Number of Processing Cycles	3

RoHS	
RoHS Directive	2011/65/EU
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Conditions of Sale applicable to such part(s) shall apply.
RoHS Declaration	4 - Item(s) does not contain RoHS restricted substances per the definition above except for selected exemptions
Supplier Acceptance	Accepted
Signature	Daniel Binyon
Exemption List Version	2012/51/EU
Exemptions in this part	15:Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages
List of Freescale Accepted Exemptions	<p>6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight</p> <p>6(b) : Lead as an alloying element in aluminium containing up to 0.4% lead by weight</p> <p>6(c) : Copper alloy containing up to 4% lead by weight</p> <p>7(a) : Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)</p> <p>7(b) : Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications</p> <p>7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound</p> <p>7(c)-II : Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher</p> <p>7(c)-III : Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC</p> <p>7(c)-IV : Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors</p> <p>15 : Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages</p>

MATERIAL COMPOSITION

Homogeneous Material	Weight	SubstanceClass	Substance	CAS	Exemption	SubstanceWeight	UoM	SubPart PPM	SubPart%	ARTICLEPPM	ARTICLE%
Capacitor_0306	0.0748						g				
Capacitor_0306		Metals	Copper, metal	7440-50-8		0.0103224	g	138000	13.8	902	0.0902
Capacitor_0306		Nickel (external applications only)	Nickel	7440-02-0		0.014586	g	195000	19.5	1275	0.1275
Capacitor_0306		Metals	Tin, metal	7440-31-5		0.0009724	g	13000	1.3	85	0.0085
Capacitor_0306		Metals	Barium titanate	12047-27-7		0.0489192	g	654000	65.4	4277	0.4277
Organic Substrate, Halogen-free	2.7837				15		g				
Organic Substrate, Halogen-free		Arsenic/Arsenic Compounds	Arsenic	7440-38-2		0.0000454	g	16	0.0016	3	0.0003
Organic Substrate, Halogen-free		Metals	Barium sulfate	7727-43-7		0.0000113	g	4	0.0004	0	0
Organic Substrate, Halogen-free		Metals	Cobalt, metal	7440-48-4		0.00010566	g	39	0.0039	9	0.0009
Organic Substrate, Halogen-free		Metals	Copper, metal	7440-50-8		1.0885297	g	391037	39.1037	95181	9.5181
Organic Substrate, Halogen-free		Plastics/polymers	Other Epoxy resins	-		0.88845126	g	319162	31.9162	77686	7.7686
Organic Substrate, Halogen-free		Lead/Lead Compounds	Lead	7439-92-1		0.00163125	g	686	0.0586	142	0.0142
Organic Substrate, Halogen-free		Glass	Fibrous-glass-wool	65997-17-3		0.70968483	g	254943	25.4943	62054	6.2054
Organic Substrate, Halogen-free		Metals	Silver, metal	7440-22-4		0.00278927	g	1002	0.1002	243	0.0243
Organic Substrate, Halogen-free		Metals	Tin, metal	7440-31-5		0.09244946	g	33211	3.3211	8083	0.8083
Underfill	0.0366						g				
Underfill		Bismuth/Bismuth Compounds	Bismuth	7440-69-9		0.00043924	g	12001	1.2001	38	0.0038
Underfill		Plastics/polymers	Phenolic Polymer Resin, Epikote 155	9003-36-5		0.00732051	g	200014	20.0014	640	0.064
Underfill		Solvents, additives, and other materials	Carbon Black	1333-86-4		0.00036604	g	10001	1.0001	32	0.0032
Underfill		Plastics/polymers	4,4'-isopropylidenediphenol-1-chloro-2,3-epoxypropane (concentrate)	25068-38-6		0.00183015	g	50004	5.0004	160	0.016
Underfill		Plastics/polymers	Proprietary Material-Other phenolic resins	-		0.01108907	g	302980	30.298	969	0.0969
Underfill		Glass	Silica, vitreous	60676-86-0		0.0155499	g	425000	42.5	1360	0.136
Capacitor Solder Paste	0.0273						g				
Capacitor Solder Paste		Solvents, additives, and other materials	Other aliphatic amines	-		0.00005733	g	2100	0.21	5	0.0005
Capacitor Solder Paste		Metals	Aluminum, metal	7429-90-5		0.00000277	g	10	0.001	0	0
Capacitor Solder Paste		Antimony/Antimony Compounds	Antimony (metallic)	7440-38-0		0.0000273	g	1000	0.1	2	0.0002
Capacitor Solder Paste		Arsenic/Arsenic Compounds	Arsenic	7440-38-2		0.0000027	g	99	0.0099	0	0
Capacitor Solder Paste		Bismuth/Bismuth Compounds	Bismuth	7440-69-9		0.00009819	g	300	0.03	0	0
Capacitor Solder Paste		Cadmium/Cadmium Compounds	Cadmium	7440-43-9		0.0000055	g	20	0.002	0	0
Capacitor Solder Paste		Metals	Copper, metal	7440-50-8		0.0001335	g	4890	0.489	11	0.0011
Capacitor Solder Paste		Metals	Gold, metal	7440-57-5		0.0000137	g	50	0.005	0	0
Capacitor Solder Paste		Metals	Iron, metal	7439-89-6		0.00000546	g	200	0.02	0	0
Capacitor Solder Paste		Lead/Lead Compounds	Lead	7439-92-1		0.00001365	g	500	0.05	1	0.0001
Capacitor Solder Paste		Nickel (external applications only)	Nickel	7440-02-0		0.00000273	g	100	0.01	0	0
Capacitor Solder Paste		Metals	Silver, metal	7440-22-4		0.00073301	g	26850	2.685	64	0.0064
Capacitor Solder Paste		Metals	Tin, metal	7440-31-5		0.02630818	g	963670	96.367	2300	0.23
Capacitor Solder Paste		Metals	Zinc, metal	7440-66-6		0.00000576	g	211	0.0211	0	0
Solder Balls - Pb Free, Sn/Ag	0.6485						g				
Solder Balls - Pb Free, Sn/Ag		Antimony/Antimony Compounds	Antimony (metallic)	7440-38-0		0.00061672	g	951	0.0951	53	0.0053
Solder Balls - Pb Free, Sn/Ag		Arsenic/Arsenic Compounds	Arsenic	7440-38-2		0.00005642	g	87	0.0087	4	0.0004
Solder Balls - Pb Free, Sn/Ag		Bismuth/Bismuth Compounds	Bismuth	7440-69-9		0.0002594	g	400	0.04	22	0.0022
Solder Balls - Pb Free, Sn/Ag		Metals	Iron, metal	7439-89-6		0.00022698	g	350	0.035	19	0.0019
Solder Balls - Pb Free, Sn/Ag		Lead/Lead Compounds	Lead	7439-92-1		0.00001492	g	23	0.0023	1	0.0001
Solder Balls - Pb Free, Sn/Ag		Metals	Silver, metal	7440-22-4		0.02271955	g	35034	3.5034	1986	0.1986
Solder Balls - Pb Free, Sn/Ag		Metals	Tin, metal	7440-31-5		0.02460601	g	963155	96.3155	54615	5.4615
Gel Die Encapsulant	0.0269						g				
Gel Die Encapsulant		Metals	Aluminum, metal	7429-90-5		0.020175	g	750000	75	1764	0.1764
Gel Die Encapsulant		Solvents, additives, and other materials	Proprietary Material-Other organic silicon compounds	-		0.00269	g	100000	10	235	0.0235
Gel Die Encapsulant		Metals	Zinc, metal	7440-66-6		0.004035	g	150000	15	362	0.0362
Heat Spreader	7.687						g				
Heat Spreader		Metals	Other cadmium compounds	-		0.00007687	g	10	0.001	6	0.0006
Heat Spreader		Metals	Chromium, metal	7440-47-3		0.00004612	g	6	0.0006	4	0.0004
Heat Spreader		Metals	Copper, metal	7440-50-8		7.30285001	g	950000	95	638570	63.857
Heat Spreader		Lead/Lead Compounds	Lead	7439-92-1		0.00293643	g	382	0.0382	256	0.0256
Heat Spreader		Nickel (external applications only)	Nickel	7440-02-0		0.38129057	g	49602	4.9602	33340	3.334
High Pb Bumped Semiconductor D	0.1241				15		g				
High Pb Bumped Semiconductor D		Lead/Lead Compounds	Lead	7439-92-1		0.01168737	g	94177	9.4177	1021	0.1021
High Pb Bumped Semiconductor D		Nickel (external applications only)	Nickel	7440-02-0		0.00010238	g	825	0.0825	8	0.0008
High Pb Bumped Semiconductor D		Metals	Tin, metal	7440-31-5		0.00061504	g	4956	0.4956	53	0.0053
High Pb Bumped Semiconductor D		Metals	Titanium, metal	7440-32-6		0.00000521	g	42	0.0042	0	0
High Pb Bumped Semiconductor D		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.0011169	g	9000	0.9	97	0.0097
High Pb Bumped Semiconductor D		Glass	Silicon, doped	-		0.1105731	g	891000	89.1	9668	0.9668
Bonding Agent	0.0275						g				
Bonding Agent		Metals	Aluminum Oxides (Al2O3)	1344-28-1		0.02063357	g	750312	75.0312	1804	0.1804
Bonding Agent		Solvents, additives, and other materials	Siloxanes and silicones, di-Me, vinyl group-terminated	68083-19-2		0.00549313	g	199750	19.975	480	0.048
Bonding Agent		Solvents, additives, and other materials	Other organic Silicon Compounds	-		0.0013733	g	49938	4.9938	120	0.012

LINKS

MCD LINK	
NXP website	http://www.nxp.com
GENERAL ENVIRONMENTAL COMPLIANCE LINKS	
RoHS signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf
China RoHS	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY
REACH signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf
ELV signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf
Conflict Minerals statement	http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf
NXP ENVIRONMENTAL INFORMATION	
Environmental Compliance website	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX
FAQ	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ
Technical Service Request	http://www.nxp.com/support/sales-and-support:SUPPORTHOME
LINKS TO BLANK IPC1752 FORMS	
Blank IPC1752 v1.1 Form	http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf

IPC1752 XML LINKS

http://www.freescale.com/mcdfs/MPC8548CVTAUJB_IPC1752_v11.xml

http://www.freescale.com/mcdfs/MPC8548CVTAUJB_IPC1752A.xml