

PART INFORMATION		
Mfg Item Number		MRF6V12250HSR5
Mfg Item Name		NI-780S
SUPPLIER		
Company Name		Freescale Semiconductor Inc
Company Unique ID		14-141-7928
Response Date		2017-06-22
Response Document ID		003DK10921D017A1.20
Contact Name		Freescale Semiconductor Inc
Contact Title		Product Technical Support
Contact Phone		1-800-521-6274
Contact Email		support@freescale.com
Authorized Representative		Daniel Binyon
Representative Title		EPP Customer Response
Representative Phone		512-895-3406
Representative Email		eppanlst@freescale.com
URL for Additional Information		www.freescale.com
DECLARATION		
EU RoHS		Yes
Pb Free		Yes
HalogenFree		Yes
Plating Indicator		e4
EU RoHS Exemption(s)		
MANUFACTURING		
Mfg Item Number		MRF6V12250HSR5
Mfg Item Name		NI-780S
Version		ALL
Weight		4.763000
UoM		g
Unit Volume		EACH
J-STD-020 MSL Rating		
Peak Processing Temperature		260 C
Max Time at Peak Temperature		40 seconds
Number of Processing Cycles		3

RoHS	
RoHS Directive	2011/65/EU
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit identified below. If a homogeneous material within the part(s) contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Conditions of Sale applicable to such part(s) shall apply.
RoHS Declaration	1 - Item(s) do not contain RoHS restricted substances per the definition above
Supplier Acceptance	Accepted
Signature	Daniel Binyon
Exemption List Version	2012/51/EU
List of Freescale Accepted Exemptions	6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight 6(b) : Lead as an alloying element in aluminium containing up to 0.4% lead by weight 6(c) : Copper alloy containing up to 4% lead by weight 7(a) : Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead) 7(b) : Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications 7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound 7(c)-II : Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher 7(c)-III : Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC 7(c)-IV : Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors 15 : Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages

MATERIAL COMPOSITION

Homogeneous Material	Weight	SubstanceClass	Substance	CAS	Exemption	SubstanceWeight	UoM	SubPart PPM	SubPart%		ARTICLEPPM	ARTICLE%
Cap/Cover	0.9411						g					
Cap/Cover		Metals	Aluminum Oxides (Al2O3)	1344-28-1		0.88685688	g	942362	94.2362		186197	18.6197
Cap/Cover		Plastics/polymers	Proprietary Material-Other Epoxy resins	-		0.02064585	g	21938	2.1938		4334	0.4334
Cap/Cover		Metals	Magnesium-oxide	1309-48-4		0.0092049	g	9781	0.9781		1932	0.1932
Cap/Cover		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7		0.02255158	g	23963	2.3963		4734	0.4734
Cap/Cover		Solvents, additives, and other materials	Proprietary Material-Other miscellaneous substances.	-		0.00184079	g	1956	0.1956		386	0.0386
Bonding Wire, Aluminum	0.0195						g					
Bonding Wire, Aluminum		Metals	Aluminum, metal	7429-90-5		0.0195	g	1000000	100		4094	0.4094
Silicon Semiconductor Die	0.0203						g					
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.000406	g	20000	2		85	0.0085
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.019894	g	980000	98		4176	0.4176
Silicon Semiconductor Die	0.0203						g					
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.00020706	g	10200	1.02		43	0.0043
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.00040186	g	19796	1.9796		84	0.0084
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01969108	g	970004	97.0004		4134	0.4134
Header Assembly	3.7415						g					
Header Assembly		Metals	Aluminum Oxides (Al2O3)	1344-28-1		0.24388594	g	65184	6.5184		51204	5.1204
Header Assembly		Metals	Cobalt, metal	7440-48-4		0.03084493	g	8244	0.8244		6475	0.6475
Header Assembly		Metals	Copper, metal	7440-50-8		1.54097792	g	411861	41.1861		323541	32.3541
Header Assembly		Metals	Gold, metal	7440-57-5		0.00575443	g	1538	0.1538		1208	0.1208
Header Assembly		Metals	Iron, metal	7439-89-6		0.09636982	g	25757	2.5757		20233	2.0233
Header Assembly		Metals	Molybdenum, metal	7439-98-7		1.52883302	g	408615	40.8615		320981	32.0981
Header Assembly		Nickel (external applications only)	Nickel	7440-02-0		0.14176169	g	37889	3.7889		29763	2.9763
Header Assembly		Metals	Palladium, metal	7440-05-3		0.00364422	g	974	0.0974		765	0.0765
Header Assembly		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7		0.00814899	g	2178	0.2178		1710	0.171
Header Assembly		Metals	Silver, metal	7440-22-4		0.03803609	g	10166	1.0166		7985	0.7985
Header Assembly		Metals	Tungsten, metal	7440-33-7		0.08438953	g	22555	2.2555		17717	1.7717
Header Assembly		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.00414932	g	1109	0.1109		871	0.0871
Header Assembly		Metals	Titanium (III) oxide (Ti2O3)	1344-54-3		0.0147041	g	3930	0.393		3087	0.3087
Silicon Semiconductor Die	0.0203						g					
Silicon Semiconductor Die		Metals	Gold, metal	7440-57-5		0.00020706	g	10200	1.02		43	0.0043
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-		0.00040186	g	19796	1.9796		84	0.0084
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.01969108	g	970004	97.0004		4134	0.4134

LINKS	
MCD LINK	
NXP website	http://www.nxp.com
GENERAL ENVIRONMENTAL COMPLIANCE LINKS	
RoHS signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf
China RoHS	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY
REACH signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf
ELV signed letter	http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf
Conflict Minerals statement	http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf
NXP ENVIRONMENTAL INFORMATION	
Environmental Compliance website	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX
FAQ	http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ
Technical Service Request	http://www.nxp.com/support/sales-and-support:SUPPORTHOME
LINKS TO BLANK IPC1752 FORMS	
Blank IPC1752 v1.1 Form	http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf

IPC1752 XML LINKS

http://www.freescale.com/mcds/MRF6V12250HSR5_IPC1752_v11.xml

http://www.freescale.com/mcds/MRF6V12250HSR5_IPC1752A.xml