URL for Additional Information

PART INFORMATIONMfg Item NumberMRF8S9100HSR3Mfg Item NameNI-780S

SUPPLIER Company Name Freescale Semiconductor Inc Company Unique ID 14-141-7928 Response Date 2018-06-02 Response Document ID 0402K10921D017A1.22 Contact Name Freescale Semiconductor Inc Contact Title Product Technical Support **Contact Phone** 1-800-521-6274 Contact Email support@freescale.com **Authorized Representative** Daniel Binyon Representative Title **EPP Customer Response** Representative Phone 512-895-3406 Representative Email eppanlst@freescale.com

DECLARATION

EU RoHS
Pb Free
Yes
HalogenFree
Plating Indicator
EU RoHS Exemption(s)

www.freescale.com

MANUFACTURING Mfg Item Number MRF8S9100HSR3 Mfg Item Name NI-780S Version ALL Weight 4.742700 UoM Unit Volume EACH J-STD-020 MSL Rating Peak Processing Temperature 260 C Max Time at Peak Temperature 40 seconds Number of Processing Cycles 3

RoHS									
RoHS Directive	2011/65/EU								
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium								
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Co								
RoHS Declaration	1 - Item(s) do not contain RoHS restricted substances per the definition above								
Supplier Acceptance	Accepted								
Signature	Daniel Binyon								
Exemption List Version	2012/51/EU								
List of Freescale Accepted Exemptions	6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight								
	6(b): Lead as an alloying element in aluminium containing up to 0.4% lead by weight								
	6(c): Copper alloy containing up to 4% lead by weight								
	7(a): Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)								
	7(b): Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications								
	7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound								
	7(c)-II: Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher								
	7(c)-III: Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC								
	7(c)-IV: Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors								
	15: Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages								

lomogeneous Material	Weight				SubstanceWeight	UoM	SubPart PPM		ARTICLEPPM	ARTICLE%
ap/Cover	0.9411					g				
ap/Cover		Metals	Aluminum Oxides (Al2O3)	1344-28-1	0.88685688	g	942362	94.2362	186994	18.6994
ap/Cover		Plastics/polymers	Proprietary Material-Other Epoxy resins	-	0.02064585	g	21938	2.1938	4353	0.4353
ap/Cover		Metals	Magnesium-oxide	1309-48-4	0.0092049	g	9781	0.9781	1940	0.194
ap/Cover		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7	0.02255158	g	23963	2.3963	4755	0.4755
ap/Cover		Solvents, additives, and other materials	Proprietary Material-Other miscellaneous substances.	-	0.00184079	g	1956	0.1956	388	0.0388
onding Wire, Aluminum	0.0195					g				
nding Wire, Aluminum		Metals	Aluminum, metal	7429-90-5	0.0195	g	1000000	100	4111	0.4111
icon Semiconductor Die	0.0203					g				
icon Semiconductor Die		Metals	Gold, metal	7440-57-5	0.00020706	g	10200	1.02	43	0.0043
icon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-	0.00040186	g	19796	1.9796	84	0.0084
icon Semiconductor Die		Glass	Silicon, doped	-	0.01969108	g	970004	97.0004	4151	0.4151
ader Assembly	3.7415					g				
ader Assembly		Metals	Aluminum Oxides (Al2O3)	1344-28-1	0.24388594	g	65184	6.5184	51423	5.1423
ader Assembly		Metals	Cobalt, metal	7440-48-4	0.03084493	g	8244	0.8244	6503	0.6503
eader Assembly		Metals	Copper, metal	7440-50-8	1.54097792	g	411861	41.1861	324929	32.4929
eader Assembly		Metals	Gold, metal	7440-57-5	0.00575443	g	1538	0.1538	1213	0.1213
ader Assembly		Metals	Iron, metal	7439-89-6	0.09636982	g	25757	2.5757	20319	2.0319
eader Assembly		Metals	Molybdenum, metal	7439-98-7	1.52883302	g	408615	40.8615	322354	32.2354
ader Assembly		Nickel (external applications only)	Nickel	7440-02-0	0.14176169	g	37889	3.7889	29890	2.989
eader Assembly		Metals	Palladium, metal	7440-05-3	0.00364422	g	974	0.0974	768	0.0768
ader Assembly		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7	0.00814899	g	2178	0.2178	1718	0.1718
ader Assembly		Metals	Silver, metal	7440-22-4	0.03803609	g	10166	1.0166	8019	0.8019
eader Assembly		Metals	Tungsten, metal	7440-33-7	0.08438953	g	22555	2.2555	17793	1.7793
ader Assembly		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-	0.00414932	g	1109	0.1109	874	0.0874
ader Assembly		Metals	Titanium (III) oxide (Ti2O3)	1344-54-3	0.0147041	g	3930	0.393	3100	0.31
con Semiconductor Die	0.0203					g				
con Semiconductor Die		Metals	Gold, metal	7440-57-5	0.00020706	g	10200	1.02	43	0.0043
con Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-	0.00040186	g	19796	1.9796	84	0.0084
icon Semiconductor Die		Glass	Silicon, doped	-	0.01969108	a	970004	97.0004	4151	0.4151

LINKS MCD LINK NXP website http://www.nxp.com GENERAL ENVIRONMENTAL COMPLIANCE LINKS http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf RoHS signed letter China RoHS http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf REACH signed letter http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf ELV signed letter http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf Conflict Minerals statement NXP ENVIRONMENTAL INFORMATION Environmental Compliance website http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX FAQ http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ http://www.nxp.com/support/sales-and-support:SUPPORTHOME Technical Service Request

http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf

LINKS TO BLANK IPC1752 FORMS Blank IPC1752 v1.1 Form

IPC1752 XML LINKS

http://www.freescale.com/mcds/MRF8S9100HSR3_IPC1752_v11.xml

http://www.freescale.com/mcds/MRF8S9100HSR3_IPC1752A.xml