EU RoHS Exemption(s)

Number of Processing Cycles

 PART INFORMATION

 Mfg Item Number
 MRFE6VP61K25HSR5

 Mfg Item Name
 NI-1230S

SUPPLIER

Company Name

Freescale Semiconductor Inc
Company Unique ID

14-141-7928

Response Date 2018-03-16 Response Document ID 0041K11253D017A1.26 Contact Name Freescale Semiconductor Inc Contact Title Product Technical Support **Contact Phone** 1-800-521-6274 Contact Email support@freescale.com **Authorized Representative** Daniel Binyon Representative Title **EPP Customer Response** Representative Phone 512-895-3406 Representative Email eppanlst@freescale.com

URL for Additional Information www.freescale.com

DECLARATION

EU RoHS
Pb Free
Yes
HalogenFree
Plating Indicator

Yes

e4

MANUFACTURING

Metallon Number

MREECVD64V25HSD5

MRFE6VP61K25HSR5 Mfg Item Number Mfg Item Name NI-1230S Version ALL Weight 8.488400 UoM Unit Volume EACH J-STD-020 MSL Rating Peak Processing Temperature 260 C Max Time at Peak Temperature 40 seconds

3

RoHS	
RoHS Directive	2011/65/EU
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Co
RoHS Declaration	1 - Item(s) do not contain RoHS restricted substances per the definition above
Supplier Acceptance	Accepted
Signature	Daniel Binyon
Exemption List Version	2012/51/EU
List of Freescale Accepted Exemptions	6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight
Zxomptiono	6(b): Lead as an alloying element in aluminium containing up to 0.4% lead by weight
	6(c): Copper alloy containing up to 4% lead by weight
	7(a): Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)
	7(b): Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications
	7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound
	7(c)-II: Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher
	7(c)-III: Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC
	7(c)-IV: Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors
	15: Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages

lomogeneous Material	Weight				SubstanceWeight	UoM	SubPart PPM	SubPart%	ARTICLEPPM	ARTICLE%
ap/Cover	1.771					g				
ap/Cover		Metals	Aluminum Oxides (Al2O3)	1344-28-1	1.68140511	g	949410	94.941	198082	19.8082
ap/Cover		Solvents, additives, and other materials	Calcium monoxide	1305-78-8	0.00348887	g	1970	0.197	411	0.0411
ap/Cover		Plastics/polymers	Proprietary Material-Other Epoxy resins	-	0.02680231	g	15134	1.5134	3157	0.3157
ap/Cover		Metals	Magnesium-oxide	1309-48-4	0.01744258	g	9849	0.9849	2054	0.2054
ap/Cover		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7	0.04186113	g	23637	2.3637	4931	0.4931
onding Wire, Aluminum	0.0022					g				
onding Wire, Aluminum		Metals	Aluminum, metal	7429-90-5	0.0022	g	1000000	100	259	0.0259
eader Assembly	6.6591					g				
eader Assembly		Metals	Aluminum Oxides (Al2O3)	1344-28-1	0.26238186	g	39402	3.9402	30910	3.091
eader Assembly		Metals	Cobalt, metal	7440-48-4	0.02495165	g	3747	0.3747	2939	0.2939
ader Assembly		Metals	Copper, metal	7440-50-8	3.06929904	g	460918	46.0918	361598	36.1598
eader Assembly		Metals	Gold, metal	7440-57-5	0.00851033	g	1278	0.1278	1002	0.1002
eader Assembly		Metals	Iron, metal	7439-89-6	0.14117958	g	21201	2.1201	16632	1.6632
eader Assembly		Metals	Molybdenum, metal	7439-98-7	2.83707626	g	426045	42.6045	334229	33.4229
eader Assembly		Nickel (external applications only)	Nickel	7440-02-0	0.16033115	g	24077	2.4077	18888	1.8888
eader Assembly		Metals	Palladium, metal	7440-05-3	0.00638608	g	959	0.0959	752	0.0752
eader Assembly		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7	0.00910299	g	1367	0.1367	1072	0.1072
eader Assembly		Glass	Proprietary Material-Other glass compounds (without lead, chromium, cadmium or mercury)	-	0.01963103	g	2948	0.2948	2312	0.2312
eader Assembly		Metals	Silver, metal	7440-22-4	0.05805403	g	8718	0.8718	6839	0.6839
eader Assembly		Metals	Titanium (IV) Oxide	13463-67-7	0.00165812	g	249	0.0249	195	0.0195
eader Assembly		Metals	Tungsten, metal	7440-33-7	0.06053788	g	9091	0.9091	7131	0.7131
icon Semiconductor Die	0.0561					g				
licon Semiconductor Die		Metals	Gold, metal	7440-57-5	0.00057222	g	10200	1.02	67	0.0067
icon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%).	-	0.00111056	g	19796	1.9796	130	0.013
icon Semiconductor Die		Glass	Silicon, doped	_	0.05441722	a	970004	97.0004	6410	0.641

LINKS MCD LINK NXP website http://www.nxp.com GENERAL ENVIRONMENTAL COMPLIANCE LINKS http://www.nxp.com/files/corporate/doc/support_info/NXP-ROHS-DECLARATION.pdf RoHS signed letter China RoHS http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/china-rohs:ENV_CHINA_ROHS_STRATEGY http://www.nxp.com/files/corporate/doc/support_info/NXP-REACH-STATEMENT.pdf REACH signed letter http://www.nxp.com/files/corporate/doc/support_info/NXP-ELV-STATEMENT.pdf ELV signed letter http://www.nxp.com/files/corporate/doc/support_info/NXP-STATEMENT-CONFLICT-MINERALS.pdf Conflict Minerals statement NXP ENVIRONMENTAL INFORMATION Environmental Compliance website http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization:ABUENVPRFPRDX FAQ http://www.nxp.com/about/corporate-responsibility/environmental-compliance-organization/eco-product-faqs:ENVIRON_FAQ http://www.nxp.com/support/sales-and-support:SUPPORTHOME Technical Service Request

http://www.NXP.com/files/abstract/corporate/ehs_epp/IPC-1752-2_v1.1_MCD_Template.pdf

LINKS TO BLANK IPC1752 FORMS Blank IPC1752 v1.1 Form

IPC1752 XML LINKS

http://www.freescale.com/mcds/MRFE6VP61K25HSR5_IPC1752_v11.xml

http://www.freescale.com/mcds/MRFE6VP61K25HSR5_IPC1752A.xml