

TEST REPORTNo. CPSA/221201806-CB05453
Job Ref. C&P/2022-10-20-034**REPORTED DATE:** 06-December-2022**SHOWA DENKO MATERIALS (MALAYSIA) SDN BHD**2512, JALAN PERUSAHAAN BARU,
KAWASAN PERUSAHAAN PERAI,
13600 PERAI, PENANG, MALAYSIA.

The following sample(s) was/were submitted and identified by applicant as:

Sample Description : Epoxy Molding Compound
CEL-8240HF10 Series

Sample Received : 20-October-2022

Testing Period : 20-October-2022 to 06-December-2022

Test Requested : Selected test(s) as requested by customer

Test Method : -PLEASE REFER TO NEXT PAGE(S)-

Test Results : -PLEASE REFER TO NEXT PAGE(S)-

SIGNED FOR AND ON BEHALF OF
SGS (MALAYSIA) SDN BHD


TAY SIAM PINE
TECHNICAL MANAGER
IKM NO. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021

Page 1 of 4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.

TEST REPORT

No. CPSA/221201806-CB05453
 Job Ref. C&P/2022-10-20-034

REPORTED DATE: 06-December-2022

Test results by chemical method :

Test Part Description :

Sample Description: -PLEASE REFER TO PAGE 1-

Test Parameter(s):	Unit	Test Method	Result	MDL
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Fluorine content.	N.D.	50
Halogen-Chlorine (Cl)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Chlorine content.	N.D.	50
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Bromine content.	N.D.	50
Halogen-Iodine (I)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Iodine content.	N.D.	50

Note : (a) mg/kg = ppm
 (b) N.D. = Not Detected
 (c) MDL = Method Detection Limit

SIGNED FOR AND ON BEHALF OF
 SGS (MALAYSIA) SDN BHD


 TAY SIAM PINE
 TECHNICAL MANAGER
 IKM NO. M/3452/6047/11/12



Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.


TEST REPORT

No. CPSA/221201806-CB05453
Job Ref. C&P/2022-10-20-034

REPORTED DATE: 06-December-2022

Test Part Description :

Sample Description: -PLEASE REFER TO PAGE 1-



SGS authenticate the photo on original report only


SIGNED FOR AND ON BEHALF OF
SGS (MALAYSIA) SDN BHD


TAY SIAM PINE
TECHNICAL MANAGER
IKM NO. M/3452/6047/11/12



Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



SIGNED FOR AND ON BEHALF OF
SGS (MALAYSIA) SDN BHD


TAY SIAM PINE
TECHNICAL MANAGER

IKM NO. M/3452/6047/11/12



Test Report Form No.: SGS/TR/CP/002, Ver: 1.0, Effective Date: 04/02/2021

Page 4 of 4

*** End of test report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com/en/terms-and-conditions/terms-e-document>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.