



中国认可
国际互认
检测
TESTING
CNAS L4136



WTH23H02012725R1X2C



检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C

日期(Date): 2023/2/17

页数(Page): 1 of 22

委托单位: 鸿海精密工业股份有限公司

Applicant: HON HAI PRECISION IND.CO., LTD.

单位地址: 23678 新北市土城区自由街2号

Address: No. 2, Ziyou St., Tucheng Dist, New Taipei City 23678, Taiwan

样品信息(Sample Information):

样品名称(Sample Name): 氰化钾(POTASSIUM GOLD CYANIDE)

料号(Material No.): 903-0000-020

委托日期(Sample Received Date): 2023/2/6

检测日期(Testing Period): 2023/2/6 - 2023/2/8

检测要求(Test Requested): 请参见后续页(Please refer to following page(s)).

检测结果(Test Result): 请参见后续页(Please refer to following page(s)).



授权签字人

Signed for and on behalf of HCT

黄胜明 Michael Huang

黄胜明 Michael Huang



*



检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 2 of 22

检测要求(Test Requested):	结论(Conclusion)
1.根据客户要求,参照欧盟 RoHS 指令 2011/65/EU 及其修订指令 EU 2015/863,检测样品中的铅、镉、汞、六价铬、多溴联苯、多溴二苯醚、DBP、BBP、DEHP、DIBP 的含量(As specified by client, to determine the Pb, Cd, Hg, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP content in the sample with reference to EU RoHS Directive 2011/65/EU and its amendment Directive EU 2015/863.)	合格(PASS)
2.根据客户要求,参照 IEC61249-2-21,检测样品中的氟、氯、溴、碘的含量(As specified by client, to determine the Fluorine(F), Chlorine(Cl), Bromine(Br), Iodine(I) content in the sample with reference to IEC61249-2-21.)	合格(PASS)
3.根据客户要求,检测样品中 HBCDD 的含量(As specified by client, to determine the HBCDD content in the sample.)	/
4.根据客户要求,检测样品中有机锡化合物的含量(As specified by client, to determine the organic tin compounds content in the sample.)	/
5.根据客户要求,检测样品中的邻苯二甲酸酯的含量(As specified by client, to determine the phthalates content in the sample.)	/
6.根据客户要求,检测样品中全氟辛酸(PFOA),全氟辛烷磺酸(PFOS)的含量(As specified by client, to determine the PFOA, PFOS content in the sample.)	/
7.根据客户要求,检测样品中的砷、铍、锑、磷、的含量(As specified by client, to analyze the Arsenic(As), Beryllium(Be), Antimony(Sb), Phosphorus(P) content in the sample.)	/
8.根据客户要求,检测样品中短链氯化石蜡(SCCPs),中链氯化石蜡(MCCPs)的含量(As specified by client, to determine the Short Chain Chlorinated Paraffins (SCCPs), Medium Chain Chlorinated Paraffins (MCCPs) content in the sample.)	/
9.根据客户要求,检测样品中富马酸二甲酯(DMFu)的含量(As specified by client, to determine the Dimethyl fumarate (DMFu) content in the sample.)	/
10.根据客户要求,检测样品中多氯联苯(PCBs)的含量(As specified by client, to determine the Polychlorinated biphenyls (PCBs) content in the sample.)	/
11.根据客户要求,检测样品中多氯三联苯(PCTs)的含量(As specified by client, to determine the Polychlorinated triphenyls (PCTs) content in the sample.)	/
12.根据客户要求,检测样品中多氯化萘(PCNs)的含量(As specified by client, to determine the Polychlorinated naphthalenes (PCNs) content in the sample.)	/
13.根据客户要求,检测样品中双酚 A 的含量(As specified by client, to determine the Bisphenol A content in the sample.)	/
14.根据客户要求,检测样品中四溴双酚 A 的含量(As specified by client, to determine the Tetrabromobisphenol A content in the sample.)	/





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C

日期(Date): 2023/2/17

页数(Page): 3 of 22

检测要求(Test Requested):	结论(Conclusion)
15.根据客户要求,检测样品是否含有聚氯乙烯(PVC)。 (As specified by client, to identify if there is the Polyvinyl Chloride(PVC) in the sample.)	/

WALTEK



*



检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 4 of 22

检测结果(Test Result(s)):

1.铅、镉、汞、六价铬、多溴联苯、多溴二苯醚、DBP、BBP、DEHP、DIBP 的含量
(Pb, Cd, Hg, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP content)

单位(Unit): mg/kg

检测项目 (Test Items)	检测方法/仪器 (Test Method/ Equipment)	方法检出限 (MDL)	含量 (Content)	EU RoHS Directive 2011/65/EU and its amendment Directive EU 2015/863	
铅 Lead(Pb)	IEC 62321-5:2013. ICP-OES/AAS	2	N.D.	1000	
镉 Cadmium(Cd)		2	N.D.	100	
汞 Mercury(Hg)	IEC 62321-4:2013 +AMD1:2017. ICP-OES	2	N.D.	1000	
六价铬 Hexavalent Chromium(Cr(VI))	IEC 62321-7-2:2017. UV-VIS	8	N.D.	1000	
一溴联苯 Mono-bromobiphenyl	IEC 62321-6:2015. GC-MS	5	N.D.	—	
二溴联苯 Di-bromobiphenyl		5	N.D.		
三溴联苯 Tri-bromobiphenyl		5	N.D.		
四溴联苯 Tetra-bromobiphenyl		5	N.D.		
五溴联苯 Penta-bromobiphenyl		5	N.D.		
六溴联苯 Hexa-bromobiphenyl		5	N.D.		
七溴联苯 Hepta-bromobiphenyl		5	N.D.		
八溴联苯 Octa-bromobiphenyl		5	N.D.		
九溴联苯 Nona-bromobiphenyl		5	N.D.		
十溴联苯 Deca-bromobiphenyl		5	N.D.		
多溴联苯 Polybrominated Biphenyls(PBBs)		—	N.D.		1000
一溴二苯醚 Mono-bromodiphenyl ether		5	N.D.		—
二溴二苯醚 Di-bromodiphenyl ether		5	N.D.		
三溴二苯醚 Tri-bromodiphenyl ether		5	N.D.		
四溴二苯醚 Tetra-bromodiphenyl ether	5	N.D.			
五溴二苯醚 Penta-bromodiphenyl ether	5	N.D.			
六溴二苯醚 Hexa-bromodiphenyl ether	5	N.D.			
七溴二苯醚 Hepta-bromodiphenyl ether	5	N.D.			
八溴二苯醚 Octa-bromodiphenyl ether	5	N.D.			
九溴二苯醚 Nona-bromodiphenyl ether	5	N.D.			
十溴二苯醚 Deca-bromodiphenyl ether	5	N.D.			
多溴二苯醚 Polybrominated Diphenyl Ethers(PBDEs)	—	N.D.	1000		





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C

日期(Date): 2023/2/17

页数(Page): 5 of 22

检测项目 (Test Items)	检测方法/仪器 (Test Method/ Equipment)	方法检出限 (MDL)	含量 (Content)	EU RoHS Directive 2011/65/EU and its amendment Directive EU 2015/863
邻苯二甲酸二正丁酯 Dibutyl phthalate (DBP)	IEC 62321-8:2017, GC-MS	30	N.D.	1000
邻苯二甲酸丁苄酯 Butylbenzyl phthalate (BBP)		30	N.D.	1000
邻苯二甲酸二(2-乙基己基)酯 Di-(2-ethylhexyl) Phthalate (DEHP)		30	N.D.	1000
邻苯二甲酸二异丁酯 Di-iso-butyl phthalate (DIBP)		30	N.D.	1000

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected(less than method detection limit), 未检出 (小于方法检出限)

“—”=Not regulated 无规定

Results shown as N.D. are ignored in the sum calculation.

结果显示为 N.D. 不计入总和的计算。

2. 氟、氯、溴、碘的含量(Fluorine(F), Chlorine(Cl), Bromine(Br), Iodine(I) content)

单位(Unit): mg/kg

检测项目 (Test Items)	检测方法/仪器 (Test Method /Equipment)	方法检出限 (MDL)	含量 (Content)	IEC61249-2-21 限值 (IEC61249-2-21 Limit)
氟 Fluorine (F)	EN 14582:2016, IC	50	N.D.	—
氯 Chlorine (Cl)		50	N.D.	900
溴 Bromine (Br)		50	N.D.	900
碘 Iodine (I)		50	N.D.	—
总计 (氯 + 溴) Total(Cl+Br)		—	N.D.	1500

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected(less than method detection limit), 未检出 (小于方法检出限)

“—”=Not regulated 无规定



*



检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 6 of 22

Results shown as N.D. are ignored in the sum calculation.
结果显示为 N.D. 不计入总和的计算。

3.HBCDD 的含量(HBCDD content)ⁿ

单位(Unit): mg/kg

检测项目 (Test Item)	检测方法/仪器 (Test Method/Equipment)	方法检出限 (MDL)	含量 (Content)
六溴环十二烷 Hexabromocyclododecane and all major diastereoisomers identified: (α -HBCDD, β -HBCDD, γ -HBCDD)	IEC 62321-9:2021, GC-MS	20	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected(less than method detection limit), 未检出 (小于方法检出限)

4.有机锡化合物的含量(Organostannic compounds content)ⁿ

单位(Unit): mg/kg

检测项目 (Test Items)	检测方法/仪器 (Test Method/Equipment)	方法检出限 (MDL)	含量 (Content)
二丁基锡化合物 Dibutyltin compounds(DBT)	EN ISO 17353:2005, GC-MS	0.05	N.D.
二辛基锡化合物 Diocetyl tin compounds(DOT)		0.05	N.D.
三丁基锡化合物 Tributyltin compounds(TBT)		0.05	N.D.
三苯基锡化合物 Triphenyltin (TPhT)		0.05	N.D.
三丁基氧化锡 Tributyltin Oxide(TBTO)		0.05	N.D.
三丙基锡化合物 Tripropyltin compounds(TPT)		0.05	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected(less than method detection limit), 未检出 (小于方法检出限)





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C

日期(Date): 2023/2/17

页数(Page): 7 of 22

5.邻苯二甲酸酯的含量(Phthalates content)^a

单位(Unit):mg/kg

检测项目 (Test Items)	检测方法/仪器 (Test Method /Equipment)	方法检出限 (MDL)	含量 (Content)
邻苯二甲酸二丁酯 Dibutylphthalate (DBP)	IEC 62321-8:2017, GC-MS	30	N.D.
邻苯二甲酸丁基苄酯 Butylbenzylphthalate (BBP)		30	N.D.
邻苯二甲酸二(2-乙基己基)酯 Di-(2-ethylhexyl)-phthalate (DEHP)		30	N.D.
邻苯二甲酸二异丁酯 Di-isobutyl phthalate (DIBP)		30	N.D.
邻苯二甲酸二异壬酯 Di-iso-nonylphthalate (DINP)		100	N.D.
邻苯二甲酸二正辛酯 Di-n-octylphthalate (DNOP)		30	N.D.
邻苯二甲酸二异癸酯 Di-iso-decylphthalate (DIDP)		100	N.D.
邻苯二甲酸二异戊酯 Di-isopentyl phthalate (DIPP)		100	N.D.
邻苯二甲酸二乙酯 Diethyl phthalate (DEP)		30	N.D.
邻苯二甲酸二甲酯 Dimethyl phthalate (DMP)		30	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected(less than method detection limit), 未检出 (小于方法检出限)





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 8 of 22

6.全氟辛酸、全氟辛烷磺酸的含量(PFOA, PFOS content)ⁿ 单位(Unit): mg/kg

检测项目 (Test Items)	检测方法/仪器 (Test Method/ Equipment)	方法检出限 (MDL)	含量 (Content)
全氟辛酸 Perfluorooctanoic acid (PFOA)	CEN/TS 15968:2010(E), LC-MS/MS	0.010	N.D.
全氟辛烷磺酸(PFOS) PFOS – 酸 PFOS – 金属盐 PFOS – 酰胺 Perfluorooctane sulfonic acid(PFOS) PFOS – Acid PFOS – Metal Salt PFOS – Amide		0.010	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected (less than method detection limit), 未检出 (小于方法检出限)

7. 砷、铍、锑、磷、的含量(Arsenic(As), Beryllium(Be), Antimony(Sb), Phosphorus(P) content)ⁿ 单位(Unit): mg/kg

检测项目 (Test Item)	检测方法/仪器 (Test Method/Equipment)	方法检出限 (MDL)	含量 (Content)
砷 Arsenic(As)	US EPA3050B:1996& US EPA6010D:2018, ICP-OES	2	N.D.
铍 Beryllium(Be)		2	N.D.
锑 Antimony (Sb)		2	N.D.
磷 Phosphorus (P)		2	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected (less than method detection limit), 未检出 (小于方法检出限)





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 9 of 22

8.短链氯化石蜡, 中链氯化石蜡的含量(Short Chain Chlorinated Paraffins(SCCPs), Medium Chain Chlorinated Paraffins (MCCPs) content)ⁿ 单位(Unit): mg/kg

检测项目 (Test Items)	检测方法/仪器 (Test Method/Equipment)	方法检出限 (MDL)	含量 (Content)
短链氯化石蜡 Short Chain Chlorinated Paraffins (SCCPs)	US EPA 3550C:2007 , GC-MS	100	N.D.
中链氯化石蜡 Medium Chain Chlorinated Paraffins (MCCPs)		100	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected (less than method detection limit), 未检出 (小于方法检出限)

9.富马酸二甲酯的含量(Dimethyl fumarate (DMFu) content)

单位(Unit): mg/kg

检测项目 (Test Item)	检测方法/仪器 (Test Method/Equipment)	方法检出限 (MDL)	含量 (Content)
富马酸二甲酯 Dimethyl fumarate (DMFu)	GB/T 28190-2011, GC-MS	0.1	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected (less than method detection limit), 未检出 (小于方法检出限)





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 10 of 22

10.多氯联苯(PCBs)的含量(Polychlorinated biphenyls (PCBs) content)ⁿ 单位(Unit): mg/kg

检测项目 (Test Item)	检测方法/仪器 (Test Method/Equipment)	方法检出限 (MDL)	含量(Content)
多氯联苯 Polychlorinated biphenyls (PCBs)	US EPA 3550C:2007& US EPA 8270D:2018 GC-MS	5	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected (less than method detection limit), 未检出 (小于方法检出限)

备注(Remarks):

多氯联苯列表(LIST OF PCBs)	
1	一氯联苯(Chlorobiphenyl)
2	二氯联苯(Dichlorobiphenyl)
3	三氯联苯(Trichlorobiphenyl)
4	四氯联苯(Tetrachlorobiphenyl)
5	五氯联苯(Pentachlorobiphenyl)
6	六氯联苯(Hexachlorobiphenyl)
7	七氯联苯(Heptachlorobiphenyl)
8	八氯联苯(Octachlorobiphenyl)
9	九氯联苯(Nonachlorobiphenyl)
10	十氯联苯(Decachlorobiphenyl)





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 11 of 22

11. 聚氯三联苯(PCTs)的含量(Polychlorinated terphenyls (PCTs) content)ⁿ 单位(Unit): mg/kg

检测项目 (Test Item)	检测方法/仪器 (Test Method/Equipment)	方法检出限 (MDL)	含量(Content)
聚氯三联苯 Polychlorinated triphenyls (PCTs)	US EPA 3550C:2007& US EPA 8270D:2018 GC-MS	5	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected (less than method detection limit), 未检出 (小于方法检出限)

备注(Remarks):

聚氯三联苯列表(LIST OF PCTs)	
1	一氯三联苯(Chlorotriphenyl)
2	二氯三联苯(Dichlorotriphenyl)
3	三氯三联苯(Trichlorotriphenyl)
4	四氯三联苯(Tetrachlorotriphenyl)
5	五氯三联苯(Pentachlorotriphenyl)
6	六氯三联苯(Hexachlorotriphenyl)
7	七氯三联苯(Heptachlorotriphenyl)
8	八氯三联苯(Octachlorotriphenyl)
9	九氯三联苯(Nonachlorotriphenyl)
10	十氯三联苯(Decachlorotriphenyl)
11	十一氯三联苯(Undecimchlorotriphenyl)
12	十二氯三联苯(Duodecimchlorotriphenyl)
13	十三氯三联苯(Tresdecimchlorotriphenyl)
14	十四氯三联苯(Quattuordecimchlorotriphenyl)





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 12 of 22

12.多氯化萘(PCNs)的含量(Polychlorinated naphthalenes (PCNs) content)ⁿ 单位(Unit): mg/kg

检测项目 (Test Item)	检测方法/仪器 (Test Method/Equipment)	方法检出限 (MDL)	含量(Content)
多氯化萘 Polychlorinated Naphthalenes (PCNs)	US EPA 3550C:2007& US EPA 8270D:2018 GC-MS	5	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected (less than method detection limit), 未检出 (小于方法检出限)

备注(Remarks):

多氯化萘列表(LIST OF PCNs)	
1	一氯化萘(Chloronaphthalene)
2	二氯化萘(Dichloronaphthalene)
3	三氯化萘(Trichloronaphthalene)
4	四氯化萘(Tetrachloronaphthalene)
5	五氯化萘(Pentachloronaphthalene)
6	六氯化萘(Hexachloronaphthalene)
7	七氯化萘(Heptachloronaphthalene)
8	八氯化萘(Octachloronaphthalene)

13.双酚 A 的含量(Bisphenol A(BPA) content)ⁿ 单位(Unit): mg/kg

检测项目 (Test Item)	检测方法/仪器 (Test Method/Equipment)	方法检出限 (MDL)	含量 (Content)
双酚 A Bisphenol A(BPA)	HCT/SZ-SOP-YJ-PI021, HPLC	1	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之)

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected(less than method detection limit), 未检出 (小于方法检出限)





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 13 of 22

14.四溴双酚 A 的含量(Tetrabromobisphenol A content)

单位(Unit): mg/kg

检测项目 (Test Item)	检测方法/仪器 (Test Method/Equipment)	方法检出限 (MDL)	含量 (Content)
四溴双酚 A Tetrabromobisphenol A	GB/T 32889-2016, GC-MS	5	N.D.

备注(Note):

mg/kg (milligram per kilogram 毫克每千克) = ppm (parts per million 百万分之);

MDL=Method Detection Limit 方法检出限

N.D.=Not Detected (less than method detection limit), 未检出 (小于方法检出限)

15.聚氯乙烯 (PVC)的含量(Polyvinyl Chloride(PVC) content)

检测项目 (Test Item)	检测方法/仪器 (Test Method/Equipment)	检测结果 (Test Result)
聚氯乙烯(PVC) Polyvinyl Chloride	GB/T 7764-2017, FT-IR	阴性 (Negative)

备注(Remark):

阴性=未检测到 PVC (Negative=Absence of PVC)

阳性=已检测到 PVC (Positive=Presence of PVC)

This report replaces the report which report No. is WTH23H02012725R1C .

该报告替代报告编号为 WTH23H02012725R1C 的报告。

样品描述(Sample Description):

序号 (No.)	HCT 样品 ID (HCT Sample ID)	检测点描述 (Test Part Description)	
1	WTH23H02012725C.1	1	白色粉末 White powder






检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 14 of 22

检测样品红外谱图(Spectrogram of sample):



WALTEK






检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 15 of 22

PVC 标准谱图(Spectrogram of standard PVC):



WALTEK






检测报告(Test Report)


报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 16 of 22

铅、镉、汞、六价铬、多溴联苯、多溴二苯醚的检测流程图



根据以上的流程图之条件, 样品已经完全溶解(六价铬检测方法除外)。

PBBs/PBDEs






检测报告(Test Report)


报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 17 of 22

Test Flow Chart for Pb, Cd, Hg, Cr(VI), PBBs, PBDEs



These sample were dissolved totally by pre-conditioning method according to above flow chart(Cr(VI) test method excluded)

PBBs/PBDEs







检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 18 of 22

邻苯二甲酸酯、短链氯化石蜡、中链氯化石蜡、有机锡、富马酸二甲酯、
PCBs、PCTs、PCNs、四溴双酚 A、HBCDD 的检测流程图
(Test Flow Chart for phthalates, SCCPs, MCCPs, organic tin compounds, Dimethyl fumarate
(DMFu), PCBs, PCTs, PCNs, Tetrabromobisphenol A, HBCDD)



氟、氯、溴、碘的检测流程图
(Test Flow Chart for Fluorine(F), Chlorine(Cl), Bromine(Br), Iodine(I))







检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 19 of 22

砷、铍、锑、磷的检测流程图 (Test Flow Chart for Arsenic(As), Beryllium(Be), Antimony(Sb), Phosphorus(P))



全氟辛酸磺酸、全氟辛酸的检测流程图 (Test Flow Chart for PFOS, PFOA)






检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 20 of 22

双酚 A 检测流程图(Test Flow Chart)



聚氯乙烯的检测流程图(Test Flow Chart for PVC)



WALTEK





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 21 of 22

样品附图(The photo of the sample)



声明(Statement):

1. 检测报告无批准人签字和专用章无效;
This report is considered invalid without approved signature and special seal;
2. 委托单位及地址, 样品和样品信息由委托方提供, 委托方应对其真实性负责, HCT 未核实其真实性;
The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which HCT hasn't verified;
3. 本报告检测结果仅对受测样品负责;
The result(s) shown in this report refer(s) only to the sample(s) tested;
4. 未经 HCT 书面同意, 不得部分复制本报告;
Without written approval of HCT, this report can't be reproduced except in full;
5. 无 CMA 标识报告中的结果仅用于客户科研、教学、内部质量控制、产品研发等目的, 仅供内部参考;
The result(s) in no CMA logo report shall only be used for client's scientific research, teaching, internal quality control, product research and development, etc..and just for internal reference;
6. 有 CNAS 标识报告中的“n”代表该检测项目暂未申请 CNAS 认可;
The “n” in CNAS logo report means that the test item(s) was (were) currently not applying for CNAS accreditation;
7. 本报告使用的判定规则:
Decision rules used in this report:





检测报告(Test Report)

报告编号(Report No.): WTH23H02012725R1X2C 日期(Date): 2023/2/17 页数(Page): 22 of 22

- (1)按照检测要求列的法规/标准中规定的判定规则;
- (2)如果检测要求列的法规中没有规定判定规则的话,则按照《CNAS-GL015 判定规则和符合性声明指南》6.2.1 简单接受($w=0$)的判定规则:
- 合格(接受)--测得值位于容许区间以内。
- 不合格(拒绝)--测得值位于容许区间以外。
- (1)According to the Decision rules in the regulations/standards listed in the Test Requested;
- (2)If there is no Decision rules specified in the regulations listed in the Test Requested, then according to CNAS-GL015 Guidelines on Decision Rules and Statements of Conformity, 6.2.1, Simple Acceptance ($w=0$) of The binary Decision rule:
- PASS (Accepted) - The measured value is within the tolerance interval.
- FAIL (Rejected) - The measured value is outside the tolerance interval.

报告结束(End)

WALTEK

