

HAESUNGDS CO., LTD.

(Seongju-dong) 726 Ungnam-ro, Seongsan-gu Changwon-si, Gyeongnam Korea

The following sample(s) was/were submitted and identified by/on behalf of the client as:-

SGS File No. : AYGA22-04836
Product Name : LEAD FRAME

Item No./Part No.: Pd PlatingReceived Date: 2022. 12. 27

Test Period : 2022. 12. 27 to 2023. 01. 03

Test Comments : By the applicant's specific request, the sampling and testing was performed only for the part

indicated in the photo without disassembly.

Test Results: For further details, please refer to following page(s)

SGS Korea Co., Ltd.

Page 1 of 16

Issued Date: 2023. 01. 03

Tommy Oh / Chemical Lab Mgr

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic formed documents, subject to Terms and Conditions for Electronic Documents at https://www.sqs.com/en/Terms-and-conditions/terms-e-document. Attention is drawn to the limitation of Liberility, incomprocation and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forcery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

322, The O valley, 76, LS-ro, Dongan-gu, Anyang-si, Gyeonggi-do, Korea 14117 t +82 (0)31 4608 000 f +82 (0)31 4608 059 http://www.sqsgroup.kr



Sample No. : AYGA22-04836.001

Sample Description : LEAD FRAME
Item No./Part No. : Pd Plating
Materials : Metal Alloy

Heavy Metals

| Test Items | Unit | Test Method | MDL | Results |
|------------------------------|--------|---|-----|---------|
| Cadmium (Cd) | mg/kg | With reference to IEC 62321-5 : 2013, by ICP-OES | 0.5 | N.D. |
| Lead (Pb) | mg/kg | With reference to IEC 62321-5 : 2013, by ICP-OES | 5 | N.D. |
| Mercury (Hg) | mg/kg | With reference to IEC 62321-4 : 2013+AMD1:2017CVS, by ICP-OES | 2 | N.D. |
| Hexavalent Chromium (Cr VI)* | μg/cm² | With reference to IEC 62321-7-1 : 2015, by UV-Vis | 0.1 | N.D. |

Total Metals

| Test Items | Unit | Test Method | MDL | Results |
|----------------|-------|---|-----|---------|
| Antimony (Sb) | mg/kg | With reference to EPA 3052 : 1996, EPA 6010D : 2018, by ICP-OES | 10 | N.D. |
| Beryllium (Be) | mg/kg | With reference to EPA 3052 : 1996, EPA 6010D : 2018, by ICP-OES | 5 | N.D. |
| Arsenic (As) | mg/kg | With reference to EPA 3052 : 1996, EPA 6010D : 2018, by ICP-OES | 10 | N.D. |

Flame Retardants-PBBs/PBDEs

| Tame Hetardants 1 DDS/1 DDLS | | | | |
|------------------------------|-------|--|-----|---------|
| Test Items | Unit | Test Method | MDL | Results |
| Monobromobiphenyl | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Dibromobiphenyl | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Tribromobiphenyl | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Tetrabromobiphenyl | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Pentabromobiphenyl | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Hexabromobiphenyl | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Heptabromobiphenyl | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Octabromobiphenyl | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Nonabromobiphenyl | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Decabromobiphenyl | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| | I | 1 | I | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

Issued Date: 2023. 01. 03

Page 2 of 16



Sample No. : AYGA22-04836.001

Sample Description : LEAD FRAME
Item No./Part No. : Pd Plating
Materials : Metal Alloy

Flame Retardants-PBBs/PBDEs

| Test Items | Unit | Test Method | MDL | Results |
|--------------------------|-------|--|-----|---------|
| Monobromodiphenyl ether | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Dibromodiphenyl ether | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Tribromodiphenyl ether | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Tetrabromodiphenyl ether | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Pentabromodiphenyl ether | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Hexabromodiphenyl ether | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Heptabromodiphenyl ether | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Octabromodiphenyl ether | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Nonabromodiphenyl ether | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |
| Decabromodiphenyl ether | mg/kg | With reference to IEC 62321-6 : 2015, by GC-MS | 5 | N.D. |

Phthalates

| Test Items | Unit | Test Method | MDL | Results |
|---|-------|--|-----|---------|
| Di-butyl phthalate (DBP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| Benzyl butyl phthalate (BBP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| Di-(2-ethylhexyl) phthalate (DEHP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| Di-isobutyl phthalate (DIBP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| [di(C6-C8 alkyl)phthalate] branched (DIHP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| [di(C7-C11 alkyl)phthalate] linear and branched (DHNUP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| Bis(2-methoxyethyl) phthalate (BMP, BMEP, DMEP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| Di-isononyl phthalate (DINP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| Di-isodecyl phthalate (DIDP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| Di-n-octyl phthalate (DNOP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| Di-n-hexyl phthalate (DNHP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |
| Di-n-pentyl phthalate(DPP, DnPP) | mg/kg | With reference to IEC 62321-8 : 2017, by GC-MS | 50 | N.D. |

Chlorinated Paraffin

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

Issued Date: 2023. 01. 03

Page 3 of 16



Sample No. : AYGA22-04836.001

Sample Description : LEAD FRAME
Item No./Part No. : Pd Plating
Materials : Metal Alloy

Chlorinated Paraffin

| Test Items | Unit | Test Method | MDL | Results |
|--|-------|--|-----|---------|
| Alkanes, C10~13, Short Chain Chlorinated Paraffins(SCCP) | mg/kg | With reference to ISO 18219, by CI-GC-MS | 50 | N.D. |

Chlorinated Organic Substances

| Test Items | Unit | Test Method | MDL | Results |
|-----------------------------------|-------|--|-----|---------|
| Polychlorinated Naphthalene (PCN) | mg/kg | With reference to US EPA 8081 A(US EPA | 5 | N.D. |
| | | 3550C), by GC/MS | | |

PCBs & PCTs

| Test Items | Unit | Test Method | MDL | Results |
|-----------------------------------|-------|---|-----|---------|
| Polychlorinated Biphenyls (PCBs) | mg/kg | With reference to US EPA 8082,(US EPA 3550C), by GC/MS | 3 | N.D. |
| Polychlorinated terphenyls (PCTs) | mg/kg | With reference to US EPA 8082,(US EPA 3550C), by GC/MS | 3 | N.D. |

Polymer Identification

| Test Items | Unit | Test Method | MDL | Results |
|------------|------|-------------|-----|----------|
| PVC | ** | FT-IR | - | Negative |

Halogen Content

| Test Items | Unit | Test Method | MDL | Results |
|--------------|-------|---|-----|---------|
| Bromine(Br) | mg/kg | With reference to BS EN 14582 : 2016, by IC | 30 | N.D. |
| Chlorine(Cl) | mg/kg | With reference to BS EN 14582 : 2016, by IC | 30 | N.D. |
| Fluorine(F) | mg/kg | With reference to BS EN 14582 : 2016, by IC | 30 | N.D. |
| lodine(I) | mg/kg | With reference to BS EN 14582 : 2016, by IC | 50 | N.D. |

Organotin Compounds

| Test Items | Unit | Test Method | MDL | Results |
|---------------------|-------|------------------------------------|------|---------|
| Tributyltin (TBT) | mg/kg | With reference to ISO 17353, GC/MS | 0.02 | N.D. |
| Triphenyltin (TPhT) | mg/kg | With reference to ISO 17353, GC/MS | 0.02 | N.D. |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

Issued Date: 2023. 01. 03

Page 4 of 16



Issued Date: 2023. 01. 03 Page 5 of 16

Sample No. : AYGA22-04836.001

Sample Description : LEAD FRAME
Item No./Part No. : Pd Plating
Materials : Metal Alloy

Organotin Compounds

| Test Items | Unit | Test Method | MDL | Results |
|--------------------------|-------|------------------------------------|------|---------|
| Dibutyltin (DBT) | mg/kg | With reference to ISO 17353, GC/MS | 0.02 | N.D. |
| Dioctyltin (DOT) | mg/kg | With reference to ISO 17353, GC/MS | 0.02 | N.D. |
| Tributyltin oxide (TBTO) | mg/kg | With reference to ISO 17353, GC/MS | 0.02 | N.D. |

Flame Retardants

| Test Items | Unit | Test Method | MDL | Results |
|--------------------------------|-------|--|-----|---------|
| Hexabromocyclododecane (HBCDD) | mg/kg | With reference to USEPA 3540 C, by LC/MS | 5 | N.D. |

Perfluorinated Compounds (PFC)

| Test Items | Unit | Test Method | MDL | Results |
|--|-------|------------------------|-----|---------|
| Perfluorootanoic acid (PFOA) and its salts + | μg/kg | CEN/TS 15968, LC/MS/MS | 10 | N.D. |
| Perfluorooctane sulfonate (PFOS) and its salts ^ | μg/kg | CEN/TS 15968, LC/MS/MS | 10 | N.D. |

[^] PFOS refer to its salts / derivative including PFOS-K (CAS No.: 2795-39-3) , PFOS-Li (CAS No.: 29457-72-5),

PFOS-NH4 (CAS No.: 29081-56-9), PFOS-NH(OH)2 (CAS No.: 70225-14-8), PFOS-N(C2H5)4 (CAS No.: 56773-42-3),

PFOS-N(C10H21)2(CH3)2 (CAS No. 251099-16-8) and POSF (CAS No.: 307-35-7).


+ PFOA refer to its salts including PFOA-Na (CAS No.: 335-95-5), PFOA-K (CAS No.: 2395-00-8), PFOA-Ag (CAS No.:

335-93-3), PFOA-F (CAS No.: 335-66-0) and APFO (CAS No.: 3825-26-1).



NOTE:

- (1) N.D. = Not detected. (<MDL)
- (2) mg/kg = ppm, ug/kg = ppb, mg/L = ppm
- (3) MDL = Method Detection Limit
- (4) = No regulation
- (5) ** = Qualitative analysis (No Unit)
- (6) Negative = Undetectable / Positive = Detectable
- (7) * = a. The sample is positive for Cr VI if the Cr VI concentration is greater than 0.13 ug/cm2. The sample coating is considered to contain Cr VI.
 - b. The sample is negative for Cr VI if Cr VI is ND(concentration less than 0.10 ug/cm2). The coating is considered a non-Cr VI based coating.
 - c. The result between 0.10 ug/cm2 and 0.13 ug/cm2 is considered to be inconclusive unavoidable coating variations may influence the determination.
- (8) The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This test report is not related to Korea Laboratory Accreditation Scheme.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

Issued Date: 2023. 01. 03


Page 6 of 16



Page 7 of 16

Testing Flow Chart for RoHS:Cd/Pb/Hg/Cr6+ /PBBs&PBDEs Testing

Issued Date: 2023. 01. 03



The samples were dissolved totally at the acid digestion step of the above flow chart for Cd,Pb,Hg Section Chief: Tonny Park




Page 8 of 16

Flow Chart for Inorganic Elements Testing

Issued Date: 2023. 01. 03

Inorganic Elements




Major Inorganic Antimony(Sb) , Beryllium(Be) , Phosphorus(P) ,

Heavy Metals Arsenic(As) etc.



Page 9 of 16

Flow Chart for Halogen Test




Issued Date: 2023. 01. 03



Page 10 of 16

Flow Chart for PVC Test

Issued Date: 2023. 01. 03






Page 11 of 16

Flow Chart for PFOS/PFOA Test

Issued Date: 2023. 01. 03






Page 12 of 16

Organotin Flow Chart

Issued Date: 2023. 01. 03






Page 13 of 16

PCBs,PCTs,PCNs Flow Chart

Issued Date: 2023. 01. 03






Page 14 of 16

SCCP Analysis Flow Chart

Issued Date: 2023. 01. 03






Page 15 of 16

Testing Flow Chart for HBCD

Issued Date: 2023. 01. 03






Page 16 of 16

Flow Chart for PhthalateTest

Issued Date: 2023. 01. 03



*** End of Report ***