

Test Report Page: 1 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

The following samples was/were submitted and identified by/on behalf of the applicant as:

: HAESUNGDS CO., LTD. Sample Submitted By

Sample Description : LEAD FRAME SGS Korea File No. : AYGU19-02296 Style/Item No. : C194-UPG RT Sample Material : METAL ALLOY Sample Receiving Date : 2019/02/11

Testing Period : 2019/02/11 to 2019/02/13

Test Requested

- (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).
- (2) Please refer to next pages for the other item(s).

: Please refer to following pages. Test Result(s)





Test Report Page: 2 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Test Result(s)

: GRAY/SILVER COLORED METAL SHEET (EXCLUDING THE FRAME) PART NAME No.1

Test Item(s)	Unit	Method	MDL	Result
rest item(s)	5	Mictiou	IVIDE	No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5 (2013) and	2	n.d.
Lead (Pb)	mg/kg	performed by ICP-AES.	2	36.8
Mercury (Hg)	mg/kg	With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)(#2)	μg/cm²	With reference to IEC 62321-7-1 (2015) and performed by UV-VIS.	0.10	n.d.
Sum of PBBs	mg/kg		-	n.d.
Monobromobiphenyl	mg/kg		5	n.d.
Dibromobiphenyl	mg/kg		5	n.d.
Tribromobiphenyl	mg/kg		5	n.d.
Tetrabromobiphenyl	mg/kg		5	n.d.
Pentabromobiphenyl	mg/kg		5	n.d.
Hexabromobiphenyl	mg/kg	With reference to IEC 62321-6 (2015) and performed by GC/MS.	5	n.d.
Heptabromobiphenyl	mg/kg		5	n.d.
Octabromobiphenyl	mg/kg		5	n.d.
Nonabromobiphenyl	mg/kg		5	n.d.
Decabromobiphenyl	mg/kg		5	n.d.
Sum of PBDEs	mg/kg		-	n.d.
Monobromodiphenyl ether	mg/kg		5	n.d.
Dibromodiphenyl ether	mg/kg		5	n.d.
Tribromodiphenyl ether	mg/kg		5	n.d.
Tetrabromodiphenyl ether	mg/kg	- - - - -	5	n.d.
Pentabromodiphenyl ether	mg/kg		5	n.d.
Hexabromodiphenyl ether	mg/kg		5	n.d.
Heptabromodiphenyl ether	mg/kg		5	n.d.
Octabromodiphenyl ether	mg/kg		5	n.d.
Nonabromodiphenyl ether	mg/kg		5	n.d.
Decabromodiphenyl ether	mg/kg		5	n.d.



Test Report Page: 3 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Toot Itam/a)	1124		MDI	Result
Test Item(s)	Unit	Method	MDL	No.1
Polychlorinated Biphenyls (PCBs)	mg/kg	With reference to US EPA 3550C (2007).	0.5	n.d.
(CAS No.: 1336-36-3)		Analysis was performed by GC/MS.		
Polychlorinated Naphthalene	mg/kg	With reference to US EPA 3550C (2007).	5	n.d.
(PCNs)		Analysis was performed by GC/MS.		
Polychlorinated Terphenyls	mg/kg	With reference to US EPA 3550C (2007).	0.5	n.d.
(PCTs)		Analysis was performed by GC/MS.		
Alkanes, C10-13, chloro (Short	mg/kg	With reference to US EPA 3550C (2007).	100	n.d.
Chain Chlorinated Paraffins)		Analysis was performed by GC/MS.		
(CAS No.: 85535-84-8)				
Tributyl Tin (TBT)	mg/kg	With reference to ISO 17353 (2004). Analysis	0.03	n.d.
		was performed by GC/FPD.		
Bis(tributyltin)oxide (TBTO) (CAS	mg/kg	With reference to ISO 17353 (2004). Analysis	0.03(🛦)	n.d.
No.: 56-35-9)		was performed by GC/FPD. Calculated from		
		the result of Tributyl Tin (TBT).		
Triphenyl Tin (TphT)	mg/kg	With reference to ISO 17353 (2004). Analysis	0.03	n.d.
		was performed by GC/FPD.		
Dibutyl Tin (DBT)	mg/kg	With reference to ISO 17353 (2004). Analysis	0.03	n.d.
		was performed by GC/FPD.		
Dioctyl Tin (DOT)	mg/kg	With reference to ISO 17353 (2004). Analysis	0.03	n.d.
		was performed by GC/FPD.		
Halogen				
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582 (2016).	50	n.d.
(CAS No.: 14762-94-8)		Analysis was performed by IC.		
Halogen-Chlorine (CI)	mg/kg	With reference to BS EN 14582 (2016).	50	n.d.
(CAS No.: 22537-15-1)		Analysis was performed by IC.		
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582 (2016).	50	n.d.
(CAS No.: 10097-32-2)		Analysis was performed by IC.		
Halogen-lodine (I)	mg/kg	With reference to BS EN 14582 (2016).	50	n.d.
(CAS No.: 14362-44-8)		Analysis was performed by IC.		
Hexabromocyclododecane	mg/kg	With reference to IEC 62321 (2008). Analysis	5	n.d.
(HBCDD) and all major		was performed by GC/MS.		
diastereoisomers identified (α-				
HBCDD, β- HBCDD, γ- HBCDD)				
(CAS No.: 25637-99-4 and 3194-				
55-6 (134237-51-7, 134237-50-6,				
134237-52-8))				



Test Report Page: 4 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

T = =4.14 = == (=)	11:4		MDI	Result
Test Item(s)	Unit	Method	MDL	No.1
Antimony (Sb)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n.d.
Arsenic (As)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n.d.
Beryllium (Be)	mg/kg	With reference to US EPA 3052 (1996). Analysis was performed by ICP-AES.	2	n.d.
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n.d.
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C (2007). Analysis was performed by LC/MS.	10	n.d.
PVC	**	Analysis was performed by FTIR and FLAME Test.	-	Negative
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DIHP (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (CAS No.: 71888-89-6)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DHNUP (1,2- Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters) (CAS No.: 68515-42-4)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.



Test Report Page: 5 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Test Item(s)	Unit	Method	MDL	Result No.1
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.
DNPP (Di-n-pentyl phthalate) (CAS No.: 131-18-0)	mg/kg	With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n.d.

Note:

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected = less than MDL
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI)
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 8. (A): The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.024

PFOS Reference Information: POPs - (EU) 757/2010

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².



Test Report No.: CE/2019/20775 Page: 6 of 19 Date: 2019/02/13


HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)

Technician : Rita Chen Supervisor: Troy Chang





Test Report Page: 7 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - PBB / PBDE

Technician: Yaling Tu

Supervisor: Troy Chang First testing process -Sample Optional screen process •••• Confirmation process Sample pretreatment Screen analysis Sample extraction / Soxhlet method Concentrate/Dilute Extracted solution Filter • GC/MS




Test Report Page: 8 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - PCBs

Technician: Yaling Tu Supervisor: Troy Chang






Test Report Page: 9 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - PCNs

Technician: Yaling Tu Supervisor: Troy Chang






Test Report Page: 10 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - PCTs



Data




Test Report Page: 11 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - Chlorinated Paraffins

Technician: Yaling Tu Supervisor: Troy Chang






Test Report Page: 12 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - Organic-Tin

Technician: Yaling Tu Supervisor: Troy Chang






Test Report Page: 13 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - Halogen

Technician: Rita Chen Supervisor: Troy Chang





Test Report Page: 14 of 19 No.: CE/2019/20775 Date: 2019/02/13


HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

These samples were dissolved totally by pre-conditioning method according to below flow chart.

Technician: Rita Chen Supervisor: Troy Chang

Flow Chart of digestion for the elements analysis performed by ICP-AES



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCI, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl
Others	Added appropriate reagent to total digestion




Test Report Page: 15 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - PFOA/PFOS

Technician: Yaling Tu Supervisor: Troy Chang






Test Report Page: 16 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analysis flow chart - PVC

Technician: Yaling Tu Supervisor: Troy Chang





Test Report Page: 17 of 19 No.: CE/2019/20775 Date: 2019/02/13


HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - Phthalate

Technician: Yaling Tu Supervisor: Troy Chang

[Test method: IEC 62321-8]






Test Report Page: 18 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.

(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

Analytical flow chart - HBCDD



Analysis was performed by GC/MS

Data




Test Report Page: 19 of 19 No.: CE/2019/20775 Date: 2019/02/13

HAESUNGDS CO., LTD.


(SEONGJU-DONG) 726, UNGNAM-RO, SEONGSAN-GU, CHANG-WON-SI, GYEONGSANGNAM-DO, KOREA

* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2019/20775



CE/2019/20775



** End of Report **