

## Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 1 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

### The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : Taiwan Semiconductor Manufacturing Company, Ltd.  
Sample Name : TSMC Fab 2 Finished Wafer

Sample Receiving Date : 01-Dec-2025  
Testing Period : 01-Dec-2025 to 18-Dec-2025

**Test Requested** :

- (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).
- (2) As specified by client, the sample(s) was/ were tested for 5 PBTs with reference to TSCA section 6 and 40 CFR Part 751. Please refer to result table for testing items.
- (3) As requested by the client, the risk of specific PFAS in the selected sample is evaluated. The total amounts of evaluated PFAS are 678 items, concluding 157 tested items and 521 listed items (see PFAS Remark).
- (4) Please refer to next pages for the other item(s).

**Test Results** : Please refer to following pages.

**Conclusion** :

- (1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.
- (2) Based on the performed tests on submitted sample(s), the test results of PBTs comply with the limits as set by TSCA section 6 and 40 CFR Part 751.



Troy Chang / Department Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.  
Chemical Laboratory - Taipei



PIN CODE: A446DB7B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 2 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

## Test Part Description

No.1 : WAFER

## Test Result(s)

| Test Item(s)               | Method  | Unit  | MDL  | Result | Limit |
|----------------------------|---|-------|------|--------|-------|
|                            |   |       |      | No.1   |       |
| Cadmium (Cd)               | With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.             | mg/kg | 2    | n.d.   | 100   |
| Lead (Pb)                  | With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.             | mg/kg | 2    | n.d.   | 1000  |
| Mercury (Hg)               | With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES. | mg/kg | 2    | n.d.   | 1000  |
| Hexavalent Chromium Cr(VI) | With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.            | mg/kg | 8    | n.d.   | 1000  |
| Monobromobiphenyl          | With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.               | mg/kg | 5    | n.d.   | -     |
| Dibromobiphenyl            |   | mg/kg | 5    | n.d.   | -     |
| Tribromobiphenyl           |   | mg/kg | 5    | n.d.   | -     |
| Tetrabromobiphenyl         |   | mg/kg | 5    | n.d.   | -     |
| Pentabromobiphenyl         |   | mg/kg | 5    | n.d.   | -     |
| Hexabromobiphenyl          |   | mg/kg | 5    | n.d.   | -     |
| Heptabromobiphenyl         |   | mg/kg | 5    | n.d.   | -     |
| Octabromobiphenyl          |   | mg/kg | 5    | n.d.   | -     |
| Nonabromobiphenyl          |   | mg/kg | 5    | n.d.   | -     |
| Decabromobiphenyl          |   | mg/kg | 5    | n.d.   | -     |
| <b>Sum of PBBs</b>         |   | mg/kg | -    | n.d.   | 1000  |
| Monobromodiphenyl ether    |   | mg/kg | 5    | n.d.   | -     |
| Dibromodiphenyl ether      |   | mg/kg | 5    | n.d.   | -     |
| Tribromodiphenyl ether     |   | mg/kg | 5    | n.d.   | -     |
| Tetrabromodiphenyl ether   |   | mg/kg | 5    | n.d.   | -     |
| Pentabromodiphenyl ether   |   | mg/kg | 5    | n.d.   | -     |
| Hexabromodiphenyl ether    |   | mg/kg | 5    | n.d.   | -     |
| Heptabromodiphenyl ether   |   | mg/kg | 5    | n.d.   | -     |
| Octabromodiphenyl ether    |   | mg/kg | 5    | n.d.   | -     |
| Nonabromodiphenyl ether    |   | mg/kg | 5    | n.d.   | -     |
| Decabromodiphenyl ether    | mg/kg   | 5     | n.d. | -      |       |
| <b>Sum of PBDEs</b>        | mg/kg   | -     | n.d. | 1000   |       |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 3 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)   | Method  | Unit  | MDL | Result | Limit |
|--|---|-------|-----|--------|-------|
|  |   |       |     | No.1   |       |
| Butyl benzyl phthalate (BBP)   | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.       | mg/kg | 50  | n.d.   | 1000  |
| Dibutyl phthalate (DBP)  | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.       | mg/kg | 50  | n.d.   | 1000  |
| Di-(2-ethylhexyl) phthalate (DEHP)   | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.       | mg/kg | 50  | n.d.   | 1000  |
| Diisobutyl phthalate (DIBP)  | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.       | mg/kg | 50  | n.d.   | 1000  |
| Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1)  | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.       | mg/kg | 50  | n.d.   | -     |
| Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0)  | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.       | mg/kg | 50  | n.d.   | -     |
| Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)  | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.       | mg/kg | 50  | n.d.   | -     |
| Fluorine (F) (CAS No.: 14762-94-8)   | With reference to BS EN 14582: 2016 modified, analysis was performed by IC. | mg/kg | 20  | n.d.   | -     |
| Chlorine (Cl) (CAS No.: 22537-15-1)  | With reference to BS EN 14582: 2016, analysis was performed by IC.          | mg/kg | 50  | n.d.   | -     |
| Bromine (Br) (CAS No.: 10097-32-2)   | With reference to BS EN 14582: 2016, analysis was performed by IC.          | mg/kg | 50  | n.d.   | -     |
| Iodine (I) (CAS No.: 14362-44-8)   | With reference to BS EN 14582: 2016, analysis was performed by IC.          | mg/kg | 50  | n.d.   | -     |
| Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | With reference to IEC 62321: 2008, analysis was performed by GC/MS.         | mg/kg | 5   | n.d.   | -     |
| Polychlorinated biphenyls (PCBs)   | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.      | mg/kg | 0.5 | n.d.   | -     |
| Polychlorinated naphthalene (PCNs)   | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.      | mg/kg | 5   | n.d.   | -     |
| Polychlorinated terphenyls (PCTs)  | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.      | mg/kg | 0.5 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method  | Unit  | MDL   | Result | Limit |
|---|---|-------|-------|--------|-------|
|   |   |       |       | No.1   |       |
| Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8) | With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.                 | mg/kg | 50    | n.d.   | -     |
| Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)                       | With reference to RSTS-E&E-121, analysis was performed by LC/MS.                      | mg/kg | 10    | n.d.   | -     |
| Tributyl tin (TBT)  | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.                  | mg/kg | 0.03  | n.d.   | -     |
| Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)                        | Calculated from the result of Tributyl Tin (TBT).                                     | mg/kg | 0.03▲ | n.d.   | -     |
| Triphenyl tin (TPT)   | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.                  | mg/kg | 0.03  | n.d.   | -     |
| Dibutyl tin (DBT)   | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.                  | mg/kg | 0.03  | n.d.   | -     |
| Dioctyl tin (DOT)   | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.                  | mg/kg | 0.03  | n.d.   | -     |
| <b>AZO Dyes</b>   |   |       |       |        |       |
| 4-aminobiphenyl (CAS No.: 92-67-1)                                      | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3     | n.d.   | -     |
| Benzidine (CAS No.: 92-87-5)  | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3     | n.d.   | -     |
| 4-chloro-o-toluidine (CAS No.: 95-69-2)                                 | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3     | n.d.   | -     |
| 2-naphthylamine (CAS No.: 91-59-8)                                      | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3     | n.d.   | -     |
| o-aminoazotoluene (CAS No.: 97-56-3)                                    | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3     | n.d.   | -     |
| 5-nitro-o-toluidine (CAS No.: 99-55-8)                                  | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3     | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 5 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method  | Unit  | MDL | Result | Limit |
|---|---|-------|-----|--------|-------|
|   |   |       |     | No.1   |       |
| 4-chloroaniline (CAS No.: 106-47-8)                           | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 2,4-diaminoanisole (CAS No.: 615-05-4)                        | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 4,4'-diaminodiphenylmethane (MDA) (CAS No.: 101-77-9)         | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 3,3'-dichlorobenzidine (CAS No.: 91-94-1)                     | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 3,3'-dimethoxybenzidine (CAS No.: 119-90-4)                   | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 3,3'-dimethylbenzidine (CAS No.: 119-93-7)                    | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 3,3'-dimethyl-4,4'-diaminodiphenylmethane (CAS No.: 838-88-0) | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 2-methoxy-5-methylaniline (CAS No.: 120-71-8)                 | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 4,4'-methylene-bis-(2-chloroaniline) (CAS No.: 101-14-4)      | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 4,4'-oxydianiline (CAS No.: 101-80-4)                         | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| 4,4'-thiodianiline (CAS No.: 139-65-1)                        | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |
| o-toluidine (CAS No.: 95-53-4)                                | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD. | mg/kg | 3   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 6 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)   | Method  | Unit  | MDL | Result   | Limit          |
|--|---|-------|-----|----------|----------------|
|  |   |       |     | No.1     |                |
| 2,4-diaminotoluene (CAS No.: 95-80-7)                                  | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.   | mg/kg | 3   | n.d.     | -              |
| 2,4,5-trimethylaniline (CAS No.: 137-17-7)                             | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.   | mg/kg | 3   | n.d.     | -              |
| o-anisidine (CAS No.: 90-04-0)   | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.   | mg/kg | 3   | n.d.     | -              |
| 4-aminoazobenzene (CAS No.: 60-09-3)                                   | With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS & HPLC/DAD.   | mg/kg | 3   | n.d.     | -              |
| 2,4-xylydine (CAS No.: 95-68-1)  | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.   | mg/kg | 3   | n.d.     | -              |
| 2,6-xylydine (CAS No.: 87-62-7)  | With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.   | mg/kg | 3   | n.d.     | -              |
| <b>Asbestos</b>  |   |       |     |          |                |
| Actinolite (CAS No.: 77536-66-4)                                       | With reference to EPA 600/R-93/116: 1993, analysis was performed by Stereo Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD). | -     | -   | Negative | -              |
| Amosite (CAS No.: 12172-73-5)  |   | -     | -   | Negative | -              |
| Anthophyllite (CAS No.: 77536-67-5)                                    |   | -     | -   | Negative | -              |
| Chrysotile (CAS No.: 12001-29-5)                                       |   | -     | -   | Negative | -              |
| Crocidolite (CAS No.: 12001-28-4)                                      |   | -     | -   | Negative | -              |
| Tremolite (CAS No.: 77536-68-6)  |   | -     | -   | Negative | -              |
| Arsenic (As) (CAS No.: 7440-38-2)                                      | With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.   | mg/kg | 2   | n.d.     | -              |
| Beryllium (Be) (CAS No.: 7440-41-7)                                    | With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.   | mg/kg | 2   | n.d.     | -              |
| Antimony (Sb) (CAS No.: 7440-36-0)                                     | With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.   | mg/kg | 2   | n.d.     | -              |
| Decabromodiphenyl ether (DecaBDE) (CAS No.: 1163-19-5)                 | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg | 5   | n.d.     | 1000 / N/A(*3) |
| Phenol, isopropylated, phosphate (3:1) (PIP 3:1) (CAS No.: 68937-41-7) | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg | 5   | n.d.     | 1000 / N/A(*1) |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 7 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit     | MDL | Result    | Limit          |
|---|--|----------|-----|-----------|----------------|
|   |  |          |     | No.1      |                |
| 2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (CAS No.: 732-26-3) | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 5   | n.d.      | 3000 / N/A(*2) |
| Pentachlorothiophenol (PCTP) (CAS No.: 133-49-3)              | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 5   | n.d.      | 10000          |
| Hexachlorobutadiene (HCBD) (CAS No.: 87-68-3)                 | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 5   | n.d.      | Prohibited     |
| Ethylene glycol monomethyl ether (CAS No.: 109-86-4)          | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 10  | n.d.      | -              |
| 2-Ethoxyethanol (CAS No.: 110-80-5)                           | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 10  | n.d.      | -              |
| Ethylene glycol monomethyl ether acetate (CAS No.: 110-49-6)  | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 10  | n.d.      | -              |
| 2-Ethoxyethyl acetate (CAS No.: 111-15-9)                     | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 10  | n.d.      | -              |
| Diethylene glycol monomethyl ether (CAS No.: 111-77-3)        | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 10  | n.d.      | -              |
| Ethylene glycol monobutyl ether (CAS No.: 111-76-2)           | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 10  | n.d.      | -              |
| Diethylene glycol dimethyl ether (DEGDME) (CAS No.: 111-96-6) | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 10  | n.d.      | -              |
| 2-(2-butoxyethoxy) ethanol (CAS No.: 112-34-5)                | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 10  | n.d.      | -              |
| Ethylene glycol dimethyl ether (CAS No.: 110-71-4)            | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 10  | n.d.      | -              |
| 1,2-bis(2-methoxyethoxy) ethane (CAS No.: 112-49-2)           | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS. | mg/kg    | 10  | n.d.      | -              |
| Radioactive substances  | Geiger counter.  | µSv/hour | -   | Negative* | -              |
| <b>Chlorofluorocarbons (CFCs)</b>                             |  |          |     |           |                |
| CFC-13  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg    | 1   | n.d.      | -              |
| CFC-111   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg    | 1   | n.d.      | -              |
| CFC-112   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg    | 1   | n.d.      | -              |
| CFC-211   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg    | 1   | n.d.      | -              |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)                            | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| CFC-212                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-213                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-214                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-215                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-216                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-217                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-12                                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-11                                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-115                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-114                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| CFC-113                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| <b>Hydrochlorofluorocarbons (HCFCs)</b> |  |       |     |        |       |
| HCFC-21                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-22                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-31                                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-121                                | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-122                                | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-123                                | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 9 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s) | Method   | Unit  | MDL | Result | Limit |
|--------------|--|-------|-----|--------|-------|
|              |  |       |     | No.1   |       |
| HCFC-124     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-131     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-142b    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-221     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-222     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-223     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-224     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-225ca   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-225cb   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-226     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-231     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-232     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-233     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-234     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-235     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-241     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-242     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-244     | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 10 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)                   | Method   | Unit  | MDL | Result | Limit |
|--------------------------------|--|-------|-----|--------|-------|
|                                |  |       |     | No.1   |       |
| HCFC-251                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-252                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-261                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-262                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-271                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-141b                      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-243                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-253                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-141                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-142                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-151                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-225                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-133                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HCFC-132                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| <b>Halons</b>                  |  |       |     |        |       |
| Halon-1211 (CAS No.: 353-59-3) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Halon-1301 (CAS No.: 75-63-8)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Halon-2402 (CAS No.: 124-73-2) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 11 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)                           | Method   | Unit  | MDL | Result | Limit |
|--|--|-------|-----|--------|-------|
|  |  |       |     | No.1   |       |
| Halon-1202 (CAS No.: 75-61-6)          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Methyl Bromide (CAS No.: 74-83-9)      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| <b>Hydrobromofluorocarbons (HBFCs)</b> |  |       |     |        |       |
| HBFC-271B1                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-262B1                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-261B2                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-253B1                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-252B2                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-244B1                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-243B2                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-242B3                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-241B4                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-235B1                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-234B2                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-233B3                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-232B4                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-231B5                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-226B1                             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 12 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s) | Method   | Unit  | MDL | Result | Limit |
|--------------|--|-------|-----|--------|-------|
|              |  |       |     | No.1   |       |
| HBFC-225B2   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-224B3   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-223B4   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-222B5   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-221B6   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-151B1   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-142B1   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-141B2   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-133B1   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-132B2   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-131B3   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-124B1   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-123B2   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-122B3   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-121B4   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-31B1    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-22B1    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HBFC-21B2    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 13 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)                    | Method   | Unit  | MDL | Result | Limit |
|---------------------------------|--|-------|-----|--------|-------|
|                                 |  |       |     | No.1   |       |
| HBFC-251B1                      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| <b>Hydrofluorocarbon (HFCs)</b> |  |       |     |        |       |
| HFC-23                          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-32                          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-41                          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-43-10mee                    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-125                         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-134                         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-134a                        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-143                         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-143a                        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-152a                        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-227ea                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-236fa                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-245ca                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-245fa                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-365mfc                      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-236ea                       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)                                 | Method   | Unit  | MDL | Result | Limit |
|--|--|-------|-----|--------|-------|
|  |  |       |     | No.1   |       |
| HFC-236cb                                    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-161                                      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| HFC-152                                      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| <b>Perfluorocarbon (PFCs)</b>                |  |       |     |        |       |
| 2-Perfluoromethylpentane (CAS No.: 355-04-4) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Decafluorobutane (CAS No.: 355-25-9)         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Freon-14 (CAS No.: 75-73-0)                  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Fluorocarbon 116 (CAS No.: 76-16-4)          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Freon 218 (CAS No.: 76-19-7)                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Freon C318 (CAS No.: 115-25-3)               | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Perfluorohexane (CAS No.: 355-42-0)          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Perfluoro-n-pentane (CAS No.: 678-26-2)      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Perfluorodecalin (CAS No.: 306-94-5)         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| <b>Chlorinate hydrocarbon (CHCs)</b>         |  |       |     |        |       |
| 1,1-Dichloropropene (CAS No.: 563-58-6)      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,2-Dichloroethane (CAS No.: 107-06-2)       | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 2,2-Dichloropropane (CAS No.: 594-20-7)      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Carbon tetrachloride (CAS No.: 56-23-5)      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Chloromethane (CAS No.: 74-87-3)             | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)                                    | Method   | Unit  | MDL | Result | Limit |
|---|--|-------|-----|--------|-------|
|   |  |       |     | No.1   |       |
| cis-1,2-Dichloroethene (CAS No.: 156-59-2)      | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| cis-1,3-Dichloropropene (CAS No.: 10061-01-5)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Hexachlorobutadiene (CAS No.: 87-68-3)          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| trans-1,2-Dichloroethene (CAS No.: 156-60-5)    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| trans-1,3-Dichloropropene (CAS No.: 10061-02-6) | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Dichloromethane (CAS No.: 75-09-2)              | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,2-Dichloropropane (CAS No.: 78-87-5)          | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1,1,2-Tetrachloroethane (CAS No.: 630-20-6)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1,1-Trichloroethane (CAS No.: 71-55-6)        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1,2-Trichloroethane (CAS No.: 79-00-5)        | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1,2,2-Tetrachloroethane (CAS No.: 79-34-5)    | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1-Dichloroethylene (CAS No.: 75-35-4)         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,1-Dichloroethane (CAS No.: 75-34-3)           | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Chloroethane (CAS No.: 75-00-3)                 | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Tetrachloroethene (CAS No.: 127-18-4)           | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Trichloroethylene (CAS No.: 79-01-6)            | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| 1,3-Dichloropropane (CAS No.: 142-28-9)         | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |
| Chloroform (CAS No.: 67-66-3)                   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. | mg/kg | 1   | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| 1,2,3-Trichloropropane (CAS No.: 96-18-4)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.   | mg/kg | 1    | n.d.   | -     |
| Bromochloromethan (CAS No.: 74-97-5)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.   | mg/kg | 1    | n.d.   | -     |
| Sulfur hexafluoride (CAS No.: 2551-62-4)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.   | mg/kg | 1    | n.d.   | -     |
| 1-Bromopropane (CAS No.: 106-94-5)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.   | mg/kg | 1    | n.d.   | -     |
| Bromoethane (CAS No.: 74-96-4)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.   | mg/kg | 1    | n.d.   | -     |
| Trifluoroiodomethane (CAS No.: 2314-97-8)   | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.   | mg/kg | 1    | n.d.   | -     |
| 2-Bromo-3,3,3-trifluoroprop-1-ene (CAS No.: 1514-82-5)  | With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.   | mg/kg | 1    | n.d.   | -     |
| <b>PFAS</b>   |  |       |      |        |       |
| <b>PFHxA and its salts</b>  |  |       |      |        |       |
| Perfluorohexane acid and its salts (PFHxA and its salts) (CAS No.: 307-24-4 and its salts)                          | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| <b>PFHxA related compounds</b>  |  |       |      |        |       |
| 1H,1H,2H,2H-Perfluoro-1-octanol (6:2FTOH) (CAS No.: 647-42-7)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorooctylacrylate (6:2FTA) (CAS No.: 17527-29-6)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorooctyl methacrylate (6:2FTMAC) (CAS No.: 2144-53-8)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorooctanesulphonic acid and its salts (6:2 FTS and its salts) (CAS No.: 27619-97-2 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 1,1,1,2,2,3,3,4,4,5,5,6,6-tridecafluoro-8-iodooctane (6:2 FTI) (CAS No.: 2043-57-4)                                 | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 17 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| Perfluorohexyl iodide (PFHxI) (CAS No.: 355-43-1)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.2  | n.d.   | -     |
| n-(4,4,5,5,6,6,7,7,8,8,9,9,9-tridecafluorononyl)iodoacetamide (CAS No.: 852527-50-5)                                  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorooctyl triethoxysilane (POTS) (CAS No.: 51851-37-7)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorooctyltrichlorosilane (CAS No.: 78560-45-9)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorooctyltrimethoxysilane (CAS No.: 85857-16-5)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| Mono[2-(perfluorohexyl)ethyl] Phosphate and its salts (6:2 monoPAP and its salts) (CAS No.: 57678-01-0 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| 2-Iodo-1H,1H,1H,2H,3H,3H-perfluorononane (CAS No.: 38550-34-4)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.2  | n.d.   | -     |
| N-[3-(dimethylamino)propyl]-3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctanesulphonamide N-oxide (CAS No.: 80475-32-7)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| Thiocyanic acid, 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl ester (CAS No.: 26650-09-9)                             | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.2  | n.d.   | -     |
| 2H,2H,3H,3H-Perfluorononanoic acid (6:3 FTCA) (CAS No.: 27854-30-4)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorooctanethiol (6:2 FTSH) (CAS No.: 34451-26-8)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.2  | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 18 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)   | Method   | Unit  | MDL  | Result | Limit |
|--|--|-------|------|--------|-------|
|  |  |       |      | No.1   |       |
| 1H,1H,2H,2H-Perfluorooctyldimethylchlorosilane (6:2 FTSiMe2Cl) (CAS No.: 102488-47-1)                                  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.2  | n.d.   | -     |
| 1-Iodo-1H,1H-Perfluoroheptane (6:1 FTI) (CAS No.: 212563-43-4)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.2  | n.d.   | -     |
| 3-(Perfluorohexyl)propyl iodide (6:3 FTI) (CAS No.: 89889-20-3)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.2  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorooctanephosphonic acid and its salts (6:2 FTPA and its salts) (CAS No.: 252237-40-4 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H-perfluorohexan-1-ol (5:1 FTOH) (CAS No.: 423-46-1)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.2  | n.d.   | -     |
| 1H,1H-perfluoro-1-heptanol (6:1 FTOH) (CAS No.: 375-82-6)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.2  | n.d.   | -     |
| 3-(perfluorohexyl)propanol (6:3 FTOH) (CAS No.: 80806-68-4)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.2  | n.d.   | -     |
| 3,3,4,4,5,5,6,6,7,7,7-undecafluoro-2-heptanol (CAS No.: 914637-05-1)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.2  | n.d.   | -     |
| 1-(perfluorohexyl)octane (CAS No.: 133331-77-8)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.2  | n.d.   | -     |
| 1H,1H-Perfluoroheptylamine (6:1 FTNH2) (CAS No.: 423-49-4)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.2  | n.d.   | -     |
| Perfluorohexyl ethylene (PFHxE) (CAS No.: 25291-17-2)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 1    | n.d.   | -     |
| 2H-Perfluoro-2-octenoic acid (6:2 FTUCA) (CAS No.: 70887-88-6)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 6:6 Perfluorophosphinic acid and its salts (6:6 PFPi and its salts) (CAS No.: 40143-77-9 and its salts)                | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 19 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| 6:8 Perfluorophosphinic acid (6:8 PFPi) (CAS No.: 610800-34-5)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| <b>PFHxS and its salts</b>  |  |       |      |        |       |
| Perfluorohexane sulfonate and its salts (PFHxS and its salts) (CAS No.: 355-46-4 and its salts)                                       | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| <b>PFHxS related compounds</b>  |  |       |      |        |       |
| N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA) (CAS No.: 68259-15-4)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorohexane sulfonamide (PFHxSA) (CAS No.: 41997-13-1)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| N-[3-(dimethylamino)propyl]tridecafluoro hexanesulphonamide (N-AP-FHxSA) (CAS No.: 50598-28-2)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 2-[Methyl[(tridecafluorohexyl)sulphonyl]amino]ethyl acrylate (N-MeFHSEA) (CAS No.: 67584-57-0)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.2  | n.d.   | -     |
| 2-Propenoic acid, 2-methyl-, 2-[methyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester (CAS No.: 67584-61-6) | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 2-Propenoic acid, 2-methyl-, 2-[ethyl[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl]amino]ethyl ester (CAS No.: 67906-70-1)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 1-Hexanesulfonamide, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-N-(2-hydroxyethyl)-N-methyl-(MeFHxSE) (CAS No.: 68555-75-9)              | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 20 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)   | Method   | Unit  | MDL  | Result | Limit |
|--|--|-------|------|--------|-------|
|  |  |       |      | No.1   |       |
| Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl] and its salts (EtFHxSAA and its salts) (CAS No.: 68957-32-4 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| <b>PFOS and its salts</b>  |  |       |      |        |       |
| Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| <b>PFOS related compounds</b>  |  |       |      |        |       |
| N-ethylperfluoro-1-octanesulfonamide (EtFOSA) (CAS No.: 4151-50-2)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| N-Methyl-Perfluorooctanesulfonamide (N-Me-FOSA) (CAS No.: 31506-32-8)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| N-Ethyl-Perfluorooctanesulfonamidoethanol (N-Et-FOSE alcohol) (CAS No.: 1691-99-2)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| N-Methyl-Perfluorooctanesulfonamidoethanol (N-Me-FOSE alcohol) (CAS No.: 24448-09-7)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorooctanesulfonamide and its salts (PFOSA and its salts) (CAS No.: 754-91-6 and its salts)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorooctane sulfonamidoacetic acid and its salts (FOSAA and its salts) (CAS No.: 2806-24-8 and its salts)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| N-methylperfluorooctane sulfonamidoacetic acid and its salts (N-MeFOSAA and its salts) (CAS No.: 2355-31-9 and its salts)                              | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 21 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)   | Method   | Unit  | MDL  | Result | Limit |
|--|--|-------|------|--------|-------|
|  |  |       |      | No.1   |       |
| N-ethylperfluorooctane sulfonamidoacetic acid and its salts (N-EtFOSAA and its salts) (CAS No.: 2991-50-6 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| <b>PFOA and its salts</b>  |  |       |      |        |       |
| Perfluorooctanoic acid and its salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts)                              | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| <b>PFOA related compounds</b>  |  |       |      |        |       |
| 6:8 Perfluorophosphinic acid (6:8 PFPi) (CAS No.: 610800-34-5)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| Methyl perfluorooctanoate (Me-PFOA) (CAS No.: 376-27-2)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| Ethyl perfluorooctanoate (Et-PFOA) (CAS No.: 3108-24-5)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| Perfluoro-1-iodooctane (PFOI) (CAS No.: 507-63-1)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| 3-Perfluoroheptyl propanoic acid (7:3 FTCA) (CAS No.: 812-70-4)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 2H-Perfluoro-2-decenoic acid (8:2 FTUCA) (CAS No.: 70887-84-2)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 8:8 Perfluorophosphinic acid and its salts (8:8 PFPi and its salts) (CAS No.: 40143-79-1 and its salts)                  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| Mono-[2-(perfluorooctyl)ethyl]phosphate and its salts (8:2 monoPAP and its salts) (CAS No.: 57678-03-2 and its salts)    | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts) (CAS No.: 39108-34-4 and its salts)       | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) (CAS No.: 678-39-7)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 22 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| 1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) (CAS No.: 27905-45-9)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) (CAS No.: 1996-88-9)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 2H,2H-Perfluorodecane acid and its salts (H2PFDA and its salts) (CAS No.: 27854-31-5 and its salts)               | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyl iodide (8_2 FTI) (CAS No.: 2043-53-0)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyltriethoxysilane (8:2 FTSi(OC2H5)3) (CAS No.: 101947-16-4)                               | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 2H,2H,3H,3H-Perfluoroundecanoic Acid and its salts (4HPFUnA and its salts) (CAS No.: 34598-33-9 and its salts)    | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H-Heptadecafluoro-1-decene (PFDE) (CAS No.: 21652-58-4)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate and its salts (8_2diPAP and its salts) (CAS No.: 678-41-1 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyltrichlorosilane (CAS No.: 78560-44-8)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyltrimethoxysilane (CAS No.: 83048-65-1)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Heptadecafluorodecyl acetate (8:2 FTOAc) (CAS No.: 37858-04-1)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 23 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| <b>C9-C20 PFCAs its salts and related compounds</b>   |  |       |      |        |       |
| Mono-[2-(perfluorooctyl)ethyl]phosphate and its salts (8:2 monoPAP and its salts) (CAS No.: 57678-03-2 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts) (CAS No.: 39108-34-4 and its salts)    | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) (CAS No.: 678-39-7)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) (CAS No.: 27905-45-9)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) (CAS No.: 1996-88-9)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| 2H,2H-Perfluorodecane acid and its salts (H2PFDA and its salts) (CAS No.: 27854-31-5 and its salts)                   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyl iodide (8_2 FTI) (CAS No.: 2043-53-0)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyltriethoxysilane (8:2 FTSi(OC2H5)3) (CAS No.: 101947-16-4)                                   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| 2H,2H,3H,3H-Perfluoroundecanoic Acid and its salts (4HPFUa and its salts) (CAS No.: 34598-33-9 and its salts)         | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H-Heptadecafluoro-1-decene (PFDE) (CAS No.: 21652-58-4)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 24 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate and its salts (8_2diPAP and its salts) (CAS No.: 678-41-1 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyltrichlorosilane (CAS No.: 78560-44-8)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorodecyltrimethoxysilane (CAS No.: 83048-65-1)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    |       |      |        |       |
| 1H,1H,2H,2H-Heptadecafluorodecyl acetate (8:2 FTOAc) (CAS No.: 37858-04-1)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| Perfluorononan-1-oic acid and its salts (PFNA and its salts) (CAS No.: 375-95-1 and its salts)                    | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluoro-3,7-dimethyloctanoic Acid (PF-3,7-DMOA) (CAS No.: 172155-07-6)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| ((Perfluorooctyl)ethyl)phosphonic acid (CAS No.: 80220-63-9)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.02 | n.d.   | -     |
| Perfluorodecane acid and its salts (PFDA and its salts) (CAS No.: 335-76-2 and its salts)                         | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluoroundecanoic acid and its salts (PFUnDA and its salts) (CAS No.: 2058-94-8 and its salts)                  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorododecanoic acid and its salts (PFDoDA and its salts) (CAS No.: 307-55-1 and its salts)                   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Pentacosafuorotridecanoic acid and its salts (PFTrDA and its salts) (CAS No.: 72629-94-8 and its salts)           | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorotetradecanoic acid and its salts (PFTDA and its salts) (CAS No.: 376-06-7 and its salts)                 | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 25 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| Perfluorodecylphosphonic acid (PFDPA and its salts) (CAS No.: 52299-26-0 and its salts)                                 | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| Perfluorodecane sulfonate and its salts (PFDS and its salts) (CAS No.: 335-77-3 and its salts)                          | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2FTOH) (CAS No.: 865-86-1)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorododecylacrylate (10:2FTA) (CAS No.: 17741-60-5)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorododecyl methacrylate (10:2 FTMA) (CAS No.: 2144-54-9)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-perfluorotetradecan-1-ol (12:2 FTOH) (CAS No.: 39239-77-5)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorododecane sulfonic acid and its salts (10:2 FTS and its salts) (CAS No.: 120226-60-0 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI) (CAS No.: 2043-54-1)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI) (CAS No.: 30046-31-2)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| Perfluorononane sulfonic acid and its salts (PFNS and its salts) (CAS No.: 68259-12-1 and its salts)                    | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| Perfluoroundecane sulfonic acid and its salts (PFUnDS and its salts) (CAS No.: 749786-16-1 and its salts)               | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 26 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| Perfluorododecane sulfonic acid and its salts (PFDoDS and its salts) (CAS No.: 79780-39-5 and its salts)                    | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorotridecane sulfonic acid and its salts (PFTrDS and its salts) (CAS No.: 791563-89-8 and its salts)                  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 10:2 Fluortelomerphosphatediester and its salts (10:2 diPAP and its salts) (CAS No.: 1895-26-7 and its salts)               | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| Perfluorododecyl iodide (PFDoDI) (CAS No.: 307-60-8)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| Perfluorodecyl iodide (PFDI) (CAS No.: 423-62-1)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 2H-Perfluoro-2-dodecenoic acid (10:2 FTUCA) (CAS No.: 70887-94-4)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 2-Perfluorodecyl ethanoic acid (10:2 FTCA) (CAS No.: 53826-13-4)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 1-Dodecanol, 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-heneicosafuoro-, 1-acetate (10:2 FTOAc) (CAS No.: 37858-05-2) | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 10:2 Fluortelomerphosphatemonoester (10:2 monoPAP and its salts) (CAS No.: 57678-05-4 and its salts)                        | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| Perfluoropentadecanoic acid and its salts (PFPeDA and its salts, C15) (CAS No.: 141074-63-7 and its salts)                  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| Perfluorohexadecanoic acid and its salts (PFHxDA and its salts, C16) (CAS No.: 67905-19-5 and its salts)                    | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorooctadecanoic acid and its salts (PFODA and its salts, C18) (CAS No.: 16517-11-6 and its salts)                     | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| <b>Other PFAS</b>   |  |       |      |        |       |
| Trifluoroacetic acid and its salts (TFA and its salts) (CAS No.: 76-05-1 and its salts)                           | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 1    | n.d.   | -     |
| Perfluorobutane acid and its salts (PFBA and its salts) (CAS No.: 375-22-4 and its salts)                         | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorobutane sulfonate and its salts (PFBS and its salts) (CAS No.: 375-73-5 and its salts)                    | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorobutane sulfon amides (CAS No.: 30334-69-1)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| 1,1,2,2,3,3,4,4,4-nonafluoro-N-(2-hydroxyethyl)-N-methylbutane-1-sulphonamide (PFBS-NC3H8O) (CAS No.: 34454-97-2) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorohexyl methacrylate (4:2 FTMA) (CAS No.: 1799-84-4)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| Perfluoropentane acid and its salts (PFPA and its salts) (CAS No.: 2706-90-3 and its salts)                       | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluoroheptane acid and its salts (PFHpA and its salts) (CAS No.: 375-85-9 and its salts)                       | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 7H-Dodecanefluoroheptane acid and its salts (HPFHpA and its salts) (CAS No.: 1546-95-8 and its salts)             | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluoroheptane sulfonate and its salts (PFHpS and its salts) (CAS No.: 375-92-8 and its salts)                  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluoro-3-methoxypropanoic acid (PFMPA) (CAS No.: 377-73-1)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluoro-4-methoxybutanoic acid (PFMBA) (CAS No.: 863090-89-5)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 28 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)   | Method   | Unit  | MDL  | Result | Limit |
|--|--|-------|------|--------|-------|
|  |  |       |      | No.1   |       |
| Nonafluoro-3,6-dioxaheptanoic acid (NFDHA) (CAS No.: 151772-58-6)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 4,8-Dioxa-3H-perfluorononanoic acid and its salts (ADONA and its salts) (CAS No.: 919005-14-4 and its salts)                       | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluoro-1-hexanol (4:2FTOH) (CAS No.: 2043-47-2)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.4  | n.d.   | -     |
| 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid and its salts (HFPO-DA and its salts) (CAS No.: 13252-13-6 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H,2H,2H-Perfluorohexanesulfonic acid and its salts (4:2 FTS and its salts) (CAS No.: 757124-72-4 and its salts)                | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| Perfluoropentane sulfonic acid and its salts (PFPeS and its salts) (CAS No.: 2706-91-4 and its salts)                              | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 3-Perfluoropropyl propanoic acid and its salts (3:3 FTCA and its salts) (CAS No.: 356-02-5 and its salts)                          | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 2-Perfluorohexyl ethanoic acid (6:2 FTCA) (CAS No.: 53826-12-3)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 3-Perfluoropentyl propanoic acid and its salts (5:3 FTCA and its salts) (CAS No.: 914637-49-3 and its salts)                       | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| Perfluoro(2-ethoxyethane)sulfonic acid and its salts (PFEESA and its salts) (CAS No.: 113507-82-7 and its salts)                   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid and its salts (9Cl-PF3ONS and its salts) (CAS No.: 756426-58-1 and its salts)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 29 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid and its salts (11Cl-PF3OUdS and its salts) (CAS No.: 763051-92-9 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 2-(N-ethylperfluorooctanesulfamido)ethyl acrylate (EtFOSAC) (CAS No.: 423-82-5)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| 11H-Perfluoroundecanoic acid and its salts (11H-PFUnDA and its salts) (CAS No.: 1765-48-6 and its salts)                            | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| Pentafluoropropionate acid and its salts (PFPrA and its salts) (CAS No.: 422-64-0 and its salts)                                    | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.1  | n.d.   | -     |
| Perfluoro-2,5-dimethyl-3,6-dioxanonanoic acid and its salts (HFPO-TA and its salts) (CAS No.: 13252-14-7 and its salts)             | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.2  | n.d.   | -     |
| Pentafluoroethane sulfonic acid and its salts (PFETS and its salts) (CAS No.: 354-88-1 and its salts)                               | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Bis[2-(perfluorohexyl)ethyl] Phosphate and its salts (6:2 diPAP and its salts) (CAS No.: 57677-95-9 and its salts)                  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Trifluoromethanesulfonimide and its salts (TFSI and its salts) (CAS No.: 82113-65-3 and its salts)                                  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Trifluoromethane sulfonic acid and its salts (TFMS and its salts) (CAS No.: 1493-13-6 and its salts)                                | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluoropropate sulfonic acid and its salts (PFPrS and its salts) (CAS No.: 423-41-6 and its salts)                                | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# Test Report

No.: ETR25C00006

Date: 18-Dec-2025

Page: 30 of 69

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)   | Method   | Unit  | MDL  | Result | Limit |
|--|--|-------|------|--------|-------|
|  |  |       |      | No.1   |       |
| 1-pefluoroheptyl ethanol (7:2 secondary) (7:2s FTOH) (CAS No.: 24015-83-6)                                 | Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS. | mg/kg | 0.2  | n.d.   | -     |
| 4:2 Fluorotelomer iodide (4:2 FTI) (CAS No.: 2043-55-2)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.2  | n.d.   | -     |
| Perfluoroheptane-1-sulfinic acid and its salts (PFHpSi and its salts) (CAS No.: 769067-51-8 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| Perfluorooctylphosphoic acid and its salts (PFOPA and its salts) (CAS No.: 40143-78-0 and its salts)       | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| 1H,1H-Perfluorooctylamine (CAS No.: 307-29-9)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.2  | n.d.   | -     |
| Perfluoroheptanamide (CAS No.: 2358-22-7)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.1  | n.d.   | -     |
| Perfluorobutyramide (CAS No.: 662-50-0)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.2  | n.d.   | -     |
| 1H,1H,2H,2H-Nonafluorohexyl acrylate (4:2 FTA) (CAS No.: 52591-27-2)                                       | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 0.2  | n.d.   | -     |
| N-methylperfluoro-1-butanefluorosulfonamide (CAS No.: 68298-12-4)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| N-Ethyl-1,1,2,2,3,3,4,4,5,5,6,6-tridecafluoro-N-(2-hydroxyethyl)-1-hexanesulfonamide (CAS No.: 34455-03-3) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.           | mg/kg | 0.01 | n.d.   | -     |
| Ethyl perfluoroisobutyl ether and its isomers (CAS No.: 163702-05-4 and others)                            | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 10   | n.d.   | -     |
| 1,1,1,2,2,3,4,5,5,5-decafluoro-Pentane (CAS No.: 138495-42-8)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 10   | n.d.   | -     |
| Trifluorotoluene (CAS No.: 98-08-8)  | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 1    | n.d.   | -     |
| 1-Chloro-4 (Trifluoromethyl)Benzene (CAS No.: 98-56-6)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.              | mg/kg | 1    | n.d.   | -     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
 8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Test Item(s)  | Method   | Unit  | MDL  | Result | Limit |
|---|--|-------|------|--------|-------|
|   |  |       |      | No.1   |       |
| 1H,1H,2H,2H-Perfluorodecylmethylchlorosilane (CAS No.: 3102-79-2)   | Modified EN 17681-1: 2025, analysis was performed by GC/MS.    | mg/kg | 0.1  | n.d.   | -     |
| Bis(pentafluoroethylsulfonyl)imide and its salts (CAS No.: 152894-10-5 ; 132843-44-8 ; 129318-46-3 ; 152894-04-7 ; 221203-22-1 ; 216299-76-2 and its salts) | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.02 | n.d.   | -     |
| Perfluoro-2-ethoxypropanoic acid (PEPA) (CAS No.: 267239-61-2)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluorohexyl phosphonic acid and its salts (CAS No.: 40143-76-8 ; 1263361-02-9 and its salts)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Bisphenol AF (HFBPA) (CAS No.: 1478-61-1)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| 3-(Perfluorobutyl)propanoic acid (CAS No.: 80705-13-1)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d.   | -     |
| Perfluoro-3,6,9-trioxaundecane-1,11-dioic acid (CAS No.: 55621-18-6)  | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.02 | n.d.   | -     |
| Perfluorononanedioic acid (CAS No.: 23453-64-7)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.02 | n.d.   | -     |
| Perfluorooctanedioic acid (CAS No.: 678-45-5)   | Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS. | mg/kg | 0.02 | n.d.   | -     |

- Note :**
1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
  2. MDL = Method Detection Limit
  3. n.d. = Not Detected ( Less than MDL)
  4. "-" = Not Regulated
  5. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

6. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula :  $AX = A \times F$

| AX                           | A                  | F      |
|------------------------------|--------------------|--------|
| Bis(tributyltin)oxide (TBTO) | Tributyl Tin (TBT) | 1.0276 |

Parameter Conversion Table : [https://eecloud.sgs.com/Region\\_TW/DocDownload.aspx?name=Others](https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others)

7. Negative\*/Positive\*: The test result of Geiger counter is from comparison between test outcome and environment background. In general, there is little radiation dose existing in environment. (Radiation dose from environment background usually less than or equal to 0.2μSv/hr)

The test result less than environment background was shown as Negative\*; the result greater than environment background was shown as Positive\*.

8. Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.

9. Detail explanation of the regulation is available at the following link.

<https://www.ecfr.gov/current/title-40/chapter-I/subchapter-R/part-751?toc=1>

10. N/A(\*1) : The submitted sample is exempted from the regulated scope if it is anyone of the following :

- Hydraulic fluids for aviation or military
- Lubricants and grease
- New and replacement parts for motor and aerospace vehicles
- Manufacture of cyanoacrylate adhesives in closed systems
- Specialized engine air filters for locomotive and marine applications
- Plastic for recycling from PIP (3:1)-containing products or articles
- Finished products or articles made of plastic recycled from PIP (3:1)-containing products or articles
- Distribution in commerce of PIP (3:1)-containing articles before October 31, 2026
- Circuit boards and wire harnesses, including but not limited to terminal and fuse covers, cable sleeves, casings, connectors, and tapes
- Articles that contain PIP (3:1), and where PIP (3:1) has not been newly added, for the purpose of repair or maintenance
- New manufacturing equipment, including in the semiconductor industry, for new heating, ventilation, air-conditioning, refrigeration, and water-heating equipment, new power generating equipment, new laboratory equipment, new commercial electronic equipment

11. N/A(\*2) : The submitted sample is exempted from the regulated scope if it is not oil and lubricant additives.

12. N/A(\*3) : The submitted sample is exempted from the regulated scope if it is anyone of the following :

Exempts processing and distribution for recycling of DecaBDE-containing plastic from products or articles and DecaBDE-containing products or articles made from such recycled plastic.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

**PFAS Remark :**

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

| Group Name  | Substance Name  | CAS No.     |
|---|---|-------------|
| TFA, its salts  | Trifluoroacetic acid (TFA)                                | 76-05-1     |
|   | Sodium trifluoroacetate (TFA-Na)                          | 2923-18-4   |
|   | Thallium(III) trifluoroacetate (TFA-Tl)                   | 23586-53-0  |
|   | Lithium Trifluoroacetate (TFA-Li)                         | 2923-17-3   |
|   | Silver trifluoroacetate (TFA-Ag)                          | 2966-50-9   |
|   | Cesium Trifluoroacetate (TFA-Cs)                          | 21907-50-6  |
|   | Potassium trifluoroacetate (TFA-K)                        | 2923-16-2   |
|   | Ammoniumtrifluoroacetate (TFA-NH4)                        | 3336-58-1   |
|   | Mercury(II) trifluoroacetate (TFA-Hg)                     | 13257-51-7  |
|   | Palladium(II) trifluoroacetate (TFA-Pd)                   | 42196-31-6  |
|   | Trifluoroacetate / Trifluoroacetic acid anion (TFA anion) | 14477-72-6  |
|   | Dimethyl[(trifluoroacetyl)oxy]sulfanium trifluoroacetate  | 57738-66-6  |
|   | Aluminium tris(trifluoroacetate) (TFA-Al)                 | 36554-89-9  |
|   | Barium bis(trifluoroacetate) (TFA-Ba)                     | 60884-92-6  |
|   | Erbium tris(trifluoroacetate) (TFA-Er)                    | 70236-99-6  |
|   | Indium trifluoroacetate (TFA-In)                          | 36554-90-2  |
|   | Lanthanum tris(trifluoroacetate) (TFA-La)                 | 70236-92-9  |
|   | Nickel(2+) trifluoroacetate (TFA-Ni)                      | 16083-14-0  |
|   | Lead(II) trifluoroacetate (TFA-Pb)                        | 4146-73-0   |
|   | Acetic acid, trifluoro-, rhodium(2+) salt (TFA-Rh)        | 72654-51-4  |
|   | Thulium tris(trifluoroacetate) (TFA-Tm)                   | 70237-00-2  |
|   | Ytterbium(3+) tris(trifluoroacetate) (TFA-Yb)             | 87863-62-5  |
|   | Zinc bis(trifluoroacetate) (TFA-Zn)                       | 21907-47-1  |
|   | Ruthenium(II) 2,2,2-trifluoroacetate (TFA-Ru)             | 61612-84-8  |
|   | Magnesium 2,2,2-trifluoroacetate (TFA-Mg)                 | 123333-72-2 |
|   | Copper(2+) trifluoroacetate (TFA-Cu)                      | 123333-88-0 |
|   | Methyltrioctylammonium trifluoroacetate                   | 121107-16-2 |
| Chromium(3+) tris(trifluoroacetate) (TFA-Cr)  | 16712-29-1  |             |
| Tetraethylammonium trifluoroacetate (TFA-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> ) | 30093-29-9  |             |
| Tetrabutylammonium trifluoroacetate (TFA-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> ) | 39481-22-6  |             |
| Europium(3+) trifluoroacetate-water (1/3/3) (TFA-Eu.H <sub>2</sub> O)                     | 94079-71-7  |             |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name   | Substance Name   | CAS No.     |
|--|--|-------------|
| PFBA, its salts  | Perfluorobutane acid (PFBA)  | 375-22-4    |
|  | Ammonium perfluorobutanoate (PFBA-NH <sub>4</sub> )  | 10495-86-0  |
|  | Sodium perfluorobutanoate (PFBA-Na)  | 2218-54-4   |
|  | Potassium heptafluorobutanoate (PFBA-K)  | 2966-54-3   |
|  | Silver perfluorobutanoate (PFBA-Ag)  | 3794-64-7   |
|  | Lithium perfluorobutanoate (PFBA-Li)   | 4146-76-3   |
|  | Heptafluorobutanoic acid-piperazine (1:1)  | 375-04-2    |
|  | Perfluorobutanoate (anion)   | 45048-62-2  |
|  | 4-Chlorobenzenediazonium perfluorobutanoate perfluorobutanoic acid (1:1:1) (PFBA-C6H4ClF6N2P)        | -           |
|  | Heptafluorobutanoic acid-1-phenylpiperazine (1:1) (PFBA-C10H14N2)                                    | 2263-11-8   |
|  | Perfluorobutanoic anhydride (PFBAA)  | 336-59-4    |
|  | Heptafluorobutanoic acid calcium salt (PFBA-Ca)  | 2366-98-5   |
|  | Rhodium(II) perfluorobutyrate dimer (PFBA-Rh)  | 73755-28-9  |
|  | Perfluorobutyryl chloride (PFBA-Cl)  | 375-16-6    |
|  | Perfluorobutanoyl fluoride (PFBA-F)  | 335-42-2    |
|  | Heptafluorobutanoyl Bromide (PFBA-Br)  | 375-13-3    |
|  | 4-Chlorobenzenediazonium perfluorobutanoate perfluorobutanoic acid (1:1:1)                           | -           |
| N5-(5-Hydroxy-4,6-dimethylpyrimidin-2-yl)-L-ornithine-heptafluorobutanoic acid (1/2) | 936233-19-1  |             |
| PFBS, its salts & derivatives  | Perfluorobutane sulfonate (PFBS)   | 375-73-5    |
|  | 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, sodium salt (1:1) (PFBS-Na)                    | 60453-92-1  |
|  | Lithium perfluorobutanesulfonate (PFBS-Li)   | 131651-65-5 |
|  | Magnesium perfluorobutanesulfonate (PFBS-Mg)   | 507453-86-3 |
|  | Perfluorobutane Sulfonate K-salt (PFBS-K)  | 29420-49-3  |
|  | Perfluorobutane sulfonyl fluoride (PFBS-F)   | 375-72-4    |
|  | Tetraethylammonium perfluorobutanesulfonate (PFBS-N(CH <sub>2</sub> CH <sub>3</sub> ) <sub>4</sub> ) | 25628-08-4  |
|  | Triphenylsulfanium perfluorobutane sulfonate (TPS-PFBS)  | 144317-44-2 |
|  | Dimethyl(phenyl)sulfanium perfluorobutane sulfonate  | 220133-51-7 |
|  | Tetrabutyl-phosphonium nonafluoro-butane-1-sulfonate   | 220689-12-3 |
|  | Morpholinium perfluorobutanesulfonate  | 503155-89-3 |
| Ammonium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate (PFBS-NH <sub>4</sub> )     | 68259-10-9   |             |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name                    | Substance Name   | CAS No.      |
|-------------------------------|--|--------------|
| PFBS, its salts & derivatives | Nonafluorobutanesulfonic acidHydrate   | 59933-66-3   |
|                               | Nonafluoro-1-butanefonyl chloride (PFBS-Cl)  | 2991-84-6    |
|                               | Bis(4-tert-butylphenyl)iodonium perfluoro-1-butanefonyl sulfonate (PFBS-I(C <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> (C <sub>4</sub> H <sub>9</sub> ) <sub>2</sub> ) | 194999-85-4  |
|                               | 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonic acid, compound with 2,2'-iminodiethanol (1:1) (PFBS-NH(C <sub>2</sub> H <sub>5</sub> O) <sub>2</sub> )                  | 70225-18-2   |
|                               | 1-(4-butoxy-1-naphthyl)tetrahydrothiophenium nonafluorobutane-1-sulfonate (PFBS-SC <sub>18</sub> H <sub>23</sub> O)  | 209482-18-8  |
|                               | Tetrabutylammonium nonafluorobutanesulfonate ((PFBS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> ))  | 108427-52-7  |
|                               | Diphenyliodonium nonafluorobutane-1-sulfonate((PFBS-I(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> ))  | 194999-82-1  |
|                               | Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefonyl sulfonate (1:1)  | 241806-75-7  |
|                               | Sulfonium, (4-cyclohexylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefonyl sulfonate (1:1)   | 425670-64-0  |
|                               | Thiophenium, tetrahydro-1-(1-methyl-1H-indol-3-yl)-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefonyl sulfonate (1:1)  | 867373-18-0  |
|                               | Pyridinium, 1-ethyl-3-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefonyl sulfonate (1:1)  | 1015420-87-7 |
|                               | 1H-Imidazolium, 1-methyl-3-octyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefonyl sulfonate (1:1)  | 905972-83-0  |
|                               | 1H-Imidazolium, 3-hexyl-1-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefonyl sulfonate (1:1)  | 1001557-05-6 |
|                               | 2-Propanaminium, N,N-dimethyl-N-(1-methylethyl)-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefonyl sulfonate (1:1)   | 374571-81-0  |
|                               | Sulfonium, [4-[2-(1,1-dimethylethoxy)-2-oxoethoxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefonyl sulfonate (1:1)   | 857285-80-4  |
|                               | 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefonyl sulfonate (1:1)  | 124472-66-8  |
|                               | 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, zinc salt (2:1) (PFBS-Zn)  | 502457-69-4  |
|                               | 1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefonyl sulfonate (1:1)  | 56773-55-8   |
|                               | Perfluorobutanesulfonic acid tetramethylammonium salt (PFBS-N(CH <sub>3</sub> ) <sub>4</sub> )   | 25628-17-5   |
|                               | 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, 1,1'-anhydride   | 36913-91-4   |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name   | Substance Name   | CAS No.                      |
|--|--|------------------------------|
| PFBS, its salts & derivatives  | Perfluorobutane sulfonate (anion)  | 45187-15-3                   |
|  | 1-(4-butoxy-1-naphthalenyl)tetrahydrothiophenium - 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate      | EC No. 468-770-4             |
|  | 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, compd. with N,N-diethylethanamine (1:1)          | 182059-38-7                  |
|  | 1-Octanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1) | 334529-55-4                  |
|  | Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1)                         | 334529-62-3                  |
|  | Pyridinium, 1-butyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1)                             | 334529-64-5                  |
|  | 1-Octanaminium, N-methyl-N,N-dioctyl-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1)            | 495417-51-1                  |
|  | Sulfonium, tris(4-methylphenyl)-, 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanefulfonate (1:1)                 | 722538-68-3                  |
|  | N-Ethyl-N-methyl-N-propylammonium perfluorobutanefulfonate   | 1186599-90-5                 |
|  | [4-(2-Methylpropyl)phenyl]-diphenylsulfanium;1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulfonate            | 1375211-36-1                 |
|  | Diphenyl 4-tertbutylphenylsulfonium nonafluorobutanefulfonate  | 258872-05-8                  |
|  | Diphenyl(4-methylphenyl)sulfonium nonafluorobutanefulfonate  | 284474-28-8                  |
|  | Trimethylsilyl nonafluorobutanefulfonate   | 68734-62-3                   |
|  | PFPA, its salts  | Perfluoropentane acid (PFPA) |
| Sodium perfluoropentanoate (PFPA-Na)   |  | 2706-89-0                    |
| Potassium perfluoropentanoate (PFPA-K)   |  | 336-23-2                     |
| Ammonium perfluoropentanoate (PFPA-NH <sub>4</sub> )   |  | 68259-11-0                   |
| Lithium perfluoropentanoate (PFPA-Li)  |  | 198482-22-3                  |
| Silver perfluoropentanoate (PFPA-Ag)   |  | 2795-30-4                    |
| Perfluoropentanoate (anion)  |  | 45167-47-3                   |
| Pentanoic acid, 2,2,3,3,4,4,5,5-nonafluoro-, compd. with phenylmethyl carbamimidothioate (1:1) (PFPeA-C <sub>8</sub> H <sub>10</sub> N <sub>2</sub> S) |  | 64808-55-5                   |
| Nonafluoropentanoic anhydrid (PFPeAA)  |  | 308-28-1                     |
| Perfluoropentanoyl chloride (PFPeA-Cl)   |  | 375-60-0                     |
| Perfluoropentanoyl fluoride (PFPeA-F)  |  | 375-62-2                     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name                     | Substance Name   | CAS No.      |
|--------------------------------|--|--------------|
| PFHxA, its salts & derivatives | Perfluorohexane acid (PFHxA)   | 307-24-4     |
|                                | Ammonium perfluorohexanoate (PFHxA-NH <sub>4</sub> )   | 21615-47-4   |
|                                | Sodium perfluorohexanoate (PFHxA-Na)   | 2923-26-4    |
|                                | Potassium perfluorohexanoate (PFHxA-K)   | 3109-94-2    |
|                                | Perfluorohexanoyl fluoride (PFHxA-F)   | 355-38-4     |
|                                | Silver perfluorohexanoate (PFHxA-Ag)   | 336-02-7     |
|                                | Lithium perfluorohexanoate (PFHxA-Li)  | 90430-61-8   |
|                                | Perfluorohexanoic anhydride  | 308-13-4     |
|                                | Hexanoic acid, undecafluoro-, compd. with piperazine (2:1) (8Cl,9Cl)   | 423-47-2     |
|                                | Perfluorohexanoate (anion)   | 92612-52-7   |
|                                | Perfluorohexanoyl chloride (PFHxA-Cl)  | 335-53-5     |
|                                | Perfluorohexanoyl bromide (PFHxA-Br)   | 1404193-66-3 |
|                                | Hexanoic acid, 2,2,3,3,4,4,5,5,6,6,6-undecafluoro-, compd. with 1-hexanamine (1:1) (PFHxA-C <sub>6</sub> H <sub>15</sub> N)                      | 565225-91-4  |
|                                | Hexanoic acid, 2,2,3,3,4,4,5,5,6,6,6-undecafluoro-, compd. with 1-phenylpiperazine (1:1) (PFHxA-C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> ) | 985-60-4     |
| 6:2 FTS, its salts             | 1H,1H,2H,2H-Perfluorooctanesulphonic acid (6:2 FTS)  | 27619-97-2   |
|                                | Sodium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-Na)   | 27619-94-9   |
|                                | Potassium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-K)   | 59587-38-1   |
|                                | Ammonium 1H,1H,2H,2H-Perfluorooctanesulfonate (6:2 FTS-NH <sub>4</sub> )   | 59587-39-2   |
|                                | 1-Octanesulfonic acid, 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluoro-, barium salt (2:1) (6:2 FTS-Ba)  | 1807944-82-6 |
|                                | 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctane-1-sulfonate (6:2 FTS(anion))   | 425670-75-3  |
|                                | 2-(Perfluorohexyl)ethanesulfonyl chloride (6:2 FTS-Cl)   | 27619-89-2   |
|                                | 2-(Perfluorohexyl)ethanesulfonyl fluoride (6:2 FTS-F)  | -            |
| 6:2 monoPAP, its salts         | Mono[2-(perfluorohexyl)ethyl] Phosphate (6:2 monoPAP)  | 57678-01-0   |
|                                | Diammonium 6:2 fluorotelomer phosphate monoester (6:2 monoPAP-NH <sub>4</sub> NH <sub>4</sub> )  | 1000852-37-8 |
| 6:2 FTPA, its salts            | 1H,1H,2H,2H-Perfluorooctane phosphonic acid (6:2 FTPA)   | 252237-40-4  |
|                                | Sodium hydrogen ((perfluorohexyl)ethyl)phosphonate (Cheminox FHP 2OH-Na(PFHEPA-Na))  | 1189052-95-6 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name   | Substance Name   | CAS No.      |
|--|--|--------------|
| PFHxS, its salts & derivatives   | Perfluorohexane sulfonate (PFHxS)  | 355-46-4     |
|  | Perfluorohexanesulfonate Na-salt (PFHxS-Na)  | 82382-12-5   |
|  | Perfluorohexanesulfonate K-salt (PFHxS-K)  | 3871-99-6    |
|  | Ammonium perfluorohexanesulfonate (PFHxS-NH <sub>4</sub> )   | 68259-08-5   |
|  | Perfluorohexanesulfonate Li-salt (PFHxS-Li)  | 55120-77-9   |
|  | Perfluorohexanesulfonate Zn-salt (PFHxS-Zn)  | 70136-72-0   |
|  | Perfluorohexane sulphonyl fluoride (PFHxS-F)   | 423-50-7     |
|  | Phosphonium, triphenyl(phenylmethyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)   | 1000597-52-3 |
|  | N,N,N-tributylbutan-1-aminium tridecafluorohexane-1-sulfonate  | 108427-54-9  |
|  | N,N,N-triethylethanaminium tridecafluorohexane-1-sulfonate (1:1)   | 108427-55-0  |
|  | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. With pyrrolidine (1:1)   | 1187817-57-7 |
|  | Ethanaminium, N-[4-[[4-(diethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-ethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)     | 1310480-24-0 |
|  | Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(ethylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)  | 1310480-27-3 |
|  | Methanaminium, N-[4-[[4-(dimethylamino)phenyl][4-(phenylamino)-1-naphthalenyl]methylene]-2,5-cyclohexadien-1-ylidene]-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 1310480-28-4 |
|  | Beta-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-) (1:1)   | 1329995-45-0 |
|  | Gamma-Cyclodextrin, compd. with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid ion(1-) (1:1)  | 1329995-69-8 |
| Sulfonium, triphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 144116-10-9  |              |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name                     | Substance Name  | CAS No.      |
|--------------------------------|---|--------------|
| PFHxS, its salts & derivatives | Quinolinium, 1-(carboxymethyl)-4-[2-[4-[4-(2,2-diphenylethenyl)phenyl]-1,2,3,3a,4,8b-hexahydrocyclopent[b]indol-7-yl]ethenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1) | 1462414-59-0 |
|                                | Iodonium, diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)  | 153443-35-7  |
|                                | Methanaminium, N,N,N-trimethyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1)  | 189274-31-5  |
|                                | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd.with 2-methyl-2-propanamine (1:1)  | 202189-84-2  |
|                                | Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)  | 213740-81-9  |
|                                | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, gallium salt (9Cl)   | 341035-71-0  |
|                                | Sulfonium, bis(4-methylphenyl)phenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)  | 341548-85-4  |
|                                | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, scandium(3+) salt (3:1) (PFHxS-Sc)   | 350836-93-0  |
|                                | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, neodymium(3+) salt (3:1) (PFHxS-Nd)  | 41184-65-0   |
|                                | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, yttrium(3+) salt (3:1) (PFHxS-Y)   | 41242-12-0   |
|                                | Sulfonium, (thiodi-4,1-phenylene)bis[diphenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:2)  | 421555-73-9  |
|                                | Iodonium, bis[4-(1,1-dimethylpropyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid   | 421555-74-0  |
|                                | Sulfonium, tris[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)  | 425670-70-8  |
|                                | Tridecafluorohexanesulphonic acid, compound with 2,2'-iminodiethanol (1:1)  | 70225-16-0   |
|                                | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, compd. with N,N-diethylethanamine (1:1)  | 72033-41-1   |
|                                | Iodonium, bis[(1,1-dimethylethyl)phenyl]-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1) (9Cl)  | 866621-50-3  |
|                                | Sulfonium, (4-methylphenyl)diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)   | 910606-39-2  |
|                                | Sulfonium, [4-[(2-methyl-1-oxo-2-propen-1-yl)oxy]phenyl]diphenyl-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)  | 911027-68-4  |
|                                | 1-Hexanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-, cesium salt (1:1) (PFHxS-CsH)  | 92011-17-1   |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name   | Substance Name  | CAS No.  |
|--|---|--|
| PFHxS, its salts & derivatives   | Dibenzo[k,n][1,4,7,10,13]tetraoxathiacyclopentadecinium, 19-[4-(1,1-dimethylethyl)phenyl]-6,7,9,10,12,13-hexahydro-, 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonate (1:1)  | 928049-42-7  |
|  | Perfluorohexylsulfonyl chloride (PFHxS-Cl)  | 55591-23-6   |
|  | Sulfonium, [4-[(2-methyl-1-oxo-2-propenyl)oxy]phenyl]diphenyl-, salt with 1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluoro-1-hexanesulfonic acid (1:1), polymer with 2-ethyltricyclo[3.3.1.1 <sup>3,7</sup> ]dec-2-yl 2-methyl-2-propenoate, 3-hydroxytricyclo[3.3.1.1 <sup>3,7</sup> ]dec-1-yl 2-methyl-2-propenoate and tetrahydro-2-oxo-3-furanyl 2-methyl-2-propenoate | 911027-69-5  |
|  | Perfluorohexane sulfonate (anion)   | 108427-53-8  |
|  | Tetrabutylphosphonium tridecafluorohexane-1-sulfonate (PFHxS-P (C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )  | 2310194-12-6   |
|  | EtFHxSAA, its salts   | Glycine, N-ethyl-N-[(1,1,2,2,3,3,4,4,5,5,6,6,6-tridecafluorohexyl)sulfonyl] (EtFHxSAA) |
| Potassium N-ethyl-n-[(tridecafluorohexyl)sulfonyl]glycinate (EtFHxSAA-K) |   | 67584-53-6   |
| Sodium N-ethyl-N-((tridecafluorohexyl)sulphonyl)glycinate (EtFHxSAA-Na)  |   | 68555-70-4   |
| PFHpA, its salts   | Perfluoroheptane acid (PFHpA)   | 375-85-9   |
|  | Sodium perfluoroheptanoate (PFHpA-Na)   | 20109-59-5   |
|  | Potassium perfluoroheptanoate (PFHpA-K)   | 21049-36-5   |
|  | Ammonium perfluoroheptanoate (PFHpA-NH <sub>4</sub> )   | 6130-43-4  |
|  | Cesium perfluoroheptanoate (PFHpA-Cs)   | 171198-24-6  |
|  | Silver perfluoroheptanoate (PFHpA-Ag)   | 424-05-5   |
|  | Lithium perfluoroheptanoate (PFHpA-Li)  | 60871-90-1   |
|  | Perfluoroheptanoate (anion)   | 120885-29-2  |
|  | Perfluoroheptanoic anhydride (PFHpAA)   | 78225-99-7   |
|  | Perfluoroheptanoyl chloride (PFHpA-Cl)  | 52447-22-0   |
|  | Perfluoroheptanoyl fluoride (PFHpA-F)   | 375-84-8   |
| HPFHpA, its salts  | 7H-Dodecafluoroheptane acid (HPFHpA)  | 1546-95-8  |
|  | Sodium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-Na)   | 2264-25-7  |
|  | Ammonium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-NH <sub>4</sub> )   | 376-34-1   |
|  | 7H-Perfluoroheptanoate (HPFHpA(anion))  | 69681-35-2   |
|  | Potassium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-K)   | -  |
|  | Lithium 2,2,3,3,4,4,5,5,6,6,7,7-dodecafluoroheptanoate (HPFHpA-Li)  | -  |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name                    | Substance Name   | CAS No.     |
|-------------------------------|--|-------------|
| HPFHpA, its salts             | 7H-Perfluoroheptanoyl chloride (HPFHpA-Cl)   | 41405-35-0  |
|                               | 7H-Perfluoroheptanoyl fluoride (HPFHpA-F)  | 5927-65-1   |
|                               | Perfluoroheptanoyl Bromide (PFHpA-Br)  | 159623-34-4 |
| PFHpS, its salts              | Perfluoroheptane sulfonate (PFHpS)   | 375-92-8    |
|                               | Perfluoroheptanesulfonate Na-salt (PFHpS-Na)   | 21934-50-9  |
|                               | Potassium perfluoroheptanesulfonate (PFHpS-K)  | 60270-55-5  |
|                               | Ammonium perfluoroheptanesulfonate (PFHpS-NH <sub>4</sub> )  | 68259-07-4  |
|                               | Lithium perfluoroheptanesulfonate (PFHpS-Li)   | 117806-54-9 |
|                               | 1-Heptanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoro-, compd. with 2,2'-iminobis[ethanol] (1:1)   | 70225-15-9  |
|                               | Perfluoroheptane sulfonate (anion)   | 146689-46-5 |
|                               | Triethylammonium perfluoroheptane sulfonate  | 72033-40-0  |
|                               | Tetraethylammonium perfluoroheptane sulfonate  | 439863-97-5 |
|                               | 1-Heptanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,7-pentadecafluoro-, anhydride (9Cl) (PFHpSA)   | 140429-92-1 |
|                               | Perfluoroheptanesulfonyl fluoride (PFHpS-F)  | 335-71-7    |
|                               | Perfluoroheptanesulfonyl chloride (PFHpS-Cl)   | 33018-82-5  |
| PFOS, its salts & derivatives | Perfluorooctane sulfonates (PFOS)  | 1763-23-1   |
|                               | Potassium perfluorooctanesulfonate (PFOS-K)  | 2795-39-3   |
|                               | Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)   | 29457-72-5  |
|                               | Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH <sub>4</sub> )  | 29081-56-9  |
|                               | Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(C <sub>2</sub> H <sub>4</sub> OH) <sub>2</sub> )  | 70225-14-8  |
|                               | Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> )   | 56773-42-3  |
|                               | N-decyl-N,N-dimethyldecyl-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)   | 251099-16-8 |
|                               | TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )   | 111873-33-7 |
|                               | Perfluorooctane sulfonyl fluoride (POSF)   | 307-35-7    |
|                               | Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)   | 91036-71-4  |
|                               | Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)  | 4021-47-0   |
|                               | Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate  | 71463-74-6  |
|                               | Perfluorooctanesulfonate (anion)   | 45298-90-6  |
|                               | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-NH(C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> ) | 54439-46-2  |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name                    | Substance Name  | CAS No.      |
|-------------------------------|---|--------------|
| PFOS, its salts & derivatives | Methanaminium, N,N,N-trimethyl-,<br>1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(CH <sub>3</sub> ) <sub>4</sub> )  | 56773-44-5   |
|                               | 1-Pentanaminium, N,N,N-tripropyl-,<br>1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> (C <sub>5</sub> H <sub>11</sub> )) | 56773-56-9   |
|                               | 1-Butanaminium, N,N-dibutyl-N-methyl-,<br>1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> (CH <sub>3</sub> ))            | 124472-68-0  |
|                               | Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-,<br>1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)   | 213740-80-8  |
|                               | Sulfonium, diphenyl(2,4,6-trimethylphenyl)-,<br>1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)   | 258341-99-0  |
|                               | Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)   | 334529-63-4  |
|                               | 1-Decanaminium, N,N,N-triethyl-,<br>1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)   | 773895-92-4  |
|                               | Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )  | 2185049-59-4 |
|                               | Perfluorooctanesulfonic acid diethylamine salt (PFOS-C <sub>4</sub> H <sub>11</sub> N)  | 2205029-08-7 |
|                               | Heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium perfluorooctanesulfonate (PFOS-C <sub>15</sub> H <sub>30</sub> NO <sub>2</sub> )  | 1203998-97-3 |
|                               | 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, 1,1'-anhydride (PFOSAN)  | 423-92-7     |
|                               | Perfluoro-1-octanesulfonyl chloride (PFOS-Cl)   | 423-60-9     |
| PFOSA, its salts              | Perfluorooctanesulfonamide (PFOSA)  | 754-91-6     |
|                               | Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)  | 76752-79-9   |
|                               | Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)   | 76752-78-8   |
|                               | Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)   | 76752-70-0   |
|                               | Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH <sub>4</sub> )   | 76752-72-2   |
|                               | heptadecafluorooctane-1-sulphonamide, compound with triethylamine(1:1) (PFOSA-C <sub>6</sub> H <sub>15</sub> N)   | 76752-82-4   |
| PFOA, its salts & derivatives | Perfluorooctanoic acid (PFOA)   | 335-67-1     |
|                               | Sodium perfluorooctanoate (PFOA-Na)   | 335-95-5     |
|                               | Potassium perfluorooctanoate (PFOA-K)   | 2395-00-8    |
|                               | Silver perfluorooctanoate (PFOA-Ag)   | 335-93-3     |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name                          | Substance Name   | CAS No.      |
|-------------------------------------|--|--------------|
| PFOA, its salts & derivatives       | Perfluorooctanoyl fluoride (PFOA-F)  | 335-66-0     |
|                                     | Ammonium pentadecafluorooctanoate (APFO)   | 3825-26-1    |
|                                     | Lithium perfluorooctanoate (PFOA-Li)   | 17125-58-5   |
|                                     | Cobalt perfluorooctanoate (PFOA-Co)  | 35965-01-6   |
|                                     | Cesium perfluorooctanoate (PFOA-Cs)  | 17125-60-9   |
|                                     | Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3 <sup>+</sup> ))                                   | 68141-02-6   |
|                                     | Pentadecafluorooctanoic acid--piperazine (2/1)PFOA-NH(C <sub>4</sub> H <sub>10</sub> N)  | 423-52-9     |
|                                     | Pentadecafluorooctanoate (anion)   | 45285-51-6   |
|                                     | Perfluorooctanoic Anhydride  | 33496-48-9   |
|                                     | Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)  | 98241-25-9   |
|                                     | Tetramethylammoniumperfluorooctanoat   | 32609-65-7   |
|                                     | 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)  | 277749-00-5  |
|                                     | Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H <sub>2</sub> O) <sub>2</sub> )  | 98065-31-7   |
|                                     | Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C <sub>2</sub> H <sub>7</sub> N)       | 1376936-03-6 |
|                                     | Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9Cl) (PFOA-C <sub>5</sub> H <sub>5</sub> N)                                 | 95658-47-2   |
|                                     | Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> )                             | 1514-68-7    |
|                                     | 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- C <sub>11</sub> H <sub>26</sub> N) | 927835-01-6  |
|                                     | Pentadecafluorooctanoyl chloride (PFOA-Cl)   | 335-64-8     |
| Perfluorooctanoyl Bromide (PFOA-Br) | 222037-87-8  |              |
| 8:2 monoPAP, its salts              | Mono-[2-(perfluorooctyl)ethyl]phosphate (8:2 monoPAP)  | 57678-03-2   |
|                                     | 8:2 Fluorotelomer diammonium phosphate   | 93857-44-4   |
|                                     | Disodium 1H,1H,2H,2H-perfluorodecylphosphate   | 438237-75-3  |
|                                     | Ammonium bis[2-(perfluorohexyl)ethyl] phosphate  | 1764-95-0    |
|                                     | 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctanol phosphate ammonium salt   | 92401-44-0   |
|                                     | Sodium 1H,1H,2H,2H-perfluorooctylphosphate   | 144965-22-0  |
|                                     | Monopotassium monoperfluorohexyl ethylphosphate  | 150033-28-6  |
|                                     | Ammonium 2-(perfluorohexyl)ethyl hydrogen phosphate  | 2353-52-8    |
| 8:2 FTS, its salts                  | 1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)   | 39108-34-4   |
|                                     | 1H,1H,2H,2H-Perfluorodecane sulfonate acid Potassium salt (8:2 FTS-K)  | 438237-73-1  |
|                                     | 1H,1H,2H,2H-Perfluorodecane sulfonate acid Ammonium salt (8:2 FTS-NH <sub>4</sub> )  | 149724-40-3  |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name          | Substance Name   | CAS No.      |
|---------------------|--|--------------|
| 8:2 FTS, its salts  | 1H,1H,2H,2H-Perfluorododecane sulfonate acid Sodium salt (8:2 FTS-Na)  | 27619-96-1   |
|                     | 8:2 Fluorotelomer sulfonate (anion) (8:2 FTS(anion))   | 481071-78-7  |
|                     | 2-(Perfluorooctyl)ethanesulfonyl chloride (8:2 FTS-Cl)   | 27619-90-5   |
| H2PFDA, its salts   | 2H,2H-Perfluorododecane acid (H2PFDA)  | 27854-31-5   |
|                     | Tetrabutylphosphonium 2H,2H-Perfluorododecanoate   | 882489-14-7  |
| 4HPFUnA, its salts  | 2H,2H,3H,3H-Perfluoroundecanoic Acid (4HPFUnA)   | 34598-33-9   |
|                     | Potassium 2H,2H,3H,3H-Perfluoroundecanoate (4HPFUnA-K)   | 83310-58-1   |
|                     | Lithium 3-(perfluorooctyl)propanoate (4HPFUnA-Li)  | 67304-23-8   |
| 8:2diPAP, its salts | Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate (8:2diPAP)  | 678-41-1     |
|                     | Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na)  | 114519-85-6  |
|                     | Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate  | 57677-97-1   |
|                     | Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt (8:2diPAP-NH <sub>4</sub> )   | 93776-20-6   |
|                     | 8:2 Fluorotelomer phosphate diester ion  | 1411713-91-1 |
| PFNA, its salts     | Perfluorononanoic acid (PFNA)  | 375-95-1     |
|                     | Perfluorononanoate Na-salt (PFNA-Na)   | 21049-39-8   |
|                     | Perfluorononanoate ammonium salt (APFN)  | 4149-60-4    |
|                     | Potassium perfluorononanoate (PFNA-K)  | 21049-38-7   |
|                     | Perfluorononanoate Li-Salt (PFNA-Li)   | 60871-92-3   |
|                     | Silver perfluorononanoate (PFNA-Ag)  | 7358-16-9    |
|                     | Methanaminium perfluorononanoate (PFNA-NH <sub>3</sub> (CH <sub>3</sub> ))   | 77032-23-6   |
|                     | Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptafluoro-, compd. with N-ethylethanamine (1:1) (PFNA-NH <sub>2</sub> (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ) | 77032-27-0   |
|                     | Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptafluoro-, compd. with N-methylmethanamine (1:1) (PFNA-NH <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> )             | 77032-24-7   |
|                     | Nonanoic acid, heptafluoro-, compd. with N,N-diethylethanamine (1:1) (9Cl) (PFNA-NH(C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> )                                       | 327176-80-7  |
|                     | Nonanoic acid, heptafluoro-, compd. with piperidine (1:1) (9Cl) (PFNA-NH <sub>2</sub> (C <sub>5</sub> H <sub>10</sub> ))   | 95682-66-9   |
|                     | Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptafluoro-, compd. with benzenamine (1:1) (PFNA-NH <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> ))                     | 95682-67-0   |
|                     | Nonanoic acid, heptafluoro-, compd. with cyclohexanamine (1:1) (9Cl) (PFNA-NH <sub>3</sub> (C <sub>6</sub> H <sub>11</sub> ))  | 328531-06-2  |
|                     | Perfluorononanoate (anion)   | 72007-68-2   |
|                     | 4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium heptafluorononanoate (PFNA-C <sub>11</sub> H <sub>12</sub> N <sub>4</sub> O <sub>3</sub> S)                              | 298703-33-0  |
|                     | Perfluorononanoic anhydride (PFNAA)  | 228407-54-3  |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name        | Substance Name  | CAS No.     |
|-------------------|---|-------------|
| PFNA, its salts   | Perfluorononanoyl chloride (PFNA-Cl)  | 52447-23-1  |
|                   | Perfluorononanoyl fluoride (PFNA-F)   | 558-95-2    |
|                   | Heptadecafluorononanoyl Bromide (PFNA-Br)   | 261503-42-8 |
| PFDA, its salts   | Perfluorodecane acid (PFDA)   | 335-76-2    |
|                   | Perfluorodecanoate Na-salt (PFDA-Na)  | 3830-45-3   |
|                   | Perfluorodecanoate ammonium salt (APFDA)  | 3108-42-7   |
|                   | Potassium perfluorodecanoate (PFDA-K*)  | 51604-85-4  |
|                   | Silver perfluorodecanoate (PFDA-Ag)   | 5784-82-7   |
|                   | Lithium perfluorodecanoate (PFDA-Li)  | 84743-32-8  |
|                   | Perfluorodecanoate (anion)  | 73829-36-4  |
|                   | Perfluorodecanoic anhydride (PFDA)  | 942199-24-8 |
|                   | Nonadecafluorodecanoyl chloride (PFDA-Cl)   | 307-38-0    |
|                   | Nonadecafluorodecanoyl Fluoride (PFDA-F)  | -           |
|                   | Nonadecafluorodecanoyl Bromide (PFDA-Br)  | -           |
| PFDDPA, its salts | Perfluorodecylphosphonic acid (PFDDPA)  | 52299-26-0  |
|                   | Perfluorodecylphosphonic Acid 4-Methylbenzamine                                   | -           |
|                   | Perfluorodecylphosphonic Acid Di-4-toluidine Salt                                 | -           |
| PFUnDA, its salts | Perfluoroundecanoic acid (PFUnDA)   | 2058-94-8   |
|                   | Ammonium perfluoroundecanoate (PFUnDA-NH <sub>4</sub> )                           | 4234-23-5   |
|                   | Perfluoroundecanoic acid sodium salt (PFUnDA-Na)                                  | 60871-96-7  |
|                   | Potassium perfluoroundecanoate (PFUnDA-K)   | 30377-53-8  |
|                   | Calcium perfluoroundecanoate (PFUnDA-Ca)  | 97163-17-2  |
|                   | Perfluoroundecanoate (anion)  | 196859-54-8 |
| PFDoDA, its salts | Perfluorododecanoic acid (PFDoDA)   | 307-55-1    |
|                   | Ammonium perfluorododecanoate (APFDoDA)   | 3793-74-6   |
|                   | Perfluorododecanoate (anion)  | 171978-95-3 |
| PFDS, its salts   | Perfluorodecane sulfonate (PFDS)  | 335-77-3    |
|                   | Perfluorodecanesulfonate Na-salt (PFDS-Na)  | 2806-15-7   |
|                   | Perfluorodecanesulfonate K-salt (PFDS-K)  | 2806-16-8   |
|                   | Perfluoroaliphatic dean-sulfonate salt of NH <sub>4</sub> (PFDS-NH <sub>4</sub> ) | 67906-42-7  |
|                   | Perfluorodecane sulfonate (anion)   | 126105-34-8 |
|                   | Perfluorodecane sulfonic anhydride (PFDSA)  | 51667-62-0  |
|                   | Perfluorodecanesulphonyl fluoride (PFDS-F)  | 307-51-7    |
|                   | Perfluorodecanesulphonyl chloride (PFDS-Cl)                                       | 32779-61-6  |
| PFTrDA, its salts | Pentacosafuorotridecanoic acid (PFTrDA)   | 72629-94-8  |
|                   | Ammonium perfluorotridecanoate (PFTrDA-NH <sub>4</sub> )                          | 4288-72-6   |
|                   | Sodium perfluorotridecanoate (PFTrDA-Na)  | 60872-01-7  |
|                   | Perfluorotridecanoate (anion)   | 862374-87-6 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name              | Substance Name   | CAS No.      |
|-------------------------|--|--------------|
| PFTDA, its salts        | Perfluorotetradecanoic acid (PFTDA)  | 376-06-7     |
|                         | Perfluorotetradecanoate (anion)  | 365971-87-5  |
| 10:2 FTS, its salts     | 1H,1H,2H,2H-Perfluorododecane sulfonic acid (10:2 FTS)   | 120226-60-0  |
|                         | 1H,1H,2H,2H-Perfluorododecane sulfonic acid Sodium Salt (10:2 FTS-Na)  | 108026-35-3  |
|                         | 2-(Perfluorodecyl)ethane-1-sulfonyl chloride (10:2 FTS-Cl)   | 27619-91-6   |
| PFNS, its salts         | Perfluorononane sulfonic acid (PFNS)   | 68259-12-1   |
|                         | Sodium perfluoro-1-nonanesulfonate (PFNS-Na*)  | 98789-57-2   |
|                         | Ammonium nonadecafluorononanesulphonate (PFNS-NH <sub>4</sub> )  | 17202-41-4   |
|                         | Potassium perfluorononanesulfonate (PFNS-K*)   | 29359-39-5   |
|                         | Perfluorononane sulfonate (anion)  | 474511-07-4  |
| PUnDS, its salts        | Perfluoroundecane sulfonic acid (PUnDS)  | 749786-16-1  |
|                         | Perfluoroundecanesulfonate (anion)   | 441296-91-9  |
| PFDoDS, its salts       | Perfluorododecane sulfonic acid (PFDoDS)   | 79780-39-5   |
|                         | Sodium perfluoro-1-dodecanesulfonate (PFDoDS-Na*)  | 1260224-54-1 |
|                         | Potassium perfluorododecanesulfonate (PFDoDS-K)  | 85187-17-3   |
|                         | Perfluorododecane sulfonate (anion)  | 343629-43-6  |
| PFTrDS, its salts       | Perfluorotridecane sulfonic acid (PFTrDS)  | 791563-89-8  |
|                         | Sodium perfluoro-1-tridecanesulfonate (PFTrDS-Na*)   | 174675-49-1  |
| 10:2 diPAP, its salts   | 10:2 Fluortelomerphosphatediester (10:2 diPAP)   | 1895-26-7    |
|                         | bis[3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-henicosafuorododecyl] hydrogen phosphate, compound with 2,2'-iminodiethanol (1:1) (10:2 diPAP-C <sub>4</sub> H <sub>11</sub> O <sub>2</sub> ) | 57677-98-2   |
| 10:2 monoPAP, its salts | 10:2 Fluortelomerphosphatemonoester(10:2 monoPAP)  | 57678-05-4   |
|                         | 10:2 Fluortelomer diammonium dihydrogen phosphate  | 93857-45-5   |
|                         | 3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,12-Henicosafuorododecyl dihydrogen phosphate cyclohexylamine   | 2514858-66-1 |
| PFPeDA, its salts       | Perfluoropentadecanoic acid (PFPeDA, C15)  | 141074-63-7  |
|                         | Nonacosafuoropentadecanoate (PFPeDA (anion))   | 1214264-29-5 |
| PFHxDA, its salts       | Perfluorohexadecanoic acid (PFHxDA, C16)   | 67905-19-5   |
|                         | Hentriacontafuorohexadecanoate anion (PFHxDA (anion))  | 1214264-30-8 |
| PFODA, its salts        | Perfluorooctadecanoic acid (PFODA, C18)  | 16517-11-6   |
|                         | Perfluorooctadecanoate anion (PFODA (anion))   | 798556-82-8  |
| PFMPA, its salts        | Perfluoro-3-methoxypropanoic acid (PFMPA)  | 377-73-1     |
|                         | Perfluoro-3-methoxypropanoic anhydride (PFMPAA)  | 42566-65-4   |
| ADONA, its salts        | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA)  | 919005-14-4  |
|                         | Ammonium 4,8-dioxa-3H-perfluorononanoate (ADONA-NH <sub>4</sub> )  | 958445-44-8  |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name                       | Substance Name  | CAS No.      |
|----------------------------------|---|--------------|
| ADONA, its salts                 | Sodium 4,8-dioxa-3H-perfluorononanoate (ADONA-Na)   | 2250081-67-3 |
|                                  | Potassium 2,2,3-trifluoro-3-[1,1,2,2,3,3-hexafluoro-3-(trifluoromethoxy)propoxy]propanoate (ADONA-K)  | 1087271-46-2 |
|                                  | 2,2,3-Trifluoro-3-[1,1,2,2,3,3-hexafluoro-3-(trifluoromethoxy)propoxy]propanoate (ADONA (anion))  | 2127366-90-7 |
| HFPO-DA, its salts & derivatives | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid (HFPO-DA)  | 13252-13-6   |
|                                  | Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-(2R)-  | 75579-39-4   |
|                                  | Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-(2S)-  | 75579-40-7   |
|                                  | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, K-salts  | 67118-55-2   |
|                                  | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, ammonium salts   | 62037-80-3   |
|                                  | Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-, sodium salt (1:1)  | 67963-75-1   |
|                                  | Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-, ion(1-)  | 122499-17-6  |
|                                  | Propanoic acid, 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-, compd. with N-propyl-1-propanamine (1:1)   | 165951-17-7  |
|                                  | Propanoic acid, 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)-, compd. with N,N-diethylethanamine (1:1) (9CI)  | 165951-18-8  |
|                                  | 4-[(6-Methoxy-3-pyridazinyl)sulfamoyl]anilinium 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propanoate  | 298703-31-8  |
|                                  | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, its acyl halides   | 2062-98-8    |
|                                  | Benzoic acid, 2,3,6-triiodo-, (1-methyl-3-piperidiny)methyl ester, compd. with 2,3,3,3-tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoro propoxy)propanoate (1:1) (HFPO-C <sub>14</sub> H <sub>16</sub> I <sub>3</sub> NO <sub>2</sub> ) | 2412106-69-3 |
| 4:2 FTS, its salts               | 1H,1H,2H,2H-Perfluorohexanesulfonic acid (4:2 FTS)  | 757124-72-4  |
|                                  | 1H,1H,2H,2H-perfluorohexane sulfonate acid sodium salt  | 27619-93-8   |
|                                  | 4: 2 Fluorotelomer sulfonate (4:2FTS(anion))  | 414911-30-1  |
| FOSAA, its salts                 | Perfluorooctane sulfonamidoacetic acid (FOSAA)  | 2806-24-8    |
|                                  | N-[(Perfluorooctyl)sulfonyl]glycinate (FOSAA(anion))  | 909405-47-6  |
|                                  | N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)  | 75260-69-4   |
|                                  | N-[(Perfluorooctyl)sulfonyl]glycine sodium salt (1:1) (FOSAA-Na)  | 115716-87-5  |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name                                   | Substance Name   | CAS No.      |
|--|--|--------------|
| N-MeFOSAA, its salts                         | N-methylperfluorooctane sulfonamidoacetic acid (N-MeFOSAA)   | 2355-31-9    |
|  | 2-(N-Methylperfluorooctanesulfonamido)acetate (N-Me-FOSAA(anion))                                      | 909405-48-7  |
|  | Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate (N-Me-FOSAA-K)                         | 70281-93-5   |
| N-EtFOSAA, its salts                         | N-ethylperfluorooctane sulfonamidoacetic (N-EtFOSAA)   | 2991-50-6    |
|  | Potassium N-ethyl-N-((heptadecafluorooctyl)sulphonyl)glycinate (N-Et-FOSAA-K)                          | 2991-51-7    |
|  | 2-(N-Ethyl-perfluorooctanesulfonamido)acetate (N-Et-FOSAA(anion))                                      | 909405-49-8  |
|  | Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-NH4)                                 | 2991-52-8    |
|  | Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-Na)                                    | 3871-50-9    |
| PFPeS, its salts                             | Perfluoropentane sulfonic acid (PFPeS)   | 2706-91-4    |
|  | Sodium perfluoro-1-pentanesulfonate (PFPeS-Na*)  | 630402-22-1  |
|  | Potassium perfluoropentane-1-sulphonate (PFPeS-K)  | 3872-25-1    |
|  | Ammonium perfluoropentanesulfonate (PFPeS-NH <sub>4</sub> *)   | 68259-09-6   |
|  | Bis(2-hydroxyethyl) ammonium 1,1,2,2,3,3,4,4,5,5,5-undecafluoropentane-1-sulphonate                    | 70225-17-1   |
|  | Undecafluoropentane-1-sulfonic acid lithium salt (PFPeS-Li)  | 1046864-81-6 |
|  | Perfluoropentane sulfonate (anion)   | 175905-36-9  |
|  | Triethylammonium perfluoropentane sulfonate  | 72033-42-2   |
| Perfluoropentane sulfonic anhydride (PFPeSA) | 161877-72-1  |              |
| 3:3 FTCA, its salts                          | 3-Perfluoropropyl propanoic acid (3:3 FTCA)  | 356-02-5     |
|  | 4,4,5,5,6,6-Heptafluorohexanoate (3:3 FTCA(anion))   | 1169706-83-5 |
|  | Sodium 3-(perfluoropropyl)propanoate (3:3FTCA-Na)  | 1207462-13-2 |
| 5:3 FTCA, its salts                          | 3-Perfluoropentyl propanoic acid (5:3 FTCA)  | 914637-49-3  |
|  | 2H,2H,3H,3H-Perfluorooctanoate (5:3 FTCA(anion))   | 1799325-94-2 |
| PFEEESA, its salts                           | Perfluoro(2-ethoxyethane)sulfonic acid (PFEEESA)   | 113507-82-7  |
|  | Potassium perfluoro(2-ethoxyethane) sulfonate (PFEEESA-K)  | 117205-07-9  |
|  | Sodium perfluoro(2-ethoxyethane) sulfonate (PFEEESA-Na)  | 113507-87-2  |
| 9Cl-PF <sub>3</sub> ONS, its salts           | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF <sub>3</sub> ONS)                           | 756426-58-1  |
|  | Potassium 9-chlorohexadecafluoro-3-oxanonane-1-sulfonate (9Cl-PF <sub>3</sub> ONS-K)                   | 73606-19-6   |
|  | Ammonium perfluoro-2-[(6-chlorohexyl)oxy]ethane-1-sulfonate (9Cl-PF <sub>3</sub> ONS-NH <sub>4</sub> ) | 1383434-28-3 |
|  | Perfluoro(2-[(6-chlorohexyl)oxy]ethanesulfonate) (9Cl-PF <sub>3</sub> ONS (anion))                     | 1621485-21-9 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name                           | Substance Name   | CAS No.      |
|--------------------------------------|--|--------------|
| 11Cl-PF <sub>3</sub> OUdS, its salts | 11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF <sub>3</sub> OUdS)   | 763051-92-9  |
|                                      | Potassium 11-chloroeicosafuoro-3-oxaundecane-1-sulfonate (11Cl-PF <sub>3</sub> OUdS-K)   | 83329-89-9   |
|                                      | 2-[(8-Chloro-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8-hexadecafluorooctyl)oxy]-1,1,2,2-tetrafluoroethanesulfonate (11Cl-PF <sub>3</sub> OUdS (anion)) | 2196242-82-5 |
| 11H-PFUnDA, its salts                | 11H-Perfluoroundecanoic acid (11H-PFUnDA)  | 1765-48-6    |
|                                      | potassium 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11-icosafuoroundecanoate (11H-PFUnDA-K)   | 307-71-1     |
|                                      | Ammonium 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11-icosafuoroundecanoate (11H-PFUnDA-NH <sub>4</sub> )                                     | 5081-02-7    |
|                                      | 11-H-Perfluoroundecanoate (11H-PFUnDA(anion))  | 69681-37-4   |
| PFPrA, its salts                     | Pentafluoropropionate acid (PFPrA)   | 422-64-0     |
|                                      | Sodium pentafluoropropionate (PFPrA-Na)  | 378-77-8     |
|                                      | Silver pentafluoropropionate (PFPrA-Ag)  | 509-09-1     |
|                                      | Potassium pentafluoropropionate (PFPrA-K)  | 378-76-7     |
|                                      | Ammonium pentafluoropropionate (PFPrA-NH <sub>4</sub> )  | 2730-58-7    |
|                                      | Perfluoropropanoate (PFPrA(anion))   | 44864-55-3   |
|                                      | Pentafluoropropanoic acid-1-phenylpiperazine (1/1) (PFPrA-C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> )                                   | 893-87-8     |
|                                      | Pentafluoropropanoic acid-piperazine (1/1) (PFPrA-C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> )  | 1690-94-4    |
| 6:6 PFPI, its salts                  | Imidazole perfluoropropionic acid salt (PFPrA-C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> )   | 200705-90-4  |
|                                      | 6:6 Perfluorophosphinic acid (6:6 PFPI)  | 40143-77-9   |
|                                      | Sodium bis(perfluorohexyl)phosphinate (6:6 PFPI-Na)  | 70609-44-8   |
|                                      | Bis(perfluorohexyl) phosphinic acid ytterbium(3+) salt (6:6 PFPI-Yb)   | 500776-72-7  |
| 8:8 PFPI, its salts                  | Bis(perfluorohexyl) phosphinic acid erbium(3+) salt (6:6 PFPI-Er)  | 500776-73-8  |
|                                      | 8:8 Perfluorophosphinic acid (8:8 PFPI)  | 40143-79-1   |
|                                      | Sodium bis(perfluorooctyl)phosphinate (8:8 PFPI-Na)  | 500776-69-2  |
|                                      | Bis(perfluorooctyl) phosphinic acid erbium(3+) salt (8:8 PFPI-Er)  | 500776-70-5  |
| HFPO-TA, its salts                   | Bis(perfluorooctyl) phosphinic acid ytterbium(3+) salt (8:8 PFPI-Yb)   | 500776-71-6  |
|                                      | Perfluoro-2,5-dimethyl-3,6-dioxanonanoic acid (HFPO-TA)  | 13252-14-7   |
|                                      | Potassium perfluoro(2-(2-propoxypropoxy)propanoate) (HFPO-TA-K)  | 67118-57-4   |
|                                      | Perfluoro-2,5-dimethyl-3,6-dioxanonanoic acid, sodium salt (HFPO-TA-Na)  | 67963-76-2   |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name           | Substance Name   | CAS No.      |
|----------------------|--|--------------|
| HFPO-TA, its salts   | 2,3,3,3-Tetrafluoro-2-[1,1,2,3,3,3-hexafluoro-2-(heptafluoropropoxy)propoxy]propanoic acid--ammonia (HFPO-TA-NH <sub>4</sub> ) | 13043-05-5   |
|                      | Hexafluoropropene oxide trimer (HFPO-TA-F)   | 2641-34-1    |
| PFETs, its salts     | Pentafluoroethane sulfonic acid (PFETs)  | 354-88-1     |
|                      | Pentafluoroethanesulfonate (PFETs (anion))   | 108410-37-3  |
|                      | Potassium pentafluoroethane-1-sulfonate (PFETs-K)  | 2837-92-5    |
| 6:2 diPAP, its salts | Bis[2-(perfluorohexyl)ethyl] Phosphate (6:2 diPAP)   | 57677-95-9   |
|                      | Sodium bis[2-(perfluorohexyl)ethyl] phosphate (6:2 diPAP-Na)   | 407582-79-0  |
|                      | Bis(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphate ion (6:2 diPAP(anion))   | 667465-18-1  |
| TFSI, its salts      | Trifluoromethanesulfonimide (TFSI)   | 82113-65-3   |
|                      | Pyrrrolidinium, 1-butyl-1-methyl-, salt with 1,1,1-trifluoro-N-[(trifluoromethyl)sulfonyl]methanesulfonamide (1:1)             | 223437-11-4  |
|                      | Tributylmethyl Ammonium Bis(trifluoromethanesulfonyl) Imide  | 405514-94-5  |
|                      | Lithium bis((trifluoromethyl)sulfonyl)azanide (TFSI-Li)  | 90076-65-6   |
|                      | 1-Decyl-3-methylimidazolium Bis(trifluoromethylsulfonyl)imide  | 433337-23-6  |
|                      | Zinc(II) Bis(trifluoromethanesulfonyl)imide ((TFSI) <sub>2</sub> -Zn)  | 168106-25-0  |
|                      | Manganese(II) Bis(trifluoromethanesulfonyl)imide ((TFSI) <sub>2</sub> -Mn)   | 207861-55-0  |
|                      | Nickel bis(trifluoromethylsulfonyl)imide ((TFSI) <sub>2</sub> -Ni)   | 207861-63-0  |
|                      | Copper(II) Bis(trifluoromethanesulfonyl)imide ((TFSI) <sub>2</sub> -Cu)  | 162715-14-2  |
|                      | (OC-6-11)-Tris(1,1,1-trifluoro-N-((trifluoromethyl)sulfonyl-kappaO)methanesulfonamidato-kappaO)iron ((TFSI) <sub>3</sub> -Fe)  | 207861-59-4  |
|                      | Copper(II) trifluoromethanesulfonimide xhydrate ((TFSI) <sub>2</sub> -CuH <sub>2</sub> O)                                      | 1334406-76-6 |
|                      | Silver Bis(trifluoromethanesulfonyl)imide (TFSI-Ag)  | 189114-61-2  |
|                      | Copper bis(trifluoromethylsulfonyl)imide (TFSI-Cu)   | 291300-50-0  |
|                      | Barium(II) Bis(trifluoromethanesulfonyl)imide ((TFSI) <sub>2</sub> -Ba)  | 168106-22-7  |
|                      | Strontium bis(trifluoromethylsulfonyl)imide  | 862121-57-1  |
|                      | 1-Methylimidazole Bis(trifluoromethanesulfonyl)imide   | 353239-08-4  |
|                      | 1-Ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide  | 174899-82-2  |
|                      | 1,2-Dimethyl-3-propylimidazolium bis(trifluoromethylsulfonyl)imide   | 169051-76-7  |
|                      | Magnesium bis(trifluoromethylsulfonyl)imide (TFSI-Mg)  | 133395-16-1  |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name   | Substance Name  | CAS No.      |
|--|---|--------------|
| TFSI, its salts  | 1-Methyl-3-propylimidazolium Bis(trifluoromethanesulfonyl)imide   | 216299-72-8  |
|  | 1-Butyl-1-methylpiperidinium bis(trifluoromethylsulfonyl)imide  | 623580-02-9  |
|  | 1-Methyl-3-n-octylimidazolium Bis(trifluoromethanesulfonyl)imide  | 178631-04-4  |
|  | Tris[bis(trifluoromethylsulfonyl)amino] ytterbium ((TFSI)3-Yb)  | 175438-43-4  |
|  | Butyltrimethylammonium bis(trifluoromethylsulfonyl)imide  | 258273-75-5  |
|  | Cobalt bis(trifluoromethylsulfonyl)imide ((TFSI)2-Co)   | 207861-61-8  |
|  | Potassium Bis(trifluoromethanesulfonyl)imide (TFSI-K)   | 90076-67-8   |
|  | 1-Methyl-1-propylpiperidin-1-ium Bis((trifluoromethyl)sulfonyl)amide  | 608140-12-1  |
|  | 1-Ethyl-2,3-dimethylimidazolium Bis(trifluoromethanesulfonyl)imide  | 174899-90-2  |
|  | 1-Methyl-1-propylpyrrolidinium Bis(trifluoromethanesulfonyl)imide   | 223437-05-6  |
|  | 1,1,1-trifluoro-N-trifluoromethanesulfonyl-N-((N-trifluoromethanesulfonyl)trifluoromethanesulfonamido)calcio) methanesulfonamide ((TFSI)2-Ca) | 165324-09-4  |
|  | Choline bis(trifluoromethylsulfonyl)imide   | 827027-25-8  |
|  | 1-Dodecyl-3-methylimidazolium Bis(trifluoromethanesulfonyl)imide  | 404001-48-5  |
|  | 1-Ethyl-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide   | 223436-99-5  |
|  | Diethylmethylsulfonium bis(trifluoromethylsulfonyl)imide  | 792188-85-3  |
|  | Bis(trifluoromethylsulfonyl)azanide;mercury(2+) ((TFSI)2-Hg)  | 104715-41-5  |
|  | Cerium(III) Bis(trifluoromethanesulfonyl)imide (TFSI-Ce)  | 1046099-39-1 |
|  | Cadmium bis{bis[(trifluoromethyl)sulfonyl]azanide} (TFSI-Cd)  | 1263295-73-3 |
|  | Bis(trifluoromethanesulfonyl)imide Lanthanum(III) Salt (TFSI-La)  | 168106-26-1  |
|  | Scandium(III) bis(trifluoromethylsulfonyl)imide (TFSI-Sc)   | 176726-07-1  |
| Yttrium(III) bis(trifluoromethanesulfonyl)imide (TFSI-Y) | 189114-86-1   |              |
| Vanadium tris(bis(trifluoromethanesulfon)imide) (TFSI-V) | 207861-54-9   |              |
| Iron(II) bis(trifluoromethanesulfonyl)imide (TFSI-Fe)    | 207861-57-2   |              |
| Tin(II) bis(trifluoromethylsulfonyl)imide (TFSI-Sn)      | 460096-08-6   |              |
| Cesium bis(trifluoromethanesulfonyl)imide (TFSI-Cs)      | 91742-16-4  |              |
| Sodium bis(trifluoromethanesulfonyl)imide (TFSI-Na)      | 91742-21-1  |              |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name   | Substance Name                                       | CAS No.     |
|--|--|-------------|
| TFMS, its salts  | Trifluoromethane sulfonic acid (TFMS)                | 1493-13-6   |
|  | Trifluoromethane sulfonic acid Sodium salt (TFMS-Na) | 2926-30-9   |
|  | Silver trifluoromethanesulfonate (TFMS-Ag)           | 2923-28-6   |
|  | Zinc trifluoromethanesulfonate (TFMS-Zn)             | 54010-75-2  |
|  | Scandium trifluoromethanesulfonate (TFMS-Sc)         | 144026-79-9 |
|  | Trifluoromethanesulfonic anhydride                   | 358-23-6    |
|  | Lithium trifluoromethanesulfonate (TFMS-Li)          | 33454-82-9  |
|  | Copper(II) trifluoromethanesulfonate (TFMS-Cu)       | 34946-82-2  |
|  | Barium trifluoromethanesulfonate (TFMS-Ba)           | 2794-60-7   |
|  | Cerium(IV) trifluoromethanesulfonate (TFMS-Ce)       | 107792-63-2 |
|  | Magnesium trifluoromethanesulfonate (TFMS-Mg)        | 60871-83-2  |
|  | Potassium trifluoromethanesulfonate (TFMS-K)         | 2926-27-4   |
|  | Nickel(II) Trifluoromethanesulfonate (TFMS-Ni)       | 60871-84-3  |
|  | Tin(II) trifluoromethanesulfonate (TFMS-Sn)          | 62086-04-8  |
|  | Yttrium(III) trifluoromethanesulfonate (TFMS-Y)      | 52093-30-8  |
|  | Iron(III) trifluoromethanesulfonate (TFMS-Fe)        | 63295-48-7  |
|  | Cerium(III) Trifluoromethanesulfonate (TFMS-Ce)      | 76089-77-5  |
|  | Tetrabutylammonium trifluoromethanesulfonate         | 35895-70-6  |
|  | Methyltrioctylammonium trifluoromethanesulfonate     | 121107-18-4 |
|  | Imidazole trifluoromethanesulfonate                  | 29727-06-8  |
|  | Trifluoroacetyl Trifluoromethanesulfonate            | 68602-57-3  |
|  | Lanthanum(III) trifluoromethanesulfonate (TFMS-La)   | 52093-26-2  |
|  | Indium(III) trifluoromethanesulfonate (TFMS-In)      | 128008-30-0 |
|  | Samarium(III) trifluoromethanesulfonate (TFMS-Sm)    | 52093-28-4  |
|  | Ytterbium(III) trifluoromethanesulfonate (TFMS-Yb)   | 54761-04-5  |
|  | Thulium(III) trifluoromethanesulfonate (TFMS-Tm)     | 141478-68-4 |
|  | Tetraethylammonium trifluoromethanesulfonate         | 35895-69-3  |
|  | 1-Fluoro-3,5-dichloropyridinium triflate             | 107264-06-2 |
|  | Triethylamine salt of trifluoromethanesulfonic acid  | 646-58-2    |
|  | Triphenylphosphonium anhydride triflate              | 72450-51-2  |
| N,N-Diethyl-6-(diethylamino)-9-(2-(methoxycarbonyl)phenyl)-3H-xanthene-3-ylideneammonium trifluoromethanesulfonate | 120611-30-5  |             |
| Diphenylammonium Trifluoromethanesulfonate   | 164411-06-7  |             |
| 1-(3-aminoazetid-1-yl)prop-2-en-1-one, trifluoromethanesulfonic acid   | 2060047-56-3   |             |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name      | Substance Name   | CAS No.      |
|-----------------|--|--------------|
| TFMS, its salts | Guanidine trifluoromethanesulfonic acid  | 153756-25-3  |
|                 | Trifluoromethanesulfonic acid--1-ethyl-1H-imidazole (1/1)                                  | 501693-46-5  |
|                 | Ruthenium(3+), (OC-6-22)-, salt with trifluoromethanesulfonic acid (1:3)                   | 74468-24-9   |
|                 | O-Pivaloylhydroxylamine trifluoromethanesulfonate  | 1293990-73-4 |
|                 | Trifluoromethanesulfonyl chloride  | 421-83-0     |
|                 | (2-Pyridylmethyl)sulfonyl chloride triflate  | 882564-09-2  |
|                 | Trifluoromethanesulfonyl bromide   | 15458-53-4   |
|                 | Mercury(II) trifluoromethanesulfonate (TFMS-Hg)  | 49540-00-3   |
|                 | Dysprosium(III) tris(trifluoromethanesulfonate) (TFMS-Dy)                                  | 139177-62-1  |
|                 | Manganese bis(trifluoromethanesulfonate) (TFMS-Mn)   | 55120-76-8   |
|                 | Pentaammine(trifluoromethanesulfonato)osmium(III) triflate                                 | 83781-30-0   |
|                 | Lutetium(III) trifluoromethanesulfonate (TFMS-Lu)  | 126857-69-0  |
|                 | Terbium(III) trifluoromethanesulfonate (TFMS-Tb)   | 148980-31-8  |
|                 | Neodymium(III) trifluoromethanesulfonate (TFMS-Nd)   | 34622-08-7   |
|                 | Ammonium trifluoromethanesulfonate (TFMS-NH4)  | 38542-94-8   |
|                 | Holmium(III) trifluoromethanesulfonate (TFMS-Ho)   | 139177-63-2  |
|                 | Trifluoromethanesulfonate  | 37181-39-8   |
|                 | Praseodymium(III) trifluoromethanesulfonate (TFMS-Pr)                                      | 52093-27-3   |
|                 | Bismuth(III) trifluoromethanesulfonate (TFMS-Bi)   | 88189-03-1   |
|                 | Europium(III) trifluoromethanesulfonate (TFMS-Eu)  | 52093-25-1   |
|                 | Erbium(III) trifluoromethanesulfonate (TFMS-Er)  | 139177-64-3  |
|                 | Gallium(III) trifluoromethanesulfonate (TFMS-Ga)   | 74974-60-0   |
|                 | N,N,N-Triethyl-2,2,2-trifluoroethan-1-aminium trifluoromethanesulfonate                    | 380230-73-9  |
|                 | Methanesulfonic acid, trifluoro-, calcium salt (TFMS-Ga)                                   | 55120-75-7   |
|                 | Thallium(1+) trifluoromethanesulfonate (TFMS-Tl)   | 73491-36-8   |
|                 | Hafnium(IV) Trifluoromethanesulfonate (TFMS-Hf)  | 161337-67-3  |
|                 | 1-(2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-Pentadecafluorooctyl)pyridinium trifluoromethanesulfonate | 25061-59-0   |
|                 | Tetrapropylammonium trifluoromethanesulphonate (TFMS-N(C3H7)4)                             | 35925-48-5   |
|                 | (Heptafluoropropyl)(phenyl)iodanium trifluoromethanesulfonate                              | 77758-79-3   |
|                 | Phenyl(tridecafluorohexyl)iodanium trifluoromethanesulfonate                               | 77758-84-0   |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.

8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

| Group Name                                    | Substance Name   | CAS No.      |
|---|--|--------------|
| TFMS, its salts                               | (Heptadecafluorooctyl)(phenyl)iodanium   | 77758-89-5   |
|   | (1,1,1,2,3,3,3-Heptafluoropropan-2-yl)(phenyl)iodanium trifluoromethanesulfonate | 82959-18-0   |
|   | Triethylmethylammonium triflate  | 90756-35-7   |
|   | Pentafluoroanilinium trifluoromethanesulfonate                                   | 912823-79-1  |
|   | Tributylmethylammonium trifluoromethanesulfonate                                 | 944557-37-3  |
| PFPrS, its salts                              | Perfluoropropate sulfonic acid (PFPrS)   | 423-41-6     |
|   | Perfluoropropanesulfonic acid sodium salt (PFPrS-Na)                             | 359868-82-9  |
| PFHpSi, its salts                             | Perfluoroheptane-1-sulfinic acid (PFHpSi)  | 769067-51-8  |
|   | 1-heptanesulfinic Acid Sodium Salt (PFHpSi-Na)                                   | 68555-66-8   |
| PFOPA, its salts                              | Perfluorooctylphosphonic acid (PFOPA)  | 40143-78-0   |
|   | (Heptadecafluorooctyl)phosphonic acid--4-methylaniline (1/1)                     | 1263361-03-0 |
| BETI, its salts                               | Bis(pentafluoroethylsulfonyl)imide   | 152894-10-5  |
|   | Lithium Bis(pentafluoroethanesulfonyl)imide                                      | 132843-44-8  |
|   | Bis(perfluoroethylsulfonyl)imide anion   | 129318-46-3  |
|   | Sodium bis((perfluoroethyl)sulfonyl)amide  | 152894-04-7  |
|   | Potassium bis((perfluoroethyl)sulfonyl)amide                                     | 221203-22-1  |
|   | 1-Ethyl-3-methylimidazolium bis(perfluoroethylsulfonyl)imide                     | 216299-76-2  |
| PFHxPA, its salts                             | Perfluorohexyl phosphonic acid   | 40143-76-8   |
|   | Perfluorohexylphosphonic Acid 4-Methylbenzamine                                  | 1263361-02-9 |
| Ethyl perfluoroisobutyl ether and its isomers | Ethyl perfluoroisobutyl ether and its isomers                                    | 163702-05-4  |
|   | Perfluoroisobutyl ethyl ether  | 163702-06-5  |


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

## Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.


( Cr<sup>6+</sup> test method excluded )



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

### Analytical flow chart – PBBs / PBDEs




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

## Analytical flow chart - Phthalate


【Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.


### Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

### Analytical flow chart - HBCDD




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

## Analytical flow chart


\* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.


### Analytical flow chart - TBBP-A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.


### Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

**Analysis flow chart for determination of Asbestos**  
**【 Reference method: EPA 600/R-93/116 】**




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

### Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method : US EPA 3051A 、 US EPA 3052】




\* US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.


### Analytical flow chart - Persistent, Bioaccumulative, Toxic (PBTs)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

### Analytical flow chart - Ethylene glycol ether




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

## Analytical flow chart of volatile organic compounds (VOCs)


【Reference method : US EPA 5021A】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

### Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Taiwan Semiconductor Manufacturing Company, Ltd.  
8, Li-Hsin Rd. 6, Hsinchu Science Park, Hsinchu 300-096, Taiwan, R.O.C.

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

### ETR25C00006



### ETR25C00006



\*\* End of Report \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.