

Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 1 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)

上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

樣品名稱(Sample Name) : PURIFIED CUSO4 CONC (APT) / 20L PDR T

收件日(Sample Receiving Date)

: 12-Jun-2023

測試期間(Testing Period)

12-Jun-2023 to 16-Jun-2023

測試需求(Test Requested)

- (1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)
- (2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).) 請參閱下一頁 (Please refer to following pages.)

測試結果(Test Results) 結 論(Conclusion)

2) :

(1) 根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

Troy Chang / Department Malager
Signed for and on behalf of AIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 57B1EA04



Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 2 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)

上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 藍色液體 (BLUE LIQUID)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013·以感應耦合電漿	mg/kg	2	n.d.	1000
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017,	mg/kg	2	n.d.	1000
	以感應耦合電漿發射光譜儀分析。(With				
	reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-				
	OES.)				
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017,以紫外光-可見	mg/kg	8	n.d.	1000
Cr(VI))	光分光光度計分析。(With reference to				
	IEC 62321-7-2: 2017, analysis was				
	performed by UV-VIS.)				



Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 3 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)

上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
N 766 11				No.1	
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)	參考IEC 62321-6: 2015,以氣相層析儀/質	mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)	譜儀分析。(With reference to IEC 62321-	mg/kg	-	n.d.	1000
一溴聯苯醚 (Monobromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	=
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000



Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 4 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)

上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl	參考IEC 62321-8: 2017,以氣相層析儀/質	mg/kg	50	n.d.	1000
phthalate (BBP))	譜儀分析。(With reference to IEC 62321-				
	8: 2017, analysis was performed by				
	GC/MS.)				
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	參考IEC 62321-8: 2017,以氣相層析儀/質	mg/kg	50	n.d.	1000
phthalate (DBP))	譜儀分析。(With reference to IEC 62321-				
	8: 2017, analysis was performed by				
	GC/MS.)				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-	參考IEC 62321-8: 2017,以氣相層析儀/質	mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP))	譜儀分析。(With reference to IEC 62321-				
	8: 2017, analysis was performed by				
	GC/MS.)				
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl	參考IEC 62321-8: 2017,以氣相層析儀/質	mg/kg	50	n.d.	1000
phthalate (DIBP))	譜儀分析。(With reference to IEC 62321-				
	8: 2017, analysis was performed by				
	GC/MS.)				
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl	參考IEC 62321-8: 2017,以氣相層析儀/質	mg/kg	50	n.d.	-
phthalate (DIDP)) (CAS No.: 26761-40-	譜儀分析。(With reference to IEC 62321-				
0, 68515-49-1)	8: 2017, analysis was performed by				
	GC/MS.)				
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl	參考IEC 62321-8: 2017,以氣相層析儀/質	mg/kg	50	n.d.	-
phthalate (DINP)) (CAS No.: 28553-12-	譜儀分析。(With reference to IEC 62321-				
0, 68515-48-0)	8: 2017, analysis was performed by				
	GC/MS.)				



Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 5 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)

上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl	參考IEC 62321-8: 2017 · 以氣相層析儀/質	mg/kg	50	n.d.	-
phthalate (DNOP)) (CAS No.: 117-84-0)	譜儀分析。(With reference to IEC 62321-				
	8: 2017, analysis was performed by				
	GC/MS.)				
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-		mg/kg	50	n.d.	-
8)					
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-	參考BS EN 14582: 2016 · 以離子層析儀分	mg/kg	50	n.d.	-
15-1)	析。(With reference to BS EN 14582:				
溴 (Br) (Bromine (Br)) (CAS No.: 10097-	2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
32-2)					
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
全氟辛烷磺酸及其鹽類 (PFOS and its	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
salts) (CAS No.: 1763-23-1 and its salts)	聯質譜儀分析。(With reference to				
	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
全氟辛酸及其鹽類 (PFOA and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(CAS No.: 335-67-1 and its salts)	聯質譜儀分析。(With reference to				
	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-	参考US EPA 3052: 1996·以感應耦合電漿	mg/kg	2	n.d.	-
41-7)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				



Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 6 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)

上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	參考US EPA 3052: 1996·以感應耦合電漿	mg/kg	2	n.d.	-
36-0)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 全氟辛烷磺酸及其鹽類包含等物質 (PFOS and its salts including):

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

- 6. 全氟辛酸及其鹽類包含等物質 (PFOA and its salts including):
 - CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.
- 7. 除非另有說明·參照ILAC-G8:09/2019·採用簡單二元(w=0)允收規則進行符合性判定;根據此規則·符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 7 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)

上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)


江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)





Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 8 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)


上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 9 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)

上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)


廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】





Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 10 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)


上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen





Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 11 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)


上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 12 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)

上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)


臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.



Test Report

號碼(No.): ETR23602103 日期(Date): 16-Jun-2023 頁數(Page): 13 of 13

羅門哈斯電子材料 / 科波西電子材料 / 臺灣道邦化學 (ROHM AND HAAS ELECTRONIC MATERIALS / CUPOSIT ELECTRONIC MATERIALS / DDP SPECIALTY PRODUCTS)

上海自由貿易試驗區富特西一路139號1110室 (ROOM 1110, NO. 139, FU TE YI ROAD WEST, SHANGHAI PILOT FREE TRADE ZONE, SHANGHAI)

廣東省東莞市東城街道山湖路東城段26號 (SHANHU ROAD, DONGCHENG SECTION 26, DONGCHENG DISTRICT, DONGGUAN CITY, GUANGDONG PROVINCE)

江蘇省張家港市揚子江國際化學工業園南京路3號 (3, NANJING ROAD, JIANGSU, YANGZE RIVER INTERNATIONAL CHEMICAL INDUSTRIAL PARK, ZHANGJIAGANG CITY, JIANGSU PROVINCE)

臺灣桃園市大園區中山北路280巷6號 (NO. 6, LANE 280, ZHONG SHAN NORTH ROAD, DA YUAN DISTRICT, TAO YUAN CITY, TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR23602103



** 報告結尾 (End of Report) **