

No.: ETR22A04343 Date: 11-Nov-2022 Page: 1 of 33

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : WAFERTECH LLC (TSMC F11)

Sample Name : TSMC FAB 11 ALUMINUM 8" FINISHED WAFER

Style/Item No. : W39257.01 / W39304.04

Other Info. : DURING SAMPLE PREPARATIONS, THE INTEGRITY OF THE IC WAFER PROVIDED

WAS FULLY DESTROYED.

Total Sample Weight

(WAFER)

54 g

Sample Receiving Date

: 27-Oct-2022

Testing Period

: 27-Oct-2022 to 03-Nov-2022

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) As specified by client, to test PAHs and other item(s).

Test Results

Please refer to following pages.

Conclusion

(1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

(2) Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3) [「]Use by children under 14」 as set by German Committee on Product Safety (AfPS) GS PAHs.

Troy Chang / Department Malager
Signed for and on behalf of Alwan
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: FAB439B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: ETR22A04343 Date: 11-Nov-2022 Page: 2 of 33

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Part Description

No.1 : WAFER

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd) (CAS No.: 7440-43-9)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	100
Lead (Pb) (CAS No.: 7439-92-1)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Mercury (Hg) (CAS No.: 7439-97-6)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Hexavalent Chromium Cr(VI) (CAS No.: 18540-29-9)	With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.	mg/kg	8	n.d.	1000
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	1	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether	1	mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Butyl benzyl phthalate (BBP) (CAS No.: 85-68-7)	Test Item(s)	Method	Unit	MDL	Result	Limit
85-68-7)					No.1	
Dibutyl phthalate (DBP) (CAS No.: 84- analysis was performed by GC/MS. Di-(2-ethylhexyl) phthalate (DEHP) (CAS No.: 117-81-7) (CAS No.: 117-81-7) (AS No.: 26761-40-0, 68515-49-1) (AS No.: 26761-40-0, 68515-49-1) (AS No.: 26761-40-0, 68515-49-1) (AS No.: 26761-40-0, 68515-49-1) (AS No.: 28553-12-0, 68515-48-0) (AS No.: 14362-94-8) (AS No.: 14362-	Butyl benzyl phthalate (BBP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
74-2	85-68-7)	analysis was performed by GC/MS.				
Di-(2-ethylhexyl) phthalate (DEHP) (CAS No.: 117-81-7) Analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2018, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2016, analysis was performed by ICC. Mith reference to IEC 62321-8: 2016, analysis was performed by ICC. Mith reference to IEC 62321-8: 2016, analysis was performed by ICC. Mith reference to IEC 62321-8: 2016, analysis was performed by ICC. Mith reference to IEC 62321-8: 2016, analysis was performed by ICC. Mith reference to IEC 62321-8: 2016, analysis was performed by ICC. Mith reference to IEC 62321-8: 2016, analysis was performed by ICC. Mith reference to IEC 62321-8: 2016, analysis was performed by ICC. Mith reference to IEC 62321-8: 2016, analysis was performed by ICC. Mith reference to IEC 62321-8: 2016, analysis was performed by ICC. Mith reference to IEC 62321	Dibutyl phthalate (DBP) (CAS No.: 84-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
CAS No.: 117-81-7 analysis was performed by GC/MS.	74-2)	analysis was performed by GC/MS.				
Diisobutyl phthalate (DIBP) (CAS No.: 84-69-5) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Dii-n-octyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2018, analysis was performed by GC/MS. With reference to IEC 62321-8: 2018, analysis was performed by GC/MS. With reference to IEC 62321-8: 2016, analysis was performed by GC/MS. With reference to IEC 62321-8: 2016, analysis was performed by GC/MS. With reference to IEC 62321-8: 2016, analysis was performed by IC. With reference to BS EN 14582: 2016, analysis was performed by IC. With reference to BS EN 14582: 2016, analysis was performed by IC. Indine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Indine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Radioactive substances Geiger counter: Ipsv/hour Negative* Indianalysis was performed by IC. Radioactive substances Geiger counter: Ipsv/hour Negative* Indianalysis was performed by GC/MS. Indianalys	Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
Sa4-69-5 analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. GE 62321-8: 2017, analysis was performed by GC/MS. GE 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Mith reference to IEC 62321: 2008, analysis was performed by GC/MS. With reference to IEC 62321: 2008, analysis was performed by GC/MS. With reference to IEC 62321: 2008, analysis was performed by GC/MS. With reference to IEC 62321: 2008, analysis was performed by ICC. With reference to IEC 62321: 2016, analysis was performed by ICC. With reference to IEC 62321: 2016, analysis was performed by ICC. With reference to IEC 62321: 2016, analysis was performed by ICC. Mith reference to IEC 62321: 2016, analysis was performed by ICC. Mith reference to IEC 62321: 2016, analysis was performed by ICC. Mith reference to IEC 62321: 2016, analysis was performed by ICC. With reference to IEC 62321: 2016, analysis was performed by ICC. Mith reference to IEC 62321: 2016, analysis was performed by ICC. Mith reference to IEC 62321: 2016, analysis was performed by ICC. Mith reference to IEC 62321: 2016, analysis was performed by ICC. Mith reference to IEC 62321: 2016, analysis was performed by ICC. Mith reference to IEC 62321: 2016, analysis was performed by ICC. Mith reference to IEC 62321: 2014, analysis was performed by ICC. Mith reference to IEC 62321: 2014, analysis was performed by ICC. Mith reference to IEC 62321: 2014, analysis was performed by ICC. Mith reference to IEC 62321: 2014, analysis was performed by ICC. Mith reference to IEC	(CAS No.: 117-81-7)	analysis was performed by GC/MS.				
Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) Analysis was performed by GC/MS. Solution only phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Solution only phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Solution only phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Solution only graph on the provided on th	Diisobutyl phthalate (DIBP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
26761-40-0, 68515-49-1) analysis was performed by GC/MS. mg/kg 50 n.d. - 28553-12-0, 68515-48-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. mg/kg 50 n.d. - 28553-12-0, 68515-48-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. mg/kg 50 n.d. - 117-84-0) with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. mg/kg 50 n.d. - Hexabromocyclododecane (HBCDD) analysis was performed by GC/MS. With reference to IEC 62321: 2008, analysis was performed by GC/MS. mg/kg 5 n.d. - HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 314237-51-7) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Chlorine (Cl) (CAS No.: 14762-94-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. -	84-69-5)	analysis was performed by GC/MS.				
Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. mg/kg 50 n.d. - 17-84-0) with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. mg/kg 50 n.d. - 17-84-0) with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. with reference to IEC 62321: 2008, analysis was performed by GC/MS. with reference to IEC 62321: 2008, analysis was performed by GC/MS. with reference to IEC 62321: 2008, analysis was performed by GC/MS. with reference to IEC 62321: 2008, analysis was performed by GC/MS. with reference to IEC 62321: 2008, analysis was performed by GC/MS. with reference to IEC 62321: 2008, analysis was performed by GC/MS. with reference to IEC 62321: 2008, analysis was performed by GC/MS. with reference to IEC 62321: 2008, analysis was performed by IC. with reference to IEC 62321: 2008, analysis was performed by IC. with reference to IEC 62321: 2008, analysis was performed by IC. with reference to IEC 62321: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysis was performed by IC. with reference to IEC 62321-8: 2016, analysi	Diisodecyl phthalate (DIDP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
28553-12-0, 68515-48-0) analysis was performed by GC/MS. Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Hexabromocyclododecane (HBCDD) with reference to IEC 62321: 2008, analysis was performed by GC/MS. With reference to IEC 62321: 2008, analysis was performed by GC/MS. With reference to IEC 62321: 2008, analysis was performed by GC/MS. With reference to IEC 62321: 2008, analysis was performed by GC/MS. With reference to BS EN 14582: 2016, analysis was performed by IC. Chlorine (F) (CAS No.: 14762-94-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Chlorine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Radioactive substances Geiger counter. μSv/hour - Negative* - Negativ	26761-40-0, 68515-49-1)	analysis was performed by GC/MS.				
Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. mg/kg 50 n.d. - Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD, CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Fluorine (F) (CAS No.: 14762-94-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Radioactive substances Geiger counter. µSV/hour - Negative* - CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - CFC-112 (CAS No.: 7	Diisononyl phthalate (DINP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
117-84-0) analysis was performed by GC/MS. mg/kg 5 n.d. - Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ-HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) with reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Fluorine (F) (CAS No.: 14762-94-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Chlorine (CI) (CAS No.: 22537-15-1) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Radioactive substances Geiger counter. μSv/hour - Negative* - CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, mg/kg	28553-12-0, 68515-48-0)	analysis was performed by GC/MS.				
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	Di-n-octyl phthalate (DNOP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) Fluorine (F) (CAS No.: 14762-94-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Chlorine (Cl) (CAS No.: 22537-15-1) With reference to BS EN 14582: 2016, analysis was performed by IC. Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Radioactive substances Geiger counter. μSv/hour - Negative*	117-84-0)	analysis was performed by GC/MS.				
identified (α- HBCDD, β- HBCDD, γ- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) Fluorine (F) (CAS No.: 14762-94-8)	Hexabromocyclododecane (HBCDD)	With reference to IEC 62321: 2008,	mg/kg	5	n.d.	-
HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Fluorine (F) (CAS No.: 14762-94-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Chlorine (CI) (CAS No.: 22537-15-1) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Radioactive substances Geiger counter. μSv/hour - Negative* - CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. -	and all major diastereoisomers	analysis was performed by GC/MS.				
55-6 (134237-51-7, 134237-50-6, 134237-50-6, 134237-52-8)) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - analysis was performed by IC. Chlorine (Cl) (CAS No.: 22537-15-1) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - analysis was performed by IC. Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - analysis was performed by IC. Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - analysis was performed by IC. Radioactive substances Geiger counter. µSv/hour - Negative* - Negative* CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - analysis was performed by GC/MS. CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - analysis was performed by GC/MS.	identified (α- HBCDD, β- HBCDD, γ-					
134237-52-8)) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Chlorine (Cl) (CAS No.: 22537-15-1) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. mg/kg 50 n.d. - Radioactive substances Geiger counter. μSv/hour - Negative* - CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg n.d. - -	HBCDD) (CAS No.: 25637-99-4, 3194-					
Fluorine (F) (CAS No.: 14762-94-8) With reference to BS EN 14582: 2016, analysis was performed by IC. With reference to BS EN 14582: 2016, analysis was performed by IC. With reference to BS EN 14582: 2016, analysis was performed by IC. With reference to BS EN 14582: 2016, analysis was performed by IC. With reference to BS EN 14582: 2016, analysis was performed by IC. Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. With reference to BS EN 14582: 2016, analysis was performed by IC. Radioactive substances Geiger counter. WSV/hour - Negative* - Chlorofluorocarbons (CFCs) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg						
analysis was performed by IC. Chlorine (CI) (CAS No.: 22537-15-1) With reference to BS EN 14582: 2016, analysis was performed by IC. Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Radioactive substances Geiger counter. Chlorofluorocarbons (CFCs) CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d	134237-52-8))					
Chlorine (Cl) (CAS No.: 22537-15-1) With reference to BS EN 14582: 2016, analysis was performed by IC. Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. lodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Radioactive substances Geiger counter. CHlorofluorocarbons (CFCs) CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d	Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
analysis was performed by IC. Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Radioactive substances Geiger counter. μSv/hour - Negative* - Chlorofluorocarbons (CFCs) CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d		analysis was performed by IC.				
Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, analysis was performed by IC. Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Radioactive substances Geiger counter. Chlorofluorocarbons (CFCs) CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d	Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
analysis was performed by IC. Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, analysis was performed by IC. Radioactive substances Geiger counter. Chlorofluorocarbons (CFCs) CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.		analysis was performed by IC.				
Iodine (I) (CAS No.: 14362-44-8)With reference to BS EN 14582: 2016, analysis was performed by IC.mg/kg50n.dRadioactive substancesGeiger counter.μSv/hour-Negative*-Chlorofluorocarbons (CFCs)Vith reference to US EPA 5021A: 2014, analysis was performed by GC/MS.mg/kg1n.dCFC-111 (CAS No.: 354-56-3)With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.mg/kg1n.dCFC-112 (CAS No.: 76-12-0)With reference to US EPA 5021A: 2014, mg/kg1n.d	Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
analysis was performed by IC. Radioactive substances Geiger counter. Chlorofluorocarbons (CFCs) CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. - mg/kg 1 n.d. - mg/kg 1 n.d. - mg/kg		analysis was performed by IC.				
Radioactive substances Chlorofluorocarbons (CFCs) CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d	lodine (I) (CAS No.: 14362-44-8)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
Chlorofluorocarbons (CFCs) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. -		analysis was performed by IC.				
CFC-13 (CAS No.: 75-72-9) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg 1 n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d. -	Radioactive substances	Geiger counter.	μSv/hour	-	Negative*	-
analysis was performed by GC/MS. mg/kg n.d. - CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. mg/kg n.d. - CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg n.d. -	Chlorofluorocarbons (CFCs)					
analysis was performed by GC/MS. Image: CFC-111 (CAS No.: 354-56-3) With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. Image: Mg/kg or Mg/kg	CFC-13 (CAS No.: 75-72-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	=
analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d		analysis was performed by GC/MS.	3 3			
analysis was performed by GC/MS. CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d	CFC-111 (CAS No.: 354-56-3)		mg/kg	1	n.d.	-
CFC-112 (CAS No.: 76-12-0) With reference to US EPA 5021A: 2014, mg/kg 1 n.d	, , , , , , , , , , , , , , , , , , ,	•				
· · · · · · · · · · · · · · · · · · ·	CFC-112 (CAS No.: 76-12-0)	, ,	mg/kg	1	n.d.	-
	, , , , , , , , , , , , , , , , , , ,	•	J, J			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 3 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
CFC-211 (CAS No.: 422-78-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-212 (CAS No.: 3182-26-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-213 (CAS No.: 2354-06-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-214 (CAS No.: 29255-31-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-215 (CAS No.: 4259-43-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-216 (CAS No.: 661-97-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-217 (CAS No.: 422-86-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
CFC-12 (CAS No.: 75-71-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3. 3			
CFC-11 (CAS No.: 75-69-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
, ,	analysis was performed by GC/MS.	3. 3			
CFC-115 (CAS No.: 76-15-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
CFC-114 (CAS No.: 76-14-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
CFC-113 (CAS No.: 76-13-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
Hydrochlorofluorocarbons (HCFCs)					
HCFC-21 (CAS No.: 75-43-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
HCFC-22 (CAS No.: 75-45-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
HCFC-31 (CAS No.: 593-70-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
,	analysis was performed by GC/MS.				
HCFC-121 (CAS No.: 354-14-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
, ,	analysis was performed by GC/MS.	J. J.			
HCFC-122 (CAS No.: 354-21-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
, , ,	analysis was performed by GC/MS.	J, 9			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 4 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

HCFC 122 (CAS No : 206 92 2)		Unit	MDL	Result	Limit
HCFC 122 (CAC No. 206 92 2)				No.1	
HCFC-123 (CAS No.: 306-83-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-124 (CAS No.: 2837-89-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-131 (CAS No.: 359-28-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-132b (CAS No.: 1649-08-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-133a (CAS No.: 75-88-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-142b (CAS No.: 75-68-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-221 (CAS No.: 422-26-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-222 (CAS No.: 422-49-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
HCFC-223 (CAS No.: 422-52-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-224 (CAS No.: 422-54-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-225ca (CAS No.: 422-56-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-225cb (CAS No.: 507-55-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-226 (CAS No.: 431-87-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
HCFC-231 (CAS No.: 421-94-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
,	analysis was performed by GC/MS.	J. J			
HCFC-232 (CAS No.: 460-89-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
,	analysis was performed by GC/MS.	J. J			
HCFC-233 (CAS No.: 7125-84-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
,	analysis was performed by GC/MS.	J, J			
HCFC-234 (CAS No.: 425-94-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
,	analysis was performed by GC/MS.	<i>J, J</i>			
HCFC-235 (CAS No.: 460-92-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
,	analysis was performed by GC/MS.	ביינ			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 5 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HCFC-241 (CAS No.: 666-27-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-242 (CAS No.: 460-63-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-244	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-251 (CAS No.: 421-41-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-252 (CAS No.: 819-00-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-261 (CAS No.: 420-97-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-262 (CAS No.: 421-02-03)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-271 (CAS No.: 430-55-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-141b (CAS No.: 1717-00-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-243 (CAS No.: 460-69-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	=
	analysis was performed by GC/MS.				
HCFC-253 (CAS No.: 460-35-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-141	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	=.
	analysis was performed by GC/MS.				
HCFC-142	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	=.
	analysis was performed by GC/MS.				
HCFC-151	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	=
	analysis was performed by GC/MS.				
HCFC-225	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Halons					
Halon-1211 (CAS No.: 353-59-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Halon-1301 (CAS No.: 75-63-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 6 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Halon-2402 (CAS No.: 124-73-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Methyl Bromide (CAS No.: 74-83-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Hydrobromofluorocarbons (HBFCs)					
HBFC-271B1 (C3H6FBr)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-262B1 (C3H5F2Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-261B2 (C3H5FBr2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-253B1 (C3H4F3Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-252B2 (C3H4F2Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-251B3 (C3H4FBr3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-244B1 (C3H3F4Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-243B2 (C3H3F3Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-242B3 (C3H3F2Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-241B4 (C3H3FBr4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-235B1 (C3H2F5Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-234B2 (C3H2F4Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-233B3 (C3H2F3Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-232B4 (C3H2F2Br4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-231B5 (C3H2FBr5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 7 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HBFC-226B1 (C3HF6Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-225B2 (C3HF5Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-224B3 (C3HF4Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-223B4 (C3HF3Br4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-222B5 (C3HF2Br5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-221B6 (C3HFBr6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
` -,	analysis was performed by GC/MS.				
HBFC-151B1 (C2H4FBr)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
HBFC-142B1 (C2H3F2Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3. 3			
HBFC-141B2 (C2H3FBr2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
HBFC-133B1 (C2H2F3Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-132B2 (C2H2F2Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
HBFC-131B3 (C2H2FBr3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
HBFC-124B1 (C2HF4Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.	3 3			
HBFC-123B2 (C2HF3Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
,	analysis was performed by GC/MS.	3. 3			
HBFC-122B3 (C2HF2Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
,	analysis was performed by GC/MS.	J. J			
HBFC-121B4 (C2HFBr4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
,	analysis was performed by GC/MS.	J. J.			
HBFC-31B1 (CH2FBr) (CAS No.: 373-52	' '	mg/kg	1	n.d.	-
4)	analysis was performed by GC/MS.	J, J			
HBFC-22B1 (CHF2Br) (CAS No.: 1511-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
62-2)	analysis was performed by GC/MS.	ر ر			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 8 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

	Unit	MDL	Result	Limit
			No.1	
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.				
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.				
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.				
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.				
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.				
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.	3. 3			
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.	3. 3			
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.	J, J			
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.	J, J			
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
analysis was performed by GC/MS.	J, J			
	mg/kg	1	n.d.	_
·	<i>J, J</i>			
	ma/ka	1	n.d.	_
•	<i>J, J</i>			
1	ma/ka	1	n.d.	_
•	3, 3			
	ma/ka	1	n.d.	-
•				
	ma/ka	1	n,d.	-
-	יני וני	_	,	
	ma/ka	1	n,d.	-
•	פיי יפייי	-		
·	ma/ka	1	n.d	_
-	9/ 1.9	-	1	
	analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 9 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Perfluorocarbon (PFCs)					
1,4-dihydrooctafluorobutane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
377-36-6)	analysis was performed by GC/MS.				
2-Perfluoromethylpentane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
355-04-4)	analysis was performed by GC/MS.				
Decafluorobutane (CAS No.: 355-25-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
F14 (CAS No.: 75-73-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Fluorocarbon 116 (CAS No.: 76-16-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Freon 218 (CAS No.: 76-19-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Freon C318 (CAS No.: 115-25-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Nonafluor-2- (trifluoromethyl)butane	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
(CAS No.: 594-91-2)	analysis was performed by GC/MS.				
Perfluorisobutene (CAS No.: 382-21-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Perfluorohexane (CAS No.: 355-42-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Perfluoro-n-pentane (CAS No.: 678-26-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
2)	analysis was performed by GC/MS.				
Perfluor-1-butene (CAS No.: 357-26-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Chlorinate hydrocarbon (CHCs)					
1,1-Dichloropropene (CAS No.: 563-58-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
6)	analysis was performed by GC/MS.				
1,2-Dichloroethane (CAS No.: 107-06-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
2)	analysis was performed by GC/MS.				
2,2-Dichloropropane (CAS No.: 594-20-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
7)	analysis was performed by GC/MS.				
Carbon tetrachloride (CAS No.: 56-23-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
5)	analysis was performed by GC/MS.				
Chloromethane (CAS No.: 74-87-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 10 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
cis-1,2-Dichloroethene (CAS No.: 156-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
59-2)	analysis was performed by GC/MS.				
cis-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
10061-01-5)	analysis was performed by GC/MS.				
Hexachlorobutadiene (CAS No.: 87-68-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
3)	analysis was performed by GC/MS.				
trans-1,2-Dichloroethene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
156-60-5)	analysis was performed by GC/MS.				
trans-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
10061-02-6)	analysis was performed by GC/MS.				
Dichloromethane, Methylene chloride	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
(CAS No.: 75-09-2)	analysis was performed by GC/MS.				
1,2-Dichloropropane (CAS No.: 78-87-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
5)	analysis was performed by GC/MS.				
1,1,1,2-Tetrachloroethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
630-20-6)	analysis was performed by GC/MS.				
1,1,1-Trichloroethane (CAS No.: 71-55-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
6)	analysis was performed by GC/MS.				
1,1,2-Trichloroethane (CAS No.: 79-00-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
5)	analysis was performed by GC/MS.				
1,1,2,2-Tetrachloroethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
79-34-5)	analysis was performed by GC/MS.				
1,1-Dichloroethylene (CAS No.: 75-35-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
4)	analysis was performed by GC/MS.				
1,1-Dichloroethane (CAS No.: 75-34-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Chloroethane (CAS No.: 75-00-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Tetrachloroethene (CAS No.: 127-18-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Trichloroethylene (CAS No.: 79-01-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
1,3-Dichloropropane (CAS No.: 142-28-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
9)	analysis was performed by GC/MS.				
Chloroform (CAS No.: 67-66-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 11 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1,2,3-Trichloropropane (CAS No.: 96-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
18-4)	analysis was performed by GC/MS.				
Bromochloromethan (CAS No.: 74-97-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
5)	analysis was performed by GC/MS.				
Sulfur hexafluoride (CAS No.: 2551-62-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
4)	analysis was performed by GC/MS.				
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.	3 3			
Phosphorus (P) (CAS No.: 7723-14-0)	With reference to US EPA 3052: 1996,	mg/kg	2	5.85	-
	analysis was performed by ICP-OES.	3 3			
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.	J. J			
Ethylene glycol monomethyl ether	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
(CAS No.: 109-86-4)	analysis was performed by GC/MS.	5, 5			
2-Ethoxyethanol (CAS No.: 110-80-5)	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
, , ,	analysis was performed by GC/MS.	3. 3			
Ethylene glycol monomethyl ether	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
acetate (CAS No.: 110-49-6)	analysis was performed by GC/MS.	J. J			
2-methoxyethyl acetate (CAS No.: 111-	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
15-9)	analysis was performed by GC/MS.	J. J			
Diethylene glycol monomethyl ether	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
(CAS No.: 111-77-3)	analysis was performed by GC/MS.	J. J			
Diethylene glycol dimethyl ether	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
(DEGDME) (CAS No.: 111-96-6)	analysis was performed by GC/MS.	3. 3			
Ethylene glycol monobutyl ether (CAS	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
No.: 111-76-2)	analysis was performed by GC/MS.	J. J			
Asbestos					
Actinolite (CAS No.: 77536-66-4)	With reference to EPA 600/R-93/116:	-	-	Negative	-
Amosite (CAS No.: 12172-73-5)	1993, analysis was performed by	-	-	Negative	-
Anthophyllite (CAS No.: 77536-67-5)	Stereo Microscope (SM), Dispersion	-	-	Negative	-
Chrysotile (CAS No.: 12001-29-5)	Staining Polarized Light Microscope	-	-	Negative	-
Crocidolite (CAS No.: 12001-28-4)	(DS-PLM) and X-ray Diffraction	-	-	Negative	-
Tremolite (CAS No.: 77536-68-6)	Spectrometer (XRD).	-	-	Negative	_

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 12 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Polycyclic Aromatic Hydrocarbons					
(PAHs)			0.2		Δ.
Benzo[a]pyrene (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	Δ
Benzo[e]pyrene (CAS No.: 192-97-2)		mg/kg	0.2	n.d.	Δ
Benzo[a]anthracene (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	Δ
Benzo[b]fluoranthene (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	Δ
Benzo[j]fluoranthene (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	Δ
Benzo[k]fluoranthene (CAS No.: 207- 08-9)		mg/kg	0.2	n.d.	Δ
Chrysene (CAS No.: 218-01-9)	With metallic to ACRC CC 2010.01	mg/kg	0.2	n.d.	Δ
Dibenzo[a,h]anthracene (CAS No.: 53-70-3)	With reference to AfPS GS 2019:01 PAK, analysis was performed by GC/MS.	mg/kg	0.2	n.d.	Δ
Benzo[g,h,i]perylene (CAS No.: 191-24-2)		mg/kg	0.2	n.d.	Δ
Indeno[1,2,3-c,d]pyrene (CAS No.: 193- 39-5)		mg/kg	0.2	n.d.	Δ
Anthracene (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	Δ
Fluoranthene (CAS No.: 206-44-0)	1	mg/kg	0.2	n.d.	Δ
Phenanthrene (CAS No.: 85-01-8)	1	mg/kg	0.2	n.d.	Δ
Pyrene (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	Δ
Naphthalene (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	Δ
Sum of 15 PAHs		mg/kg	=	n.d.	Δ
Polychlorinated biphenyls (PCBs)	W	mg/kg	0.5	n.d.	-
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.	-
Polychlorinated terphenyls (PCTs)	analysis was performed by GC/MS.	mg/kg	0.5	n.d.	=
Short Chain Chlorinated Paraffins(C10-	With reference to ISO 18219: 2015,	mg/kg	50	n.d.	
C13) (SCCP) (CAS No.: 85535-84-8)	analysis was performed by GC/MS.	3 3			
AZO Dyes					
4-aminodiphenyl (CAS No.: 92-67-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
Benzidine (CAS No.: 92-87-5)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 13 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL Result		Limit
4-chloro-o-toluidine (CAS No.: 95-69- 2)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	No.1 n.d.	í
2-naphthylamine (CAS No.: 91-59-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-aminoazotoluene (CAS No.: 97-56-3)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
5-nitro-o-toluidine (CAS No.: 99-55-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloroaniline (CAS No.: 106-47-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-diaminoanisole (CAS No.: 615-05-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-diaminodiphenylmethane (MDA) (CAS No.: 101-77-9)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dichlorobenzidine (CAS No.: 91-94-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethoxybenzidine (CAS No.: 119-90-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethylbenzidine (CAS No.: 119- 93-7)	With reference to EN ISO 14362-1: mg/kg 3 2017, analysis was performed by GC/MS and HPLC/DAD.		n.d.	-	
3,3'-dimethyl-4,4'- diaminodiphenylmethane (CAS No.: 838-88-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2-methoxy-5-methylaniline (CAS No.: 120-71-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	ence to EN ISO 14362-1: mg/kg 3 ysis was performed by		n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 14 of 33



No.: ETR22A04343 Date: 11-Nov-2022 Page: 15 of 33

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
4,4'-methylene-bis-(2-chloroaniline)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
(CAS No.: 101-14-4)	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
4,4'-oxydianiline (CAS No.: 101-80-4)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
4,4'-thiodianiline (CAS No.: 139-65-1)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
o-toluidine (CAS No.: 95-53-4)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
2,4-diaminotoluene (CAS No.: 95-80-7)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
2,4,5-trimethylaniline (CAS No.: 137-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
17-7)	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
o-anisidine (CAS No.: 90-04-0)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
4-aminoazobenzene (CAS No.: 60-09-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
3)	2017 or/and EN ISO 14362-3: 2017,				
	analysis was performed by GC/MS &				
	HPLC/DAD.				
2,4-xylidine (CAS No.: 95-68-1)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by				
	GC/MS and HPLC/DAD.				
2,6-xylidine (CAS No.: 87-62-7)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.	-
	2017, analysis was performed by	3 3			
	GC/MS and HPLC/DAD.				
PFOS and its salts (CAS No.: 1763-23-1	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
and its salts)	analysis was performed by LC/MS/MS.				
PFOA and its salts (CAS No.: 335-67-1	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
and its salts)	analysis was performed by LC/MS/MS.	J. J.			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11)
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Tributyl tin (TBT)	With reference to ISO 17353: 2004, mg/kg 0.03		n.d.	-	
	analysis was performed by GC/FPD.				
Bis(tributyltin) oxide (TBTO) (CAS No.:	Calculated from the result of Tributyl	mg/kg 0.03		n.d.	-
56-35-9)	Tin (TBT).				
Triphenyl tin (TPT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
	analysis was performed by GC/FPD.				
Dibutyl tin (DBT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
	analysis was performed by GC/FPD.				
Dioctyl tin (DOT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
	analysis was performed by GC/FPD.				

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 6. PFOS and its salts including:

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

7. PFOA and its salts including:

CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.

8. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx#otherDoc

- 9. Negative*/Positive*: The test result of Geiger counter is from comparison between test outcome and environment background. In general, there is little radiation dose existing in environment. (Radiation dose from environment background usually less than or equal to 0.2µSv/hr)
 - The test result less than environment background was shown as Negative*; the result greater than environment background was shown as Positive*.
- 10. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 16 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Remark:

△ AfPS (German commission for Product Safety): GS PAHs requirements

	Category 1	Category 2		Category 3		
Parameter	Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds).	Materials that are not in Category 1, with intended or foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin.		Materials not covered by		
		a. Use by children under 14	b. Other consumer products	a. Use by children under 14	b. Other consumer products	
Naphthalene	< 1	< 2		< 10		
Phenanthrene						
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum	
Fluoranthene	\ 1 3uiii	\ 3 3dili	< 10 Julii	< 20 Julii	\ 30 3uiii	
Pyrene						
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Sum of 15 PAH	< 1	< 5	< 10	< 20	< 50	

Unit: mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 17 of 33




No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 18 of 33




No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart - PBBs / PBDEs

First testing process _____
Optional screen process....
Confirmation process ____



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 19 of 33




No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11)
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart - Phthalate

【Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 20 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 21 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 22 of 33




No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart of volatile organic compounds (VOCs)

【Reference method: US EPA 5021A】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 23 of 33




No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11)
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A \ US EPA 3052】



* US EPA 3051A method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 24 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart - Ethylene glycol ether



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 25 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 26 of 33




No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 27 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11)
5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analysis flow chart for determination of Asbestos 【Reference method: EPA 600/R-93/116】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 28 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 29 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 30 of 33




No.: ETR22A04343 Date: 11-Nov-2022


WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR22A04343



ETR22A04343



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 31 of 33




No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

ETR22A04343



ETR22A04343



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 32 of 33



No.: ETR22A04343 Date: 11-Nov-2022

WAFERTECH LLC (TSMC F11) 5509 NW PARKER STREET, CAMAS, WA 98607, USA

ETR22A04343



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 33 of 33