

Test Report No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 1 of 33

HD MICROSYSTEMS
250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : HD MICROSYSTEMS
Sample Name : POLYIMIDE PRECURSOR

Style/Item No. : HD4000E

Sample Receiving Date : 24-Oct-2023

Testing Period : 24-Oct-2023 to 30-Oct-2023

Test Requested : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and

amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury,

Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted

sample(s).

(2) Please refer to next pages for the other item(s).

Test Results : Please refer to following pages.

Troy Chang / Department Malager
Signed for and on behalf of Alwah
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 79949358



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 2 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Part Description

No.1 : TRANSPARENT BROWN GLUE

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result
				No.1
Cadmium (Cd)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.
1 (71)	analysis was performed by ICP-OES.			
Lead (Pb)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.
	analysis was performed by ICP-OES.		_	
Mercury (Hg)	With reference to IEC 62321-4: 2013+	mg/kg	2	n.d.
	AMD1: 2017, analysis was performed			
	by ICP-OES.			
Hexavalent Chromium Cr(VI)	With reference to IEC 62321-7-2: 2017,	mg/kg	8	n.d.
	analysis was performed by UV-VIS.			
Monobromobiphenyl		mg/kg	5	n.d.
Dibromobiphenyl		mg/kg	5	n.d.
Tribromobiphenyl		mg/kg	5	n.d.
Tetrabromobiphenyl		mg/kg	5	n.d.
Pentabromobiphenyl	With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
Hexabromobiphenyl	analysis was performed by GC/MS.	mg/kg	5	n.d.
Heptabromobiphenyl	undrysis was performed by Ge/1415.	mg/kg	5	n.d.
Octabromobiphenyl		mg/kg	5	n.d.
Nonabromobiphenyl		mg/kg	5	n.d.
Decabromobiphenyl		mg/kg	5	n.d.
Sum of PBBs		mg/kg	-	n.d.
Monobromodiphenyl ether		mg/kg	5	n.d.
Dibromodiphenyl ether		mg/kg	5	n.d.
Tribromodiphenyl ether		mg/kg	5	n.d.
Tetrabromodiphenyl ether		mg/kg	5	n.d.
Pentabromodiphenyl ether	With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
Hexabromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.
Heptabromodiphenyl ether	undivisis was periorifica by Ge/Wis.	mg/kg	5	n.d.
Octabromodiphenyl ether		mg/kg	5	n.d.
Nonabromodiphenyl ether		mg/kg	5	n.d.
Decabromodiphenyl ether		mg/kg	5	n.d.
Sum of PBDEs		mg/kg	-	n.d.



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 3 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
				No.1
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
	analysis was performed by GC/MS.			
Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
	analysis was performed by GC/MS.			
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
	analysis was performed by GC/MS.			
Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
	analysis was performed by GC/MS.			
Diisodecyl phthalate (DIDP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
No.: 26761-40-0, 68515-49-1)	analysis was performed by GC/MS.			
Diisononyl phthalate (DINP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
No.: 28553-12-0, 68515-48-0)	analysis was performed by GC/MS.			
Di-n-octyl phthalate (DNOP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
No.: 117-84-0)	analysis was performed by GC/MS.			
Di-n-pentyl phthalate (DNPP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
No.: 131-18-0)	analysis was performed by GC/MS.			
Di-n-hexyl phthalate (DNHP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
No.: 84-75-3)	analysis was performed by GC/MS.			
Bis(2-methoxyethyl) phthalate	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.
(DMEP) (CAS No.: 117-82-8)	analysis was performed by GC/MS.			
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016,	mg/kg	50	208
	analysis was performed by IC.			
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.
	analysis was performed by IC.			
Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.
	analysis was performed by IC.			
lodine (I) (CAS No.: 14362-44-8)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.
	analysis was performed by IC.			
PFOS and its salts (CAS No.: 1763-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.
23-1 and its salts)	analysis was performed by LC/MS/MS.			
PFOA and its salts (CAS No.: 335-67-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.
1 and its salts)	analysis was performed by LC/MS/MS.			



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 4 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-	With reference to IEC 62321: 2008, analysis was performed by GC/MS.	mg/kg	5	No.1 n.d.
50-6, 134237-52-8))				
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8)	With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.	mg/kg	50	n.d.
AZO Dyes				
4-aminodiphenyl (CAS No.: 92-67-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
Benzidine (CAS No.: 92-87-5)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
4-chloro-o-toluidine (CAS No.: 95- 69-2)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
2-naphthylamine (CAS No.: 91-59-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
o-aminoazotoluene (CAS No.: 97-56- 3)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
5-nitro-o-toluidine (CAS No.: 99-55-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 5 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
4-chloroaniline (CAS No.: 106-47-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	No.1 n.d.
2,4-diaminoanisole (CAS No.: 615- 05-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
4,4'-diaminodiphenylmethane (MDA) (CAS No.: 101-77-9)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
3,3'-dichlorobenzidine (CAS No.: 91-94-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
3,3'-dimethoxybenzidine (CAS No.: 119-90-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
3,3'-dimethylbenzidine (CAS No.: 119-93-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
3,3'-dimethyl-4,4'- diaminodiphenylmethane (CAS No.: 838-88-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
2-methoxy-5-methylaniline (CAS No.: 120-71-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
4,4'-methylene-bis-(2-chloroaniline) (CAS No.: 101-14-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
4,4'-oxydianiline (CAS No.: 101-80-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
4,4'-thiodianiline (CAS No.: 139-65-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.
o-toluidine (CAS No.: 95-53-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 6 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
				No.1
2,4-diaminotoluene (CAS No.: 95-80-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.
7)	2017, analysis was performed by			
	GC/MS and HPLC/DAD.			
2,4,5-trimethylaniline (CAS No.: 137-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.
17-7)	2017, analysis was performed by			
	GC/MS and HPLC/DAD.			
o-anisidine (CAS No.: 90-04-0)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.
	2017, analysis was performed by			
	GC/MS and HPLC/DAD.			
4-aminoazobenzene (CAS No.: 60-	With reference to EN ISO 14362-1:	mg/kg	3	n.d.
09-3)	2017 or/and EN ISO 14362-3: 2017,			
	analysis was performed by GC/MS &			
	HPLC/DAD.			
2,4-xylidine (CAS No.: 95-68-1)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.
	2017, analysis was performed by			
	GC/MS and HPLC/DAD.			
2,6-xylidine (CAS No.: 87-62-7)	With reference to EN ISO 14362-1:	mg/kg	3	n.d.
	2017, analysis was performed by			
	GC/MS and HPLC/DAD.			
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2021,	**	-	Negative
	analysis was performed by FT-IR and			
	Flame Test.			
Formaldehyde (CAS No.: 50-00-0)	With reference to ISO 17226-1: 2021,	mg/kg	3	n.d.
	analysis was performed by LC/DAD.			
Asbestos				
Actinolite (CAS No.: 77536-66-4)	With reference to EPA 600/R-93/116:	-	-	Negative
Amosite (CAS No.: 12172-73-5)	1993, analysis was performed by	_	-	Negative
Anthophyllite (CAS No.: 77536-67-5)	Stereo Microscope (SM), Dispersion	-	-	Negative
Chrysotile (CAS No.: 12001-29-5)	Staining Polarized Light Microscope	-	-	Negative
Crocidolite (CAS No.: 12001-28-4)	(DS-PLM) and X-ray Diffraction	-	-	Negative
Tremolite (CAS No.: 77536-68-6)	Spectrometer (XRD).	-	-	Negative



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 7 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
,				No.1
Tributyl tin (TBT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.
	analysis was performed by GC/FPD.			
Bis(tributyltin) oxide (TBTO) (CAS	Calculated from the result of Tributyl	mg/kg	0.03 🛦	n.d.
No.: 56-35-9)	Tin (TBT).			
Triphenyl tin (TPT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.
	analysis was performed by GC/FPD.			
Dibutyl tin (DBT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.
	analysis was performed by GC/FPD.			
Dioctyl tin (DOT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.
	analysis was performed by GC/FPD.			
Chlorofluorocarbons (CFCs)				
CFC-13 (CAS No.: 75-72-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-111 (CAS No.: 354-56-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-112 (CAS No.: 76-12-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-211 (CAS No.: 422-78-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-212 (CAS No.: 3182-26-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-213 (CAS No.: 2354-06-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-214 (CAS No.: 29255-31-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-215 (CAS No.: 4259-43-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-216 (CAS No.: 661-97-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-217 (CAS No.: 422-86-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-12 (CAS No.: 75-71-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-11 (CAS No.: 75-69-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 8 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
				No.1
CFC-115 (CAS No.: 76-15-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-114 (CAS No.: 76-14-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
CFC-113 (CAS No.: 76-13-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
Hydrochlorofluorocarbons (HCFCs)				
HCFC-21 (CAS No.: 75-43-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-22 (CAS No.: 75-45-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-31 (CAS No.: 593-70-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-121 (CAS No.: 354-14-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-122 (CAS No.: 354-21-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-123 (CAS No.: 306-83-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-124 (CAS No.: 2837-89-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-131 (CAS No.: 359-28-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-132b (CAS No.: 1649-08-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-133a (CAS No.: 75-88-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-142b (CAS No.: 75-68-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-221 (CAS No.: 422-26-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-222 (CAS No.: 422-49-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-223 (CAS No.: 422-52-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 9 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
				No.1
HCFC-224 (CAS No.: 422-54-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-225ca (CAS No.: 422-56-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-225cb (CAS No.: 507-55-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-226 (CAS No.: 431-87-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-231 (CAS No.: 421-94-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-232 (CAS No.: 460-89-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-233 (CAS No.: 7125-84-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-234 (CAS No.: 425-94-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-235 (CAS No.: 460-92-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-241 (CAS No.: 666-27-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-242 (CAS No.: 460-63-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-244	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-251 (CAS No.: 421-41-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-252 (CAS No.: 819-00-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-261 (CAS No.: 420-97-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-262 (CAS No.: 421-02-03)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-271 (CAS No.: 430-55-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-141b (CAS No.: 1717-00-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 10 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
				No.1
HCFC-243 (CAS No.: 460-69-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-253 (CAS No.: 460-35-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-141	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-142	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-151	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HCFC-225	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
Halons				
Halon-1211 (CAS No.: 353-59-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
Halon-1301 (CAS No.: 75-63-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
Halon-2402 (CAS No.: 124-73-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
Methyl Bromide (CAS No.: 74-83-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
Hydrobromofluorocarbons (HBFCs)				
HBFC-271B1 (C3H6FBr)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-262B1 (C3H5F2Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-261B2 (C3H5FBr2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-253B1 (C3H4F3Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-252B2 (C3H4F2Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-251B3 (C3H4FBr3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-244B1 (C3H3F4Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 11 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
				No.1
HBFC-243B2 (C3H3F3Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-242B3 (C3H3F2Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-241B4 (C3H3FBr4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-235B1 (C3H2F5Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-234B2 (C3H2F4Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-233B3 (C3H2F3Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-232B4 (C3H2F2Br4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-231B5 (C3H2FBr5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-226B1 (C3HF6Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-225B2 (C3HF5Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-224B3 (C3HF4Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-223B4 (C3HF3Br4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-222B5 (C3HF2Br5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-221B6 (C3HFBr6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-151B1 (C2H4FBr)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-142B1 (C2H3F2Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-141B2 (C2H3FBr2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-133B1 (C2H2F3Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 12 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
				No.1
HBFC-132B2 (C2H2F2Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-131B3 (C2H2FBr3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-124B1 (C2HF4Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-123B2 (C2HF3Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-122B3 (C2HF2Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.	3 3		
HBFC-121B4 (C2HFBr4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HBFC-31B1 (CH2FBr) (CAS No.: 373-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
52-4)	analysis was performed by GC/MS.			
HBFC-22B1 (CHF2Br) (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
1511-62-2)	analysis was performed by GC/MS.			
HBFC-21B2 (CHFBr2) (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
1868-53-7)	analysis was performed by GC/MS.			
1,1-Dichloropropene (CAS No.: 563-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
58-6)	analysis was performed by GC/MS.			
1,2-Dichloroethane (CAS No.: 107-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
06-2)	analysis was performed by GC/MS.			
2,2-Dichloropropane (CAS No.: 594-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
20-7)	analysis was performed by GC/MS.			
Carbon tetrachloride (CAS No.: 56-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
23-5)	analysis was performed by GC/MS.			
cis-1,2-Dichloroethene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
156-59-2)	analysis was performed by GC/MS.			
cis-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
10061-01-5)	analysis was performed by GC/MS.			
Hexachlorobutadiene (CAS No.: 87-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
68-3)	analysis was performed by GC/MS.			



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 13 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
				No.1
trans-1,2-Dichloroethene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
156-60-5)	analysis was performed by GC/MS.			
trans-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
10061-02-6)	analysis was performed by GC/MS.			
Dichloromethane, Methylene	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
chloride (CAS No.: 75-09-2)	analysis was performed by GC/MS.			
1,2-Dichloropropane (CAS No.: 78-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
87-5)	analysis was performed by GC/MS.			
1,1,1,2-Tetrachloroethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
630-20-6)	analysis was performed by GC/MS.			
1,1,1-Trichloroethane (CAS No.: 71-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
55-6)	analysis was performed by GC/MS.			
1,1,2-Trichloroethane (CAS No.: 79-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
00-5)	analysis was performed by GC/MS.			
1,1,2,2-Tetrachloroethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
79-34-5)	analysis was performed by GC/MS.			
1,1-Dichloroethylene (CAS No.: 75-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
35-4)	analysis was performed by GC/MS.			
1,1-Dichloroethane (CAS No.: 75-34-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
3)	analysis was performed by GC/MS.			
Chloroethane (CAS No.: 75-00-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
Tetrachloroethene (CAS No.: 127-18-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
4)	analysis was performed by GC/MS.			
Trichloroethylene (CAS No.: 79-01-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
1,3-Dichloropropane (CAS No.: 142-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
28-9)	analysis was performed by GC/MS.			
Chloroform (CAS No.: 67-66-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
1,2,3-Trichloropropane (CAS No.: 96-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
18-4)	analysis was performed by GC/MS.			



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 14 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
Lively of the second sec (UECs)				No.1
Hydrofluorocarbon (HFCs)	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		-1	
HFC-23 (CHF3) (CAS No.: 75-46-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.	4	-	<u> </u>
HFC-32 (CH2F2) (CAS No.: 75-10-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-41 (CH3F) (CAS No.: 593-53-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-43-10mee (C5H2F10)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-125 (C2HF5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-134 (C2H2F4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-134a (CH2FCF3) (CAS No.: 811-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
97-2)	analysis was performed by GC/MS.			
HFC-143 (CH3F3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-143a (CH3F3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-152a (C2H4F2) (CAS No.: 75-37-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
6)	analysis was performed by GC/MS.			
HFC-227ea (C3HF7) (CAS No.: 431-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
89-0)	analysis was performed by GC/MS.			
HFC-236fa (CAS No.: 431-63-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-245ca (C3H3F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-245fa (C3H3F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-365mfc (C4H5F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
HFC-236ea (C3H2F6) (CAS No.: 431-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
63-0)	analysis was performed by GC/MS.			



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 15 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
Perfluorocarbon (PFCs)				No.1
1,4-dihydrooctafluorobutane (CAS No.: 377-36-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
2-Perfluoromethylpentane (CAS No.: 355-04-4)	·	mg/kg	1	n.d.
Decafluorobutane (CAS No.: 355-25-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
F14 (CAS No.: 75-73-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
Fluorocarbon 116 (CAS No.: 76-16-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
Freon 218 (CAS No.: 76-19-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
Freon C318 (CAS No.: 115-25-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
Nonafluor-2- (trifluoromethyl)butane (CAS No.: 594-91-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
Perfluorisobutene (CAS No.: 382-21-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
Perfluorohexane (CAS No.: 355-42-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
Perfluoro-n-pentane (CAS No.: 678- 26-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
Perfluor-1-butene (CAS No.: 357-26-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.
2-benzotriazol-2-yl-4,6-di-tert- butylphenol (UV-320) (CAS No.: 3846-71-7)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.
Phosphine (CAS No.: 7803-51-2)	Analysis was performed by gas detector tube. (Test Condition: 40°C, 30 mins)	ppmV	0.08	n.d.
Cobalt dichloride (CoCl ₂) (CAS No.: 7646-79-9)	With reference to RSTS-EE-SVHC-007, analysis was performed by ICP-OES, IC. Calculated from the results of Cobalt, Chlorine.	mg/kg	50 ▲	n.d.



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 16 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result
				No.1
Benzene (CAS No.: 71-43-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.
	analysis was performed by GC/MS.			
Toluene (CAS No.: 108-88-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	8.77
	analysis was performed by GC/MS.			
Sulfur(S) (CAS No.: 7704-34-9)	Analysis was performed by Element	% (w/w)	0.1	n.d.
	Analyzer.			
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.
	analysis was performed by ICP-OES.			
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.
	analysis was performed by ICP-OES.			
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996,	mg/kg	2	n.d.
	analysis was performed by ICP-OES.			

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. **= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 8. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

- 9. ppmV = Part Per Million by Volume
- 10. Tedlar bag size / Sampling Volume:

Phosphine	5L/0.5L
-----------	---------

- 11. Gas detecting tube test can be interfered by certain substances especially; Phosphine Arsine, etc.
- 12. This is the additional test report of ETR23A04259.



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 17 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Classification of Substance Concentration	Substance Name	CAS No.
Perfluorooctane sulfonates and	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
its salts (PFOS and its salts)	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
(CAS No.: 1763-23-1 and its salts)	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C_2H_5) ₄)	56773-42-3
	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane- 1-sulfonate (PFOS-DDA)	251099-16-8
	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
Perfluorooctanoic acid and its	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	Silver perfluorooctanote (PFOA-Ag)	335-93-3
	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5




No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 18 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)






No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 19 of 33

HD MICROSYSTEMS
250 CHEESEOUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - PBBs / PBDEs






No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 20 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Phthalate

[Test method: IEC 62321-8]






No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 21 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Halogen






No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 22 of 33

HD MICROSYSTEMS
250 CHEESEOUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)






No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 23 of 33

HD MICROSYSTEMS
250 CHEESEOUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - HBCDD






No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 24 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 25 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analysis flow chart - PVC






No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 26 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Formaldehyde






No.: ETR23A04259M01 Date: 03-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analysis flow chart for determination of Asbestos 【Reference method: EPA 600/R-93/116】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 27 of 33



Report No.: ETR23A04259M01 Date: 03-Nov-2023

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 28 of 33




No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 29 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart of volatile organic compounds (VOCs)

【Reference method: US EPA 5021A】






No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 30 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Cobalt dichloride






No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 31 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Elements analyzer





HD MICROSYSTEMS

250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241


No.: ETR23A04259M01

Date: 03-Nov-2023 Page: 32 of 33

Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A method does not add HF.



No.: ETR23A04259M01 Date: 03-Nov-2023 Page: 33 of 33

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR23A04259



** End of Report **