

Test Report

號碼(No.): CE/2020/70907A 日期(Date): 2020/07/24 頁數(Page): 1 of 20

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) 大展電線電纜股份有限公司 (CUPRIME MATERIAL CO., LTD.)

樣品名稱(Sample Description) PHOSPHORUS COPPER BALL(江南磷銅球)

收件日期(Sample Receiving Date) 2020/07/06

測試期間(Testing Period) 2020/07/06 to 2020/07/13

測試需求(Test Requested):

(1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯 醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁 . (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).

結論(Conclusion)

(1) 根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的 測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求. (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

Troy Chang / Manager - Tec Signed for and behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei



PIN CODE: D2CA2041



Test Report

號碼(No.): CE/2020/70907A 日期(Date): 2020/07/24 頁數(Page): 2 of 20

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

測試結果(Test Results)

測試部位(PART NAME)No.1 : 銅色金屬(COPPER COLORED METAL)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1	限值 (Limit)
鐍 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013,以感應耦合 電漿發射光譜儀檢測. / With	2	n. d.	100
鉛 / Lead (Pb)	mg/kg	reference to IEC 62321-5: 2013 and performed by ICP-OES.	2	6. 80	1000
汞 / Mercury (Hg)	mg/kg	参考IEC 62321-4:2013+ AMD1:2017, 以感應耦合電漿發射光譜儀檢測. / With reference to IEC 62321- 4:2013+ AMD1:2017 and performed by ICP-OES.	2	n. d.	1000
六價鉻 / Hexavalent Chromium Cr(VI)(#2)	μg/cm²	参考IEC 62321-7-1: 2015,以UV-VIS 檢測. / With reference to IEC 62321-7-1: 2015 and performed by UV-VIS.	0.10	n. d.	-
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.	1000
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.	-
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.	-
三溴聯苯 / Tribromobiphenyl	mg/kg	A 1	5	n. d.	-
四溴聯苯 / Tetrabromobiphenyl	mg/kg	參考IEC 62321-6: 2015,以氣相層析/	5	n. d.	ı
五溴聯苯 / Pentabromobiphenyl	mg/kg	質譜儀檢測. / With reference to IEC 62321-6: 2015 and performed by	5	n. d.	-
六溴聯苯 / Hexabromobiphenyl	mg/kg	GC/MS.	5	n. d.	-
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.	-
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.	_
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n. d.	_
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.	-



Test Report

號碼(No.): CE/2020/70907A 日期(Date): 2020/07/24 頁數(Page): 3 of 20

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1	限值 (Limit)
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		_	n. d.	1000
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n. d.	-
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.	-
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg	參考IEC 62321-6: 2015,以氣相層析/	5	n. d.	-
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	質譜儀檢測. / With reference to IEC 62321-6: 2015 and performed by	5	n. d.	-
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg	GC/MS.	5	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg	GO/ ING.	5	n.d.	-
へ溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.	-
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.	-
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg		50	n. d.	1000
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg	參考IEC 62321-8: 2017,以氣相層析/質譜儀檢測. / With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n. d.	1000
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n. d.	1000
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg		50	n. d.	1000
鄰苯二甲酸二異癸酯 / DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg		50	n. d.	-
鄰苯二甲酸二異壬酯 / DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg		50	n. d.	-
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg		50	n. d.	-



Test Report

號碼(No.): CE/2020/70907A 日期(Date): 2020/07/24 頁數(Page): 4 of 20

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1	限值 (Limit)
鄰苯二甲酸二 (2-甲氧基乙基)酯 / DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	mg/kg		50	n. d.	-
鄰苯二甲酸二 (C7-11支鏈與直鏈)烷基酯 / DHNUP (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters) (CAS No.: 68515-42-4)	mg/kg	参考IEC 62321-8: 2017,以氣相層析/ 質譜儀檢測. / With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n. d.	-
鄰苯二甲酸二 (C6-8支鏈)烷基酯,富C7 / DIHP (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7- rich) (CAS No.: 71888-89-6)	mg/kg	per formed by GC/MS.	50	n. d.	-
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α – HBCDD, β – HBCDD, γ – HBCDD) (CAS No.: 25637–99–4 and 3194–55–6 (134237–51–7, 134237–50–6, 134237–52–8))	mg/kg	参考IEC 62321: 2008,以氣相層析/質 譜儀檢測. / With reference to IEC 62321: 2008. Analysis was performed by GC/MS.	5	n. d.	-
鹵素 / Halogen					
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n. d.	-
鹵素 (氣) / Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582: 2016,以離子層析 儀分析. / With reference to BS EN	50	n. d.	-
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	14582: 2016. Analysis was performed by IC.	50	n. d.	-
鹵素(碘)/ Halogen-Iodine(I)(CAS No.: 14362-44-8)	mg/kg		50	n. d.	-



號碼(No.): CE/2020/70907A 日期(Date): 2020/07/24 頁數(Page): 5 of 20

Test Report

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1	限值 (Limit)
全氟辛烷磺酸及其鹽類 / PFOS and its salts (CAS No.: 1763-23-1 and its salts)	mg/kg	参考CEN/TS 15968 (2010),以液相層析/質譜儀檢測. / With reference to	0.01	n. d.	-
全氟辛酸及其鹽類 / PFOA and its salts (CAS No.: 335-67-1 and its salts)	mg/kg	CEN/TS 15968 (2010). Analysis was performed by LC/MS.	0. 01	n. d.	-
多氣聯苯 / Polychlorinated Biphenyls (PCBs) (CAS No.: 1336-36-3)	mg/kg	参考US EPA 3550C: 2007,以氣相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by GC/MS.	0.5	n. d.	-
多氣奈 / Polychlorinated Naphthalene (PCNs)	mg/kg	参考US EPA 3550C: 2007,以氣相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by GC/MS.	5	n. d.	-
多氣三聯苯 / Polychlorinated Terphenyls (PCTs)	mg/kg	參考US EPA 3550C: 2007,以氣相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by GC/MS.	0.5	n. d.	-
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	參考US EPA 3550C: 2007,以氣相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by GC/MS.	100	n. d.	-
四溴雙酚-A / Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	mg/kg	參考Global SOP RSTS-E&E-121: 2012 ,以液相層析/質譜儀分析. / With reference to Global SOP RSTS-E&E- 121: 2012. Analysis was performed by LC/MS.	10	n. d.	_



號碼(No.): CE/2020/70907A 日期(Date): 2020/07/24 頁數(Page): 6 of 20 **Test Report**

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號

NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) No.1	限值 (Limit)
雙酚 A / Bisphenol A (CAS No.: 80-05-7)	mg/kg	參考RSTS-CHEM-239-1: 2016,以超高 效能液相層析串聯質譜儀檢測. / With reference to RSTS-CHEM-239-1: 2016. Analysis was performed by UPLC-MSMS.	1	n. d.	-
三丁基錫 / Tributyl Tin (TBT)	mg/kg	參考ISO 17353: 2004,以氣相層析儀/	0.03	n. d.	_
三苯基錫 / Triphenyl Tin (TphT)	mg/kg	火焰光度偵測器檢測. / With	0.03	n. d.	-
二丁基錫 / Dibutyl Tin (DBT)	mg/kg	reference to ISO 17353: 2004.	0.03	n. d.	-
二辛基錫 / Dioctyl Tin (DOT)	mg/kg	Analysis was performed by GC/FPD.	0.03	n. d.	-
氧化雙三丁基錫 / Bis(tributyltin)oxide (TBTO) (CAS No.: 56-35-9)	mg/kg	參考ISO 17353: 2004,以氣相層析儀/ 火焰光度偵測器檢測;由三丁基錫測試 結果計算得之. / With reference to ISO 17353: 2004. Analysis was performed by GC/FPD. Calculated from the result of Tributyl Tin (TBT).	0.03 (▲)	n. d.	-
聚氯乙烯 / Polyvinyl chloride (PVC)	**	以紅外光譜分析及焰色法檢測. / Analysis was performed by FTIR and FLAME Test.	1	Negative	-
鈹 / Beryllium (Be)	mg/kg	参考US EPA 3052: 1996,以感應耦合 電漿發射光譜儀檢測. / With reference to US EPA 3052: 1996. Analysis was performed by ICP-OES.	2	n. d.	-



號碼(No.): CE/2020/70907A 日期(Date): 2020/07/24 頁數(Page): 7 of 20

Test Report

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

備註(Note):

- 1. mg/kg = ppm; 0. 1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出)
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. (#2) =
 - a. 當六價鉻結果大於 $0.13~\mu g/cm^2$,表示樣品表層含有六價鉻. / The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than $0.13~\mu g/cm^2$. The sample coating is considered to contain Cr(VI). b. 當六價鉻結果為n.d. (濃度小於 $0.10~\mu g/cm^2$),表示表層不含六價鉻. / The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than $0.10~\mu g/cm^2$). The coating is considered a non-Cr(VI) based coating c. 當六價鉻結果介於 0.10~ 及 0.13~ $\mu g/cm^2~$ 時,無法確定塗層是否含有六價鉻. / The result between 0.10~ $\mu g/cm^2~$ and 0.13~ $\mu g/cm^2~$ is considered to be inconclusive unavoidable coating variations may influence the determination.
- 8. 符合性結果之判定係以測試結果與限值做比較。/ The statement of compliance conformity is based on comparison of testing results and limits.
- 9. 全氟辛烷磺酸及其鹽類包含 / PFOS and its salts including: CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.
- 10. 全氟辛酸及其鹽類包含 / PFOA and its salts including:
 - CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.
- 11. (▲): MDL是針對元素/測試化合物之評估. / The MDL was evaluated for element / tested substance.

換算公式 (Conversion Formula): AX = A x F

AX	A	F
氧化雙三丁基錫 / Bis(tributyltin)oxide (TBTO)	三丁基錫 / Tributyl Tin (TBT)	1.024

參數換算表 / Parameter Conversion Table: https://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp



Test Report


號碼(No.): CE/2020/70907A 日期(Date): 2020/07/24 頁數(Page): 8 of 20

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。 (六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)





Test Report

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號

NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN


多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

日期(Date): 2020/07/24

頁數(Page): 9 of 20

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process •• 確認程序 / Confirmation process - · - • ▶

號碼(No.): CE/2020/70907A





Test Report

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN


號碼(No.): CE/2020/70907A

可塑劑分析流程圖 / Analytical flow chart - Phthalate

日期(Date): 2020/07/24

頁數(Page): 10 of 20

【測試方法/Test method: IEC 62321-8】





Test Report


大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

號碼(No.): CE/2020/70907A

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD

日期(Date): 2020/07/24

頁數(Page): 11 of 20





Test Report


大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

號碼(No.): CE/2020/70907A

鹵素分析流程圖 / Analytical flow chart - Halogen

日期(Date): 2020/07/24

頁數(Page): 12 of 20





Test Report


大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

號碼(No.): CE/2020/70907A

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS

日期(Date): 2020/07/24

頁數(Page): 13 of 20





Test Report

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

號碼(No.): CE/2020/70907A


分析流程圖 / Analytical flow chart

日期(Date): 2020/07/24

頁數(Page): 14 of 20

【適用於:多氣聯苯、多氣奈、多氣三聯苯、滅蟻靈、氣化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT





Test Report


大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

號碼(No.): CE/2020/70907A

四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A

日期(Date): 2020/07/24

頁數(Page): 15 of 20





Test Report


大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

號碼(No.): CE/2020/70907A

雙酚A分析流程圖 / Analytical flow chart - Bisphenol A

日期(Date): 2020/07/24

頁數(Page): 16 of 20





Test Report


大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

號碼(No.): CE/2020/70907A

有機錫分析流程圖 / Analytical flow chart - Organic-Tin

日期(Date): 2020/07/24

頁數(Page): 17 of 20





Test Report


大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

號碼(No.): CE/2020/70907A

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC

日期(Date): 2020/07/24

頁數(Page): 18 of 20






Test Report

號碼(No.): CE/2020/70907A 日期(Date): 2020/07/24 頁數(Page): 19 of 20

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN

元素以 ICP-OES 分析的消化流程圖 (Flow Chart of digestion for the elements analysis performed by ICP-OES)

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.



王水,硝酸,鹽酸,氫氟酸,雙氧水/
Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
硝酸,氫氟酸 / HNO ₃ /HF
王水 / Aqua regia
硝酸 / HNO ₃
硫酸,雙氧水,硝酸,鹽酸 / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
加入適當的試劑至完全溶解 / Added appropriate
reagent to total digestion



Test Report

大展電線電纜股份有限公司 CUPRIME MATERIAL CO., LTD. 桃園市觀音區富源里新富路855號 NO. 855, SINFU RD., GUANYIN DIST., TAOYUAN CITY 32845, TAIWAN


號碼(No.): CE/2020/70907A

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

日期(Date): 2020/07/24

頁數(Page): 20 of 20

CE/2020/70907



** 報告結尾 (End of Report) **