

Test Report

號碼(No.): ETR23505155 日期(Date): 05-Jun-2023

頁數(Page): 1 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By)

: 健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.)

樣品名稱(Sample Name)

: NICKEL PLATING (鍍層-電鍍鎳)

收件日(Sample Receiving Date)

: 29-May-2023

測試期間(Testing Period)

: 29-May-2023 to 05-Jun-2023

測試需求(Test Requested)

(1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測 試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)

Troy Chang / Department Malager Signed for and on behalf of Salwan SGS TAIWAN LTD. Chemical Laboratory - Taipei



PIN CODE: 81CE4294



Test Report

號碼(No.): ETR23505155 日期(Date): 05-Jun-2023 頁數(Page): 2 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

測試部位敘述 (Test Part Description)

No.1 : 銀色片狀 (SILVER COLORED SHEET)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013·以感應耦合電漿發射光	mg/kg	2	n.d.
	譜儀分析。(With reference to IEC 62321-5:			
	2013, analysis was performed by ICP-OES.)			
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013,以感應耦合電漿發射光	mg/kg	2	n.d.
	譜儀分析。(With reference to IEC 62321-5:			
	2013, analysis was performed by ICP-OES.)			
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017,以感應耦	mg/kg	2	n.d.
	合電漿發射光譜儀分析。(With reference to IEC			
	62321-4: 2013+ AMD1: 2017, analysis was			
	performed by ICP-OES.)			
六價鉻 (Hexavalent Chromium) Cr(VI)	參考IEC 62321-7-1: 2015,以紫外光-可見光分光	μg/cm²	0.1	n.d.
(#2)	光度計分析。(With reference to IEC 62321-7-1:			
	2015, analysis was performed by UV-VIS.)			
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)	参考IEC 62321-6: 2015·以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.



Test Report

號碼(No.): ETR23505155 日期(Date): 05-Jun-2023 頁數(Page): 3 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)	參考IEC 62321-6: 2015,以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))		mg/kg	50	n.d.
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))	參考IEC 62321-8: 2017·以氣相層析儀/質譜儀分	mg/kg	50	n.d.
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))	析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	n.d.
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)	參考BS EN 14582: 2016·以離子層析儀分析。 (With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	93.3
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)		mg/kg	50	n.d.
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串聯質譜 儀分析。(With reference to CEN/TS 15968:	mg/kg	0.01	n.d.
全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	譲分析。(With reference to CEN/15 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.



Test Report

號碼(No.): ETR23505155 日期(Date): 05-Jun-2023 頁數(Page): 4 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)
				No.1
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	參考US EPA 3050B: 1996.以感應耦合電漿發射 光譜儀分析。(With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0)	參考US EPA 3050B: 1996.以感應耦合電漿發射 光譜儀分析。(With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 全氟辛烷磺酸及其鹽類包含等物質 (PFOS and its salts including):

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

- 6. 全氟辛酸及其鹽類包含等物質 (PFOA and its salts including):
 - CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.
- 7. (#2) =
 - a. 當六價鉻結果大於0.13 μg/cm²·表示樣品表層含有六價鉻。(The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).)
 - b. 當六價鉻結果為n.d. (濃度小於0.10 μg/cm²),表示表層不含六價鉻。(The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating)
 - c. 當六價鉻結果介於 0.10 及 0.13 μg/cm² 時,無法確定塗層是否含有六價鉻。(The result between 0.10 μg/cm² and 0.13 μg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.)



Test Report

號碼(No.): ETR23505155 日期(Date): 05-Jun-2023


頁數(Page): 5 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR23505155 日期(Date): 05-Jun-2023

頁數(Page): 6 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR23505155 日期(Date): 05-Jun-2023 頁數(Page): 7 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR23505155 日期(Date): 05-Jun-2023 頁數(Page): 8 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR23505155 日期(Date): 05-Jun-2023 頁數(Page): 9 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report


號碼(No.): ETR23505155 日期(Date): 05-Jun-2023 頁數(Page): 10 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

元素以 ICP-OES 分析的消化流程圖

(Flow chart of digestion for the elements analysis performed by ICP-OES)

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 / Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
玻璃 / Glass	硝酸,氫氟酸 / HNO ₃ ,HF
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO ₃
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate reagent to total digestion



Test Report

號碼(No.): ETR23505155 日期(Date): 05-Jun-2023 頁數(Page): 11 of 11

健策精密工業股份有限公司 (JENTECH PRECISION INDUSTRIAL CO., LTD.) 桃園市龜山區華亞科技園區科技一路40號 (NO. 40, KEJI 1ST RD., GUEISHAN DISTRICT, TAOYUAN CITY 333, TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR23505155



** 報告結尾 (End of Report) **