

Test Report

號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021 頁數(Page): 1 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : MITSUI HIGH-TEC INC. 樣品名稱(Sample Name) : Ag PLATING MATERIAL

收件日(Sample Receiving Date)

: 08-Nov-2021

測試期間(Testing Period)

: 08-Nov-2021 to 15-Nov-2021

測試需求(Test Requested)

(1) 依據客戶指定·參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages.)

結 論(Conclusion)

L) 根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

報告簽署人/張伯睿 博士/部 建理**SGS**Ray Chang, Ph.D./ Department Manager
Signed for and on behali
SGS TAIWAN LTD.

化學實驗室-高雄/Chemical Laboratory-Kaohsiung



PIN CODE: EF486A8



Test Report

號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021 頁數(Page): 2 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試部位敘述 (Test Part Description)

No.1 : 白色金屬 (WHITE METAL)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
43-9)	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	1000
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-	參考IEC 62321-4: 2013+ AMD1: 2017 ·	mg/kg	2	n.d.	1000
97-6)	以感應耦合電漿發射光譜儀分析。(With				
	reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-				
	OES.)				
六價鉻 (Hexavalent Chromium) Cr(VI)	參考IEC 62321-7-1: 2015,以紫外光-可見	μg/cm²	0.1	n.d.	-
(CAS No.: 18540-29-9) (#2)	光分光光度計分析。(With reference to				
	IEC 62321-7-1: 2015, analysis was				
	performed by UV-VIS.)				
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)	 參考IEC 62321-6: 2015·以氣相層析儀/質	mg/kg	5	n.d.	=
五溴聯苯 (Pentabromobiphenyl)	iii 儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)	GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)	CC/ 1413./	mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000



Test Report

號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)	 參考IEC 62321-6: 2015 · 以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)	ii 儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)	GC/1413.)	mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP)) (CAS No.: 85-68-7)					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl		mg/kg	50	n.d.	1000
phthalate (DBP)) (CAS No.: 84-74-2)					
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50	n.d.	1000
phthalate (DIBP)) (CAS No.: 84-69-5)					
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-	 參考IEC 62321-8: 2017·以氣相層析儀/質	mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP)) (CAS	参考IEC 02521-0. 2017・以報伯層が 職/員 譜儀分析。(With reference to IEC 62321-				
No.: 117-81-7)	8: 2017, analysis was performed by				
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl	GC/MS.)	mg/kg	50	n.d.	-
phthalate (DINP)) (CAS No.: 28553-12-	GC/1013.)				
0, 68515-48-0)					
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl		mg/kg	50	n.d.	-
phthalate (DIDP)) (CAS No.: 26761-40-					
0, 68515-49-1)					
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.	-
phthalate (DNOP)) (CAS No.: 117-84-0)					

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 3 of 18



Test Report

號碼(No.): EKR21B00430

日期(Date): 15-Nov-2021

頁數(Page): 4 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鄰苯二甲酸二正戊酯 (DNPP) (Di-n-		mg/kg	50	n.d.	-
pentyl phthalate (DNPP)) (CAS No.:					
131-18-0)					
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl		mg/kg	50	n.d.	-
phthalate (DNHP)) (CAS No.: 84-75-3)					
鄰苯二甲酸二(2-甲氧基乙基)酯 (DMEP)		mg/kg	50	n.d.	-
(Bis-(2-methoxyethyl) phthalate	 參考IEC 62321-8: 2017·以氣相層析儀/質				
(DMEP)) (CAS No.: 117-82-8)	iii 儀分析。(With reference to IEC 62321-				
鄰苯二甲酸二(C7-11支鏈與直鏈)烷基酯	8: 2017, analysis was performed by	mg/kg	50	n.d.	-
(DHNUP) (1,2-Benzenedicarboxylic	GC/MS.)	<i>J. J</i>			
acid, di-C7-11-branched and linear	(GC) (VIS.)				
alkyl esters (DHNUP)) (CAS No.: 68515-					
42-4)					
1,2-苯二酸-二(C6-8支鏈)烷基酯(富C7)		mg/kg	50	n.d.	-
(DIHP) (1,2-Benzenedicarboxylic acid,					
di-C6-8-branched alkyl esters, C7-rich					
(DIHP)) (CAS No.: 71888-89-6)					
六溴環十二烷及所有主要被辨別出的異構	參考IEC 62321: 2008 · 以氣相層析儀/質譜	mg/kg	5	n.d.	-
物(HBCDD) (α- HBCDD, β- HBCDD, γ-	儀分析。(With reference to IEC 62321:				
HBCDD) (Hexabromocyclododecane	2008, analysis was performed by				
(HBCDD) and all major	GC/MS.)				
diastereoisomers identified (α - HBCDD,					
β- HBCDD, γ- HBCDD)) (CAS No.:					
25637-99-4, 3194-55-6 (134237-51-7,					
134237-50-6, 134237-52-8))					
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-		mg/kg	50	n.d.	-
8)					
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-	☆ ≠ DC FN 14F02. 201 C 小敵フ屋ゼ洋ハ	mg/kg	50	n.d.	-
15-1)	参考BS EN 14582: 2016 · 以離子層析儀分				
溴 (Br) (Bromine (Br)) (CAS No.: 10097-	析。(With reference to BS EN 14582:	mg/kg	50	n.d.	-
32-2)	2016, analysis was performed by IC.)				
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
, , , , , , , , , , , , , , , , , , , ,		J. J.			



Test Report

號碼(No.): EKR21B00430

日期(Date): 15-Nov-2021

頁數(Page): 5 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
全氟辛酸 (PFOA)及其鹽類	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(Perfluorooctanoic acid (PFOA) and it's	聯質譜儀分析。(With reference to				
salt) (CAS No.: 335-67-1 and its salts)	CEN/TS 15968: 2010, analysis was				
	performed by LC/MS/MS.)				
全氟辛烷磺酸(PFOS)及其鹽類	參考CEN/TS 15968: 2010 · 以液相層析串	mg/kg	0.01	n.d.	-
(Perfluorooctane sulfonate (PFOS) and	聯質譜儀分析。(With reference to				
it's salt) (CAS No.: 1763-23-1 and its	CEN/TS 15968: 2010, analysis was				
salts)	performed by LC/MS/MS.)				
多氯聯苯 (PCBs) (Polychlorinated	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	0.5	n.d.	-
biphenyls (PCBs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				
多氯奈 (PCNs) (Polychlorinated	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	5	n.d.	-
naphthalene (PCNs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				
多氯三聯苯 (PCTs) (Polychlorinated	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	0.5	n.d.	-
terphenyls (PCTs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				
短鏈氯化石蠟(C10-C13) (SCCP) (Short	參考ISO 18219: 2015 · 以氣相層析儀/質	mg/kg	50	n.d.	-
Chain Chlorinated Paraffins(C10-C13)	譜儀分析。(With reference to ISO 18219:				
(SCCP)) (CAS No.: 85535-84-8)	2015, analysis was performed by				
	GC/MS.)				
三丁基錫 (TBT) (Tributyl tin (TBT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
氧化雙三丁基錫 (TBTO) (Bis(tributyItin)	由三丁基錫測試結果計算得之。	mg/kg	0.03 ▲	n.d.	-
oxide (TBTO)) (CAS No.: 56-35-9)	(Calculated from the result of Tributyl				
	Tin (TBT).)				



Test Report

號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021 頁數(Page): 6 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
三苯基錫 (TPT) (Triphenyl tin (TPT))	參考ISO 17353: 2004 · 以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.	-
二辛基錫 (DOT) (Dioctyl tin (DOT))	參考ISO 17353: 2004 · 以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.	-
二丁基錫 (DBT) (Dibutyl tin (DBT))	參考ISO 17353: 2004·以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.)	mg/kg	0.03	n.d.	-
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2013 · 以傅立葉轉換紅外線光譜儀及焰色法分析。(With reference to ASTM E1252: 2013, analysis was performed by FT-IR and Flame Test.)	**	1	Negative	-
紅磷 (Red Phosphorus)	以熱裂解-氣相層析儀/質譜儀分析。 (Analysis was performed by Pyrolyzer- GC/MS.)	**	-	Negative	-
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
三氧化二銻(Sb ₂ O ₃) (Antimony trioxide (Sb ₂ O ₃)) (CAS No.: 1309-64-4)	由銻結果計算得之。(Calculated from the result of Antimony.)	mg/kg	2▲	n.d.	-
砷 (As) (Arsenic (As)) (CAS No.: 7440- 38-2)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-



Test Report

號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021 頁數(Page): 7 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 全氟辛烷磺酸及其鹽類包含 (PFOS and its salts including):

CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.

- 8. 全氟辛酸及其鹽類包含 (PFOA and its salts including):
 - CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.
- 9. (#2) =
 - a. 當六價鉻結果大於0.13 μg/cm²,表示樣品表層含有六價鉻。(The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).)
 - b. 當六價鉻結果為n.d. (濃度小於0.10 μg/cm²)·表示表層不含六價鉻。(The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating)
 - c. 當六價鉻結果介於 0.10 及 0.13 $\mu g/cm^2$ 時,無法確定塗層是否含有六價鉻。(The result between 0.10 $\mu g/cm^2$ and 0.13 $\mu g/cm^2$ is considered to be inconclusive unavoidable coating variations may influence the determination.)
- 10. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.) 換算公式 (Conversion Formula): AX = A × F

AX	Α	F
氧化雙三丁基錫 (Bis(tributyltin)oxide) (TBTO)	三丁基錫 (Tributyl Tin) (TBT)	1.024
三氧化二銻 (Antimony trioxide) (Sb ₂ O ₃)	銻 (Antimony)	1.1971

參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region TW/DocDownload.aspx#otherDoc

11. 符合性結果之判定係以測試結果與限值做比較。(The statement of compliance conformity is based on comparison of testing results and limits.)



Test Report

號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021

頁數(Page): 8 of 18


MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)





Test Report


號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021

頁數(Page): 9 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART





Test Report

號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021


頁數(Page): 10 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

可塑劑分析流程圖 / Analytical flow chart of phthalate content

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021 頁數(Page): 11 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





Test Report 號碼(No.): EKR21B00430


日期(Date): 15-Nov-2021

頁數(Page): 12 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

鹵素分析流程圖 / Analytical flow chart of Halogen





Test Report

號碼(No.): EKR21B00430


日期(Date): 15-Nov-2021

頁數(Page): 13 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





測試報告 Test Report

號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021 頁數(Page): 14 of 18


MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT





測試報告 Test Report

號碼(No.): EKR21B00430


日期(Date): 15-Nov-2021

頁數(Page): 15 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

有機錫分析流程圖 / Analytical flow chart - Organic-Tin





Test Report


號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021

日期(Date): 15-Nov-2021 頁數(Page): 16 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

紅磷分析流程 / Analytical flow chart - Red phosphorus





Test Report

號碼(No.): EKR21B00430

日期(Date): 15-Nov-2021

頁數(Page): 17 of 18

MITSUI HIGH-TEC INC.


10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

元素(含重金屬)分析流程圖 / Analytical flow chart of Elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051、US EPA 3052】



* US EPA 3051 方法未添加氫氟酸 / US EPA 3051 method does not add HF.



Test Report

號碼(No.): EKR21B00430 日期(Date): 15-Nov-2021 頁數(Page): 18 of 18

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

EKR21B00430



** 報告結尾 (End of Report) **