Test Report

No.: EKR25A00246 Date: 16-Oct-2025

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By	:	HERAEUS MATERIALS SINGAPORE PTE LTD
Sample Name	:	SOLDER WIRE
Style/Item No.	:	PbSn2Ag2.5

==========

Sample Receiving Date	:	07-Oct-2025
Testing Period	:	07-Oct-2025 to 16-Oct-2025

Test Requested :
(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).
(2) Please refer to next pages for the other item(s).

Test Results : Please refer to following pages.

Conclusion :
(1) Based on the performed tests on submitted sample(s) and the declaration from the applicant, the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU with the exemption of Annex III 7(a) 【No.1】.

Ray Chang, Ph.D./Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory-Kaohsiung

CHECK REPORT
PIN CODE: B9B438E9

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Test Part Description

No.1 : SILVER METAL WIRE

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Cadmium (Cd)	With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.	mg/kg	2	n.d.	100
Lead (Pb)		mg/kg	-	959000(*)	(*E)
Mercury (Hg)	With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.	mg/kg	2	n.d.	1000
Hexavalent Chromium Cr(VI) (#2)	With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.	μg/cm²	0.1	n.d.	-
Monobromobiphenyl	With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs		mg/kg	-	n.d.	1000
Monobromodiphenyl ether	With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Butyl benzyl phthalate (BBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Dibutyl phthalate (DBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Diisobutyl phthalate (DIBP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	1000
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
PFOS and its salts					
Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
PFOS related compounds					
N-ethylperfluoro-1-octanesulfonamide (EtFOSA) (CAS No.: 4151-50-2)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-Methyl-Perfluoroctanesulfonamide (N-Me-FOSA) (CAS No.: 31506-32-8)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-Ethyl-Perfluoroctanesulfonamidoethanol (N-Et-FOSE alcohol) (CAS No.: 1691-99-2)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-Methyl-Perfluoroctanesulfonamidoethanol (N-Me-FOSE alcohol) (CAS No.: 24448-09-7)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Perfluoroctanesulfonamide and its salts (PFOSA and its salts) (CAS No.: 754-91-6 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Perfluorooctane sulfonamidoacetic acid and its salts (FOSAA and its salts) (CAS No.: 2806-24-8 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-methylperfluorooctane sulfonamidoacetic acid and its salts (N-MeFOSAA and its salts) (CAS No.: 2355-31-9 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
N-ethylperfluorooctane sulfonamidoacetic acid and its salts (N-EtFOSAA and its salts) (CAS No.: 2991-50-6 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
PFOA and its salts					
Perfluorooctanoic acid and its salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
PFOA related compounds					
6:8 Perfluorophosphinic acid (6:8 PFPi) (CAS No.: 610800-34-5)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Methyl perfluorooctanoate (Me-PFOA) (CAS No.: 376-27-2)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Ethyl perfluorooctanoate (Et-PFOA) (CAS No.: 3108-24-5)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Perfluoro-1-iodooctane (PFOI) (CAS No.: 507-63-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
3-Perfluoroheptyl propanoic acid (7:3 FTCA) (CAS No.: 812-70-4)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
2H-Perfluoro-2-decenoic acid (8:2 FTUCA) (CAS No.: 70887-84-2)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
8:8 Perfluorophosphinic acid and its salts (8:8 PFPi and its salts) (CAS No.: 40143-79-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
Mono-[2-(perfluorooctyl)ethyl]phosphate and its salts (8:2 monoPAP and its salts) (CAS No.: 57678-03-2 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1H,1H,2H,2H-Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts) (CAS No.: 39108-34-4 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) (CAS No.: 678-39-7)	Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) (CAS No.: 27905-45-9)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) (CAS No.: 1996-88-9)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2H,2H-Perfluorodecane acid and its salts (H2PFDA and its salts) (CAS No.: 27854-31-5 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-Perfluorodecyl iodide (8:2 FTI) (CAS No.: 2043-53-0)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyltriethoxysilane (8:2 FTSi(OC_2H_5)$_3$) (CAS No.: 101947-16-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
2H,2H,3H,3H-Perfluoroundecanoic acid and its salts (4HPFUnA and its salts) (CAS No.: 34598-33-9 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-
1H,1H,2H-Heptadecafluoro-1-decene (PFDE) (CAS No.: 21652-58-4)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate and its salts (8:2 diPAP and its salts) (CAS No.: 678-41-1 and its salts)	Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
1H,1H,2H,2H-Perfluorodecyltrichlorosilane (CAS No.: 78560-44-8)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-Perfluorodecyltrimethoxysilane (CAS No.: 83048-65-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.				-
1H,1H,2H,2H-Heptadecafluorodecyl acetate (8:2 FTOAc) (CAS No.: 37858-04-1)	Modified EN 17681-1: 2025, analysis was performed by GC/MS.	mg/kg	0.1	n.d.	-
Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-
Iodine (I) (CAS No.: 14362-44-8)	With reference to BS EN 14582: 2016, analysis was performed by IC.	mg/kg	50	n.d.	-

Note：

1. mg/kg = ppm；0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit
3. n.d. = Not Detected (Less than MDL)
4. "-" = Not Regulated
5. (#2) =
   a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).
   b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating
   c. The result between 0.10 μg/cm² and 0.13 μg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.
6. Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.
7. (*)：The test result of balance was calculated by subtracting positive results of other elements from 100%.
8. (*E): By client's claim, it is on the RoHS exemption list.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

PFAS Remark：

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

Group Name	Substance Name	CAS No.
PFOS, its salts & derivatives	Perfluorooctane sulfonates (PFOS)	1763-23-1
	Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH_4)	29081-56-9
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(C2H4OH)2)	70225-14-8
	Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-$N(C_2H_5)_4$)	56773-42-3
	N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	TetrabutylAmmonium perfluorooctanesulfonate (PFOS-$N(C_4H_9)_4$)	111873-33-7
	Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	Perfluorooctanesulfonate (anion)	45298-90-6
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-$N(C_2H_5)_3$)	54439-46-2
	Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-$N(CH_3)_4$)	56773-44-5
	1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-$N(C_3H_7)_3(C_5H_{11})$)	56773-56-9
	1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-$N(C_4H_9)_3(CH_3)$)	124472-68-0

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Group Name	Substance Name	CAS No.
PFOS, its salts & derivatives	Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8
	Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	258341-99-0
	Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4
	1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	773895-92-4
	Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-$P(C_4H_9)_4$))	2185049-59-4
	Perfluorooctanesulfonic acid diethylamine salt (PFOS-$C_4H_{11}N$)	2205029-08-7
	Heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium perfluorooctanesulfonate (PFOS-$C_{15}H_{30}NO_2$)	1203998-97-3
	1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	Perfluoro-1-octanesulfonyl chloride (PFOS-Cl)	423-60-9
PFOSA, its salts	Perfluorooctanesulfonamide (PFOSA)	754-91-6
	Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
	Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
	Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
	Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH_4)	76752-72-2
	heptadecafluorooctane-1-sulphonamide, compound with triethylamine(1:1) (PFOSA-$C_6H_{15}N$)	76752-82-4
PFOA, its salts & derivatives	Perfluorooctanoic acid (PFOA)	335-67-1
	Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	Silver perfluorooctanote (PFOA-Ag)	335-93-3
	Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-$Cr(3^+)$)	68141-02-6
	Pentadecafluorooctanoic acid--piperazine (2/1)PFOA-$NH(C_4H_{10}N)$	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Group Name	Substance Name	CAS No.
PFOA, its salts & derivatives	Perfluorooctanoic Anhydride	33496-48-9
	Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	Tetramethylammoniumperfluoroctanoat	32609-65-7
	1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H_2O)$_2$)	98065-31-7
	Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C_2H_7N)	1376936-03-6
	Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA-C_5H_5N)	95658-47-2
	Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-$C_{10}H_{14}N_2$)	1514-68-7
	1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- $C_{11}H_{26}N$)	927835-01-6
	Pentadecafluorooctanoyl chloride (PFOA-Cl)	335-64-8
8:2 monoPAP, its salts	Mono-[2-(perfluorooctyl)ethyl]phosphate (8:2 monoPAP)	57678-03-2
	8:2 Fluorotelomer diammonium phosphate	93857-44-4
	Disodium 1H,1H,2H,2H-perfluorodecylphosphate	438237-75-3
	Ammonium bis[2-(perfluorohexyl)ethyl] phosphate	1764-95-0
	3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctanol phosphate ammonium salt	92401-44-0
	Sodium 1H,1H,2H,2H-perfluorooctylphosphate	144965-22-0
	Monopotassium monoperfluorohexyl ethylphosphate	150033-28-6
	Ammonium 2-(perfluorohexyl)ethyl hydrogen phosphate	2353-52-8
8:2 FTS, its salts	1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4
	1H,1H,2H,2H-Perfluorodencane sulfonate acid Potassium salt (8:2 FTS-K)	438237-73-1
	1H,1H,2H,2H-Perfluorodencane sulfonate acid Ammonium salt (8:2 FTS-NH_4)	149724-40-3
	1H,1H,2H,2H-Perfluorodencane sulfonate acid Sodium salt (8:2 FTS-Na)	27619-96-1
	8: 2 Fluorotelomer sulfonate (anion) (8:2 FTS(anion))	481071-78-7
	2-(Perfluorooctyl)ethanesulfonyl chloride (8:2 FTS-Cl)	27619-90-5
H2PFDA, its salts	2H,2H-Perfluorodecane acid (H2PFDA)	27854-31-5
	Tetrabutylphosphonium 2H,2H-Perfluorodecanoate	882489-14-7
4HPFUnA, its salts	2H,2H,3H,3H-Perfluoroundecanoic Acid (4HPFUnA)	34598-33-9
	Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H4PFUnA-K)	83310-58-1
	Lithium 3-(perfluorooctyl)propanoate (H4PFUnA-Li)	67304-23-8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Group Name	Substance Name	CAS No.
8:2diPAP, its salts	Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate (8:2diPAP)	678-41-1
	Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na)	114519-85-6
	Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate	57677-97-1
	Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt (8:2diPAP-NH_4)	93776-20-6
	8:2 Fluorotelomer phosphate diester ion	1411713-91-1
FOSAA, its salts	Perfluorooctane sulfonamidoacetic acid (FOSAA)	2806-24-8
	N-[(Perfluorooctyl)sulfonyl]glycinate (FOSAA(anion))	909405-47-6
	N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)	75260-69-4
	N-[(Perfluorooctyl)sulfonyl]glycine sodium salt (1:1) (FOSAA-Na)	115716-87-5
N-MeFOSAA, its salts	N-methylperfluorooctane sulfonamidoacetic acid (N-MeFOSAA)	2355-31-9
	2-(N-Methylperfluorooctanesulfonamido)acetate (N-Me-FOSAA(anion))	909405-48-7
	Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate (N-Me-FOSAA-K)	70281-93-5
N-EtFOSAA, its salts	N-ethylperfluorooctane sulfonamidoacetic (N-EtFOSAA)	2991-50-6
	Potassium N-ethyl-N-((heptadecafluorooctyl)sulphonyl)glycinate (N-Et-FOSAA-K)	2991-51-7
	2-(N-Ethyl-perfluorooctanesulfonamido)acetate (N-Et-FOSAA(anion))	909405-49-8
	Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-NH4)	2991-52-8
	Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-Na)	3871-50-9
8:8 PFPi, its salts	8:8 Perfluorophosphinic acid (8:8 PFPi)	40143-79-1
	Sodium bis(perfluorooctyl)phosphinate (8:8 PFPi-Na)	500776-69-2
	Bis(perfluorooctyl) phosphinic acid erbium(3+) salt (8:8 PFPi-Er)	500776-70-5
	Bis(perfluorooctyl) phosphinic acid ytterbium(3+) salt (8:8 PFPi-Yb)	500776-71-6

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.
(Cr^{6+} test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Flow chart of digestion for the elements analysis performed by ICP-OES

These samples were dissolved totally by pre-conditioning method according to below flow chart.



Steel, copper, aluminum, solder	Aqua regia, HNO_3, HCl, HF, H_2O_2
Glass	HNO_3/HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO_3
Plastic	H_2SO_4, H_2O_2, HNO_3, HCl
Others	Added appropriate reagent to total digestion

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

PBB/PBDE analytical FLOW CHART



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Analytical flow chart of phthalate content

【Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Analytical flow chart of Elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method：US EPA 3051、US EPA 3052】



* US EPA 3051 method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Analytical flow chart of Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

HERAEUS MATERIALS SINGAPORE PTE LTD
NO. 26 PIONEER CRESCENT #06-11/12 WEST PARK BIZCENTRAL SINGAPORE 628558

*** The tested sample / part is marked by an arrow if it's shown on the photo. ***

EKR25A00246



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.