測試報告
Test Report

號碼(No.): EKR26301472　　日期(Date): 08-Apr-2026　　

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as)：

送樣廠商(Sample Submitted By)	:	MITSUI HIGH-TEC INC.
樣品名稱(Sample Name)	:	Au PLATING

==========

收件日(Sample Receiving Date)	:	19-Mar-2026
測試期間(Testing Period)	:	19-Mar-2026 to 08-Apr-2026

測試需求(Test Requested) :
(1) 依據客戶指定，參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)
(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結　　論(Conclusion) :
(1) 根據客戶所提供的樣品，其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

報告簽署人/張伯睿 博士/部經理
Ray Chang, Ph.D./ Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
化學實驗室-高雄/Chemical Laboratory-Kaohsiung

CHECK REPORT
PIN CODE: 059364A6

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試部位敘述 (Test Part Description)

No.1 : 金色 Au PLATING (GOLDEN COLORED Au PLATING)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result)	限值 (Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	100
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	9.27	1000
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017，以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	1000
六價鉻 (Hexavalent Chromium) Cr(VI) (#2)	參考IEC 62321-7-1: 2015，以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.)	μg/cm²	0.1	n.d.	-
一溴聯苯 (Monobromobiphenyl)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
一溴聯苯醚 (Monobromodiphenyl ether)	參考IEC 62321-6: 2015，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
多氯聯苯 (PCBs) (Polychlorinated biphenyls (PCBs))	參考US EPA 3550C: 2007，以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	0.5	n.d.	-
多氯奈 (PCNs) (Polychlorinated naphthalene (PCNs))	參考US EPA 3550C: 2007，以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
多氯三聯苯 (PCTs) (Polychlorinated terphenyls (PCTs))	參考US EPA 3550C: 2007，以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.)	mg/kg	0.5	n.d.	-
短鏈氯化石蠟(C10-C13) (SCCP) (Short Chain Chlorinated Paraffins(C10-C13) (SCCP)) (CAS No.: 85535-84-8)	參考ISO 18219-1: 2021，以氣相層析儀/質譜儀分析。(With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)	參考BS EN 14582: 2016，以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)		mg/kg	50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)		mg/kg	50	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
三丁基錫 (TBT) (Tributyl tin (TBT))	參考ISO 17353: 2004，以氣相層析儀/質譜儀分析。(With reference to ISO 17353: 2004, analysis was performed by GC/MS.)	mg/kg	0.03	n.d.	-
三苯基錫 (TPT) (Triphenyl tin (TPT))		mg/kg	0.03	n.d.	-
二丁基錫 (DBT) (Dibutyl tin (DBT))		mg/kg	0.03	n.d.	-
二辛基錫 (DOT) (Dioctyl tin (DOT))		mg/kg	0.03	n.d.	-
氧化雙三丁基錫 (TBTO) (Bis(tributyltin) oxide (TBTO)) (CAS No.: 56-35-9)	由三丁基錫測試結果計算得之。(Calculated from the result of Tributyl Tin (TBT).)	mg/kg	0.03▲	n.d.	-
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α- HBCDD, β- HBCDD, γ- HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008，以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))	參考IEC 62321-8: 2017，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.	1000
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)		mg/kg	50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)	參考IEC 62321-8: 2017，以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)		mg/kg	50	n.d.	-
鄰苯二甲酸二(C7-11支鏈與直鏈)烷基酯 (DHNUP) (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)) (CAS No.: 68515-42-4)		mg/kg	50	n.d.	-
鄰苯二甲酸二(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)		mg/kg	50	n.d.	-
鄰苯二甲酸二 (C6-8支鏈)烷基酯，富C7 (DIHP) (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)) (CAS No.: 71888-89-6)		mg/kg	50	n.d.	-
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3)		mg/kg	50	n.d.	-
鄰苯二甲酸二正戊酯 (DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0)		mg/kg	50	n.d.	-
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2021，以傅立葉轉換紅外線光譜儀及焰色法分析。(With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.)	**	-	Negative	-
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0)	參考US EPA 3052: 1996，以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	參考US EPA 3052: 1996，以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
氧化鈹 (BeO) (Beryllium oxide (BeO)) (CAS No.: 1304-56-9)	由鈹結果計算得之。(Calculated from the result of Beryllium.)	mg/kg	2▲	n.d.	-
砷 (As) (Arsenic (As)) (CAS No.: 7440-38-2)	參考US EPA 3052: 1996，以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-
紅磷 (Red Phosphorus)	以熱裂解-氣相層析儀/質譜儀分析。(Analysis was performed by Pyrolyzer-GC/MS.)	**	-	Negative	-
PFOS及其鹽類 (PFOS and its salts)					
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (Perfluorooctane sulfonates and its salts (PFOS and its salts)) (CAS No.: 1763-23-1 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
PFOS相關化合物 (PFOS related compounds)					
N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluoroctanesulfonamide (N-Me-FOSA)) (CAS No.: 31506-32-8)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE alcohol) (N-Ethyl-Perfluoroctanesulfonamidoethanol (N-Et-FOSE alcohol)) (CAS No.: 1691-99-2)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE alcohol) (N-Methyl-Perfluorooctanesulfonamidoethanol (N-Me-FOSE alcohol)) (CAS No.: 24448-09-7)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛基磺醯胺及其鹽類 (PFOSA and its salts) (Perfluorooctanesulfonamide and its salts (PFOSA and its salts)) (CAS No.: 754-91-6 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛烷磺酰胺乙酸及其鹽類 (FOSAA and its salts) (Perfluorooctane sulfonamidoacetic acid and its salts (FOSAA and its salts)) (CAS No.: 2806-24-8 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-甲基全氟辛烷磺酰胺乙酸及其鹽類 (N-MeFOSAA and its salts) (N-methylperfluorooctane sulfonamidoacetic acid and its salts (N-MeFOSAA and its salts)) (CAS No.: 2355-31-9 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
N-乙基全氟辛烷磺酰胺乙酸及其鹽類 (N-EtFOSAA and its salts) (N-ethylperfluorooctane sulfonamidoacetic acid and its salts (N-EtFOSAA and its salts)) (CAS No.: 2991-50-6 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
PFOA及其鹽類 (PFOA and its salts)					
全氟辛酸及其鹽類 (PFOA and its salts) (Perfluorooctanoic acid and its salts (PFOA and its salts)) (CAS No.: 335-67-1 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
PFOA相關化合物 (PFOA related compounds)					
6:8 全氟次磷酸 (6:8 PFPi) (6:8 Perfluorophosphinic acid (6:8 PFPi)) (CAS No.: 610800-34-5)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
全氟辛酸甲酯 (Me-PFOA) (Methyl perfluorooctanoate (Me-PFOA)) (CAS No.: 376-27-2)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
全氟辛酸乙酯 (Et-PFOA) (Ethyl perfluorooctanoate (Et-PFOA)) (CAS No.: 3108-24-5)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
全氟辛基碘烷 (PFOI) (Perfluoro-1-iodooctane (PFOI)) (CAS No.: 507-63-1)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
3-全氟庚基丙酸 (7:3 FTCA) (3-Perfluoroheptyl propanoic acid (7:3 FTCA)) (CAS No.: 812-70-4)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
2H-全氟-2-癸烯酸 (8:2 FTUCA) (2H-Perfluoro-2-decenoic acid (8:2 FTUCA)) (CAS No.: 70887-84-2)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
8:8全氟次磷酸及其鹽類 (8:8 PFPi and its salts) (8:8 Perfluorophosphinic acid and its salts (8:8 PFPi and its salts)) (CAS No.: 40143-79-1 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
單-[2-(全氟辛基)乙烷]磷酸酯及其鹽類 (8:2 monoPAP and its salts) (Mono-[2-(perfluorooctyl)ethyl]phosphate and its salts (8:2 monoPAP and its salts)) (CAS No.: 57678-03-2 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
1H,1H,2H,2H-全氟癸磺酸及其鹽類 (8:2 FTS and its salts) (1H,1H,2H,2H-Perfluorodecanesulfonic acid and its salts (8:2 FTS and its salts)) (CAS No.: 39108-34-4 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)) (CAS No.: 678-39-7)	修改EN 17681-1: 2025，以氣相層析質譜儀及液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS and LC/MS/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2 FTA) (1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)) (CAS No.: 27905-45-9)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟癸基甲基丙烯酸酯 (8:2 FTMA) (1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)) (CAS No.: 1996-88-9)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
2H,2H-全氟癸酸及其鹽類 (H2PFDA and its salts) (2H,2H-Perfluorodecane acid and its salts (H2PFDA and its salts)) (CAS No.: 27854-31-5 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟癸基碘 (8:2 FTI) (1H,1H,2H,2H-Perfluorodecyl iodide (8:2 FTI)) (CAS No.: 2043-53-0)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟十七烷三甲基氧矽烷 (8:2 FTSi(OC_2H_5)$_3$) (1H,1H,2H,2H-Perfluorodecyltriethoxysilane (8:2 FTSi(OC_2H_5)$_3$)) (CAS No.: 101947-16-4)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
2H,2H,3H,3H-全氟十一烷酸及其鹽類 (4HPFUnA and its salts) (2H,2H,3H,3H-Perfluoroundecanoic acid and its salts (4HPFUnA and its salts)) (CAS No.: 34598-33-9 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告
Test Report

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
1H,1H,2H-全氟-1-癸烯 (PFDE) (1H,1H,2H-Heptadecafluoro-1-decene (PFDE)) (CAS No.: 21652-58-4)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
雙(1H,1H,2H,2H-全氟癸基)磷酸酯及其鹽類 (8:2 diPAP and its salts) (Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate and its salts (8:2 diPAP and its salts)) (CAS No.: 678-41-1 and its salts)	修改EN 17681-1: 2025，以液相層析串聯質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
1H,1H,2H,2H-全氟癸基三氯矽烷 (1H,1H,2H,2H-Perfluorodecyltrichlorosilane) (CAS No.: 78560-44-8)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-
1H,1H,2H,2H-全氟癸基三甲氧基矽烷 (1H,1H,2H,2H-Perfluorodecyltrimethoxysilane) (CAS No.: 83048-65-1)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)				
2-全氟辛基乙基乙酸酯 (8:2 FTOAc) (1H,1H,2H,2H-Heptadecafluorodecyl acetate (8:2 FTOAc)) (CAS No.: 37858-04-1)	修改EN 17681-1: 2025，以氣相層析質譜儀分析。(Modified EN 17681-1: 2025, analysis was performed by GC/MS.)	mg/kg	0.1	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

備註(Note)：

1. mg/kg = ppm；0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出) ; 小於MDL / Less than MDL
4. "-" = Not Regulated (無規格值)
5. **= Qualitative analysis (No Unit) 定性分析(無單位)
6. Negative = Undetectable 陰性(未偵測到/未檢出); Positive = Detectable 陽性(已偵測到/檢出)
7. (#2) =
   a. 當六價鉻結果大於0.13 μg/cm²，表示樣品表層含有六價鉻。(The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).)
   b. 當六價鉻結果為n.d. (濃度小於0.10 μg/cm²)，表示表層不含六價鉻。(The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating)
   c. 當六價鉻結果介於 0.10 及 0.13 μg/cm² 時，無法確定塗層是否含有六價鉻。(The result between 0.10 μg/cm² and 0.13 μg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.)
8. ▲：MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.)
   換算公式 (Conversion Formula)：AX = A × F

AX	A	F
氧化鈹 (Beryllium oxide) (BeO)	鈹 (Beryllium)	2.7753
氧化雙三丁基錫 (Bis(tributyltin)oxide) (TBTO)	三丁基錫 (Tributyl Tin) (TBT)	1.0276

   參數換算表 (Parameter Conversion Table)：
   https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others
9. 除非另有說明，參照ILAC-G8:09/2019決定規則，採用簡單允收規則之二分法(w=0)進行符合性判定；根據此規則，符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

PFAS Remark：

現有PFAS定量技術是分析PFAS物質的特定結構，但同碳數族群之PFAS酸及鹽類物質，其可被辨識的特定結構相同，因此無法區別所分析的特定結構是來自酸或者鹽類，故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中，相關資訊請參見下表：(下表列舉PFAS物質僅為範例，並不包含所有同碳數族群之PFAS鹽類。)
(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛烷磺酸 (Perfluorooctane sulfonates) (PFOS)	1763-23-1
	全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	全氟辛基磺酸銨 (PFOS-NH_4) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH_4)	29081-56-9
	全氟辛基磺酸二乙醇銨 (PFOS-NH(C2H4OH)2) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(C2H4OH)2)	70225-14-8
	全氟辛基磺酸四乙基銨 (PFOS-$N(C_2H_5)_4$) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-$N(C_2H_5)_4$)	56773-42-3
	全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	全氟辛基磺酸四丁基銨 (PFOS-$N(C_4H_9)_4$) TetrabutylAmmonium perfluorooctanesulfonate (PFOS-$N(C_4H_9)_4$)	111873-33-7
	全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	全氟辛烷磺酸哌啶 Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	全氟辛烷磺酸鹽 Perfluorooctanesulfonate (anion)	45298-90-6
	全氟辛烷磺酸與 N,N-二乙基乙胺 (1:1) (PFOS-NH(C_2H_5)$_3$) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, compd. with N,N-diethylethanamine (1:1) (PFOS-NH(C_2H_5)$_3$)	54439-46-2
	N,N,N-三甲基-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸甲銨(1:1) (PFOS-N(CH_3)$_4$) Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(CH_3)$_4$)	56773-44-5
	1-五胺，N,N,N-三丙基-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽(1:1) (PFOS-N(C_3H_7)$_3$(C_5H_{11})) 1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_3H_7)$_3$(C_5H_{11}))	56773-56-9
	1-丁銨，N,N-二丁基-N-甲基-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1-辛烷磺酸鹽 (1:1) (PFOS-N(C_4H_9)$_3$(CH_3)) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1) (PFOS-N(C_4H_9)$_3$(CH_3))	124472-68-0
	碘鎓，雙[4-(1,1-二甲基乙基)苯基]-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8 -十七氟-1-辛烷磺酸鹽 (1:1) Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8
	二苯基鋶(2,4,6-三甲基苯基)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8 ,8-十七氟- 1-辛烷磺酸鹽 (1:1) Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	258341-99-0
	吡啶鎓，1-十六烷基-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽 (1:1) Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	334529-63-4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOS, 及其鹽&衍生物 (PFOS, its salts & derivatives)	1-癸胺，N,N,N-三乙基-，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-1 -辛烷磺酸鹽(1:1) 1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	773895-92-4
	全氟辛烷磺酸四丁基鏻 (PFOS-P(C_4H_9)$_4$)) Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C_4H_9)$_4$))	2185049-59-4
	全氟辛烷磺酸二乙胺鹽 (PFOS-$C_4H_{11}N$) Perfluorooctanesulfonic acid diethylamine salt (PFOS-$C_4H_{11}N$)	2205029-08-7
	庚基二甲基{2-[(2-甲基丙-2-烯酰基)氧基]乙基}全氟辛烷磺酸氮紮鹽 (PFOS-$C_{15}H_{30}NO_2$) Heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium perfluorooctanesulfonate (PFOS-$C_{15}H_{30}NO_2$)	1203998-97-3
	1-辛烷磺酸，1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十七氟-,1,1' -酸酐 (PFOSAN) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7
	全氟辛基磺醯氯(PFOS-Cl) Perfluoro-1-octanesulfonyl chloride (PFOS-Cl)	423-60-9
PFOSA, 及其鹽 (PFOSA, its salts)	全氟辛基磺醯胺 (Perfluorooctanesulfonamide) (PFOSA)	754-91-6
	全氟辛基磺醯胺鋰鹽 (1:1) (PFOSA-Li) Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
	全氟辛基磺醯胺鈉鹽 (1:1) (PFOSA-Na) Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
	全氟辛基磺醯胺鉀鹽 (1:1) (PFOSA-K) Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
	全氟辛基磺醯胺銨鹽 (1:1) (PFOSA-NH_4) Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH_4)	76752-72-2
	全氟辛基磺醯胺三乙胺的化合物(1:1) (PFOSA-$C_6H_{15}N$) heptadecafluorooctane-1-sulphonamide, compound with triethylamine(1:1) (PFOSA-$C_6H_{15}N$)	76752-82-4

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	全氟辛酸 (Perfluorooctanoic acid) (PFOA)	335-67-1
	全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanoate (PFOA-Ag)	335-93-3
	全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	全氟辛酸鈷 (PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
	全氟辛酸銫 (PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
	全氟辛酸鉻 (PFOA-Cr(3^+)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3^+))	68141-02-6
	全氟辛酸-哌嗪(2:1) PFOA-NH($C_4H_{10}N$) Pentadecafluorooctanoic acid--piperazine (2/1)PFOA-NH($C_4H_{10}N$)	423-52-9
	全氟辛酸鹽 Pentadecafluorooctanoate (anion)	45285-51-6
	全氟辛酸酐 Perfluorooctanoic Anhydride	33496-48-9
	乙銨，N,N,N-三乙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	全氟辛酸四甲銨鹽 Tetramethylammoniumperfluoroctanoat	32609-65-7

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
PFOA, 及其鹽&衍生物 (PFOA, its salts & derivatives)	1-丙銨，N,N,N-三丙基-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	辛酸，2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-鉀鹽，水合物 (1:1:2) (PFOA-K(H_2O)$_2$) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H_2O)$_2$)	98065-31-7
	辛酸，2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟-，化合物。與乙胺 (1:1) (PFOA-C_2H_7N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C_2H_7N)	1376936-03-6
	十五氟辛酸化合物與吡啶 (1:1) (9CI) (PFOA-C_5H_5N) Octanoic acid, pentadecafluoro-, compd. with pyridine (1:1) (9CI) (PFOA-C_5H_5N)	95658-47-2
	十五氟辛酸-1-苯基哌嗪(1:1) (PFOA-$C_{10}H_{14}N_2$) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-$C_{10}H_{14}N_2$)	1514-68-7
	1-辛胺，N,N,N-三甲基-，2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-十五氟辛酸(1:1) (PFOA- $C_{11}H_{26}N$) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- $C_{11}H_{26}N$)	927835-01-6
	全氟辛醯氯 (PFOA-Cl) Pentadecafluorooctanoyl chloride (PFOA-Cl)	335-64-8
	全氟辛醯溴 (PFOA-Br) Perfluorooctanoyl Bromide (PFOA-Br)	222037-87-8
8:2 monoPAP, 及其鹽 (8:2 monoPAP, its salts)	單-[2-(全氟辛基)乙烷]磷酸酯 (Mono-[2-(perfluorooctyl)ethyl]phosphate) (8:2 monoPAP)	57678-03-2
	8:2氟調聚物磷酸二銨鹽 8:2 Fluorotelomer diammonium phosphate	93857-44-4
	8:2氟調聚物磷酸鈉鹽 Disodium 1H,1H,2H,2H-perfluorodecylphosphate	438237-75-3
	雙[2-(全氟辛基)乙基]磷酸銨鹽 Ammonium bis[2-(perfluorohexyl)ethyl] phosphate	1764-95-0
	單[2-(全氟辛基)乙基]磷酸銨鹽 3,3,4,4,5,5,6,6,7,7,8,8,8-Tridecafluorooctanol phosphate ammonium salt	92401-44-0

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
8:2 monoPAP, 及其鹽 (8:2 monoPAP, its salts)	單[2-(全氟辛基)乙基]磷酸鹽單鈉鹽 Sodium 1H,1H,2H,2H-perfluorooctylphosphate	144965-22-0
	單[2-(全氟辛基)乙基]磷酸單鉀鹽 Monopotassium monoperfluorohexyl ethylphosphate	150033-28-6
	單[2-(全氟辛基)乙基]磷酸氫銨鹽 Ammonium 2-(perfluorohexyl)ethyl hydrogen phosphate	2353-52-8
8:2 FTS, 及其鹽 (8:2 FTS, its salts)	1H,1H,2H,2H-全氟癸磺酸 (1H,1H,2H,2H-Perfluorodecanesulfonic acid) (8:2 FTS)	39108-34-4
	1H, 1H, 2H, 2H-全氟癸磺酸鉀 (8:2 FTS-K) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Potassium salt (8:2 FTS-K)	438237-73-1
	1H, 1H, 2H, 2H-全氟癸磺酸銨 (8:2 FTS-NH_4) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Ammonium salt (8:2 FTS-NH_4)	149724-40-3
	1H, 1H, 2H, 2H-全氟癸磺酸鈉 (8:2 FTS-Na) 1H,1H,2H,2H-Perfluorodencane sulfonate acid Sodium salt (8:2 FTS-Na)	27619-96-1
	1H,1H,2H,2H-全氟癸磺酸鹽 (8:2 FTS(anion)) 8: 2 Fluorotelomer sulfonate (anion) (8:2 FTS(anion))	481071-78-7
	1H,1H,2H,2H-全氟癸磺醯氯 (8:2 FTS-Cl) 2-(Perfluorooctyl)ethanesulfonyl chloride (8:2 FTS-Cl)	27619-90-5
H2PFDA, 及其鹽 (H2PFDA, its salts)	2H,2H-全氟癸酸 (2H,2H-Perfluorodecane acid) (H2PFDA)	27854-31-5
	四丁基磷2H,2H-全氟癸酸酯 Tetrabutylphosphonium 2H,2H-Perfluorodecanoate	882489-14-7
4HPFUnA, 及其鹽 (4HPFUnA, its salts)	2H,2H,3H,3H-全氟十一烷酸 (2H,2H,3H,3H-Perfluoroundecanoic Acid) (4HPFUnA)	34598-33-9
	2H,2H,3H,3H-全氟十一烷酸鉀 (H4PFUnA-K) Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H4PFUnA-K)	83310-58-1
	2H,2H,3H,3H-全氟十一烷酸鋰 (H4PFUnA-Li) Lithium 3-(perfluorooctyl)propanoate (H4PFUnA-Li)	67304-23-8

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
8:2diPAP, 及其鹽 (8:2diPAP, its salts)	雙(1H,1H,2H,2H-全氟癸基)磷酸酯 (Bis(1H,1H,2H,2H-Perfluorodecyl)phosphate) (8:2diPAP)	678-41-1
	雙(1H,1H,2H,2H-全氟癸基)磷酸酯鈉 (8:2diPAP-Na) Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na)	114519-85-6
	雙(2-羥乙基)雙((全氟辛基)乙基)磷酸氫銨 Bis(2-hydroxyethyl)ammonium bis((perfluorooctyl)ethyl) hydrogen phosphate	57677-97-1
	雙[2-(全氟辛基)乙基]磷酸銨鹽 (8:2diPAP-NH_4) Bis[2-(perfluorooctyl)ethyl] phosphate ammonium salt (8:2diPAP-NH_4)	93776-20-6
	8:2 氟調聚物磷酸二酯離子 8:2 Fluorotelomer phosphate diester ion	1411713-91-1
FOSAA, 及其鹽 (FOSAA, its salts)	全氟辛烷磺酰胺乙酸 (Perfluorooctane sulfonamidoacetic acid) (FOSAA)	2806-24-8
	全氟辛烷磺酰胺乙酸鹽 (FOSAA(anion)) N-[(Perfluorooctyl)sulfonyl]glycinate (FOSAA(anion))	909405-47-6
	全氟辛烷磺酰胺乙酸鉀 (FOSAA-K) N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)	75260-69-4
	全氟辛烷磺酰胺乙酸鈉 (FOSAA-Na) N-[(Perfluorooctyl)sulfonyl]glycine sodium salt (1:1) (FOSAA-Na)	115716-87-5
N-MeFOSAA, 及其鹽 (N-MeFOSAA, its salts)	N-甲基全氟辛烷磺酰胺乙酸 (N-methylperfluorooctane sulfonamidoacetic acid) (N-MeFOSAA)	2355-31-9
	N-甲基全氟辛烷磺酰胺乙酸鹽 (N-Me-FOSAA(anion)) 2-(N-Methylperfluorooctanesulfonamido)acetate (N-Me-FOSAA(anion))	909405-48-7
	N-甲基全氟辛烷磺酰胺乙酸鉀 (N-Me-FOSAA-K) Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate (N-Me-FOSAA-K)	70281-93-5

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

群組名稱 (Group Name)	物質名稱 (Substance Name)	CAS No.
N-EtFOSAA, 及其鹽 (N-EtFOSAA, its salts)	N-乙基全氟辛烷磺酰胺乙酸 (N-ethylperfluorooctane sulfonamidoacetic) (N-EtFOSAA)	2991-50-6
	N-乙基全氟辛烷磺酰胺乙酸鉀 (N-Et-FOSAA-K) Potassium N-ethyl-N-((heptadecafluorooctyl)sulphonyl)glycinate (N-Et-FOSAA-K)	2991-51-7
	N-乙基全氟辛烷磺酰胺乙酸鹽 (N-Et-FOSAA(anion)) 2-(N-Ethyl-perfluorooctanesulfonamido)acetate (N-Et-FOSAA(anion))	909405-49-8
	N-乙基全氟辛烷磺酰胺乙酸氨 (N-Et-FOSAA-NH4) Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-NH4)	2991-52-8
	N-乙基全氟辛烷磺酰胺乙酸鈉 (N-Et-FOSAA-Na) Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-Na)	3871-50-9
8:8 PFPi, 及其鹽 (8:8 PFPi, its salts)	8:8全氟次磷酸 (8:8 Perfluorophosphinic acid) (8:8 PFPi)	40143-79-1
	8:8 全氟次磷酸鈉 (8:8 PFPi-Na) Sodium bis(perfluorooctyl)phosphinate (8:8 PFPi-Na)	500776-69-2
	8:8全氟次磷酸鉺 (8:8 PFPi-Er) Bis(perfluorooctyl) phosphinic acid erbium(3+) salt (8:8 PFPi-Er)	500776-70-5
	8:8全氟次磷酸鐿 (8:8 PFPi-Yb) Bis(perfluorooctyl) phosphinic acid ytterbium(3+) salt (8:8 PFPi-Yb)	500776-71-6


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件，樣品已完全溶解。（六價鉻測試方法除外）


These samples were dissolved totally by pre-conditioning method according to below flow chart.
（Cr^{6+} test method excluded）



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

分析流程圖 / Analytical flow chart

【適用於：多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】


*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN


鹵素分析流程圖 / Analytical flow chart of Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN


有機錫分析流程圖 / Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN


六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

可塑劑分析流程圖 / Analytical flow chart of phthalate content

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

元素(含重金屬)分析流程圖 / Analytical flow chart of Elements (Heavy metal included)

根據以下的流程圖之條件，樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method：US EPA 3051、US EPA 3052】




* US EPA 3051 方法未添加氫氟酸 / US EPA 3051 method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN


紅磷分析流程 / Analytical flow chart - Red phosphorus



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


測試報告
Test Report

號碼(No.): EKR26301472　　日期(Date): 08-Apr-2026　　

MITSUI HIGH-TEC INC.
10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

*** 照片中如有箭頭標示，則表示為實際檢測之樣品/部位. ***
(The tested sample / part is marked by an arrow if it's shown on the photo.)

EKR26301472



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.