**URL** for Additional Information

PART INFORMATION

Mfg Item Number

Mg Item Name

TO-272 WB-4

SUPPLIER Company Name Freescale Semiconductor Inc Company Unique ID 14-141-7928 Response Date 2007-07-26 Response Document ID 7518K10874D001A1.2 Contact Name Freescale Semiconductor Inc Contact Title Product Technical Support **Contact Phone** 1-800-521-6274 Contact Email support@freescale.com **Authorized Representative** Daniel Binyon Representative Title **EPP Customer Response** Representative Phone 512-895-3406 Representative Email eppanlst@freescale.com

DECLARATIONEU RoHSYesPb FreeNoHalogenFreeNoPlating Indicatore3EU RoHS Exemption(s)7a

www.freescale.com

MANUFACTURING Mfg Item Number MRF6S18060NBR1 Mfg Item Name TO-272 WB-4 Version ALL Weight 1.911100 UoM Unit Volume EACH J-STD-020 MSL Rating 3 Peak Processing Temperature 260 C Max Time at Peak Temperature 40 seconds Number of Processing Cycles 3

RoHS								
RoHS Directive	2011/65/EU							
RoHS Definition	RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material of Cadmium							
RoHS Legal Definition	Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states of the part(s) identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a RoHS restricted substance) in excess of the applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part(s), and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part(s), the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Suppliers liability and the Companys remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Suppliers Standard Terms and Con							
RoHS Declaration	4 - Item(s) does not contain RoHS restricted substances per the definition above except for selected exemptions							
Supplier Acceptance	Accepted							
Signature	Daniel Binyon							
Exemptions in this part	7a:Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead)							
List of Freescale Accepted Exemptions	6(a) : Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0.35% lead by weight							
·	6(b): Lead as an alloying element in aluminium containing up to 0.4% lead by weight							
	6(c): Copper alloy containing up to 4% lead by weight							
	7(a): Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead)							
	7(b): Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission, and network management for telecommunications							
	7(c)-I : Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound							
	7(c)-II : Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher							
	7(c)-III: Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC							
	7(c)-IV: Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors							

15: Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages

SubPart	Weight					SubstanceWeight	UoM	SubPart PPM		REACHPPM	REACH%
Die Encapsulant	0.7936						g				
Die Encapsulant		Solvents, additives, and other materials	Benzophenonetetracarboxylic Acid Dianhydride	2421-28-5		0.059391	g	74838	7.4838	31076	3.1076
Die Encapsulant		Plastics/polymers	Ortho-Cresol, Polymer with 1-Chloro-2,3-Epoxypropane and Formaldehyde	29690-82-2		0.023756	g	29935	2.9935	12430	1.243
Die Encapsulant		Plastics/polymers	Other Epoxy resins	-		0.023756	g	29935	2.9935	12430	1.243
Die Encapsulant		Plastics/polymers	Proprietary Material-Other Epoxy resins	-		0.023756	g	29935	2.9935	12430	1.243
Die Encapsulant		Metals	Magnesium, metal and alloys	7439-95-4		0.001417	g	1785	0.1785	741	0.0741
Die Encapsulant		Solvents, additives, and other materials	Proprietary Material-Other organic silicon compounds	-		0.004254	g	5361	0.5361	2225	0.2225
Die Encapsulant		Glass	Silica, crystalline - quartz (SiO2)	14808-60-7		0.023756	g	29935	2.9935	12430	1.243
Die Encapsulant		Glass	Silica, vitreous	60676-86-0		0.633514	g	798276	79.8276	331495	33.1495
Solder Die Attach	0.0257				7a		g				
Solder Die Attach		Metals	Lead, metallic lead and lead alloys	7439-92-1		0.024543	g	955000	95.5	12842	1.2842
older Die Attach		Metals	Silver, metal and alloys	7440-22-4		0.000643	g	25000	2.5	336	0.0336
Solder Die Attach		Metals	Tin, metal and alloys	7440-31-5		0.000514	g	20000	2	268	0.0268
Sonding Wire	0.0195						g				
Bonding Wire		Metals	Aluminum, metal and alloys	7429-90-5		0.0195	g	1000000	100	10203	1.0203
Silicon Semiconductor Die	0.0257						g				
Silicon Semiconductor Die		Solvents, additives, and other materials	Other miscellaneous substances (less than 5%)	-		0.000514	g	20000	2	268	0.0268
Silicon Semiconductor Die		Glass	Silicon, doped	-		0.025186	g	980000	98	13178	1.3178
ead Frame Plating	0.0102						g				
ead Frame Plating		Metals	Lead, metallic lead and lead alloys	7439-92-1		0.000001	g	125	0.0125	0	0
ead Frame Plating		Metals	Tin, metal and alloys	7440-31-5		0.010199	g	999875	99.9875	5336	0.5336
opper Lead Frame	1.0364						g				
opper Lead Frame		Metals	Copper, metal and alloys	7440-50-8		1.005236	g	969931	96.9931	526007	52.6007
Copper Lead Frame		Metals	Iron, metal and alloys	7439-89-6		0.012003	g	11581	1.1581	6280	0.628
Copper Lead Frame		Metals	Lead, metallic lead and lead alloys	7439-92-1		0.00021	g	203	0.0203	109	0.0109
Copper Lead Frame		Metals	Nickel, metal and alloys	7440-02-0		0.018951	g	18285	1.8285	9916	0.9916

LINKS

MCD LINK

http://www.freescale.com Freescale website

GENERAL ENVIRONMENTAL COMPLIANCE LINKS

http://www.freescale.com/files/abstract/corporate/ehs\_epp/ENV\_ROHS\_Freescale\_Response.pdf

RoHS signed letter China RoHS http://www.freescale.com/chinarohs

REACH signed letter http://www.freescale.com/files/abstract/corporate/ehs\_epp/ENV\_REACH\_Freescale\_Response.pdf http://www.freescale.com/files/abstract/corporate/ehs\_epp/ENV\_ELV\_Freescale\_Reponse.pdf ELV signed letter

http://www.freescale.com/files/abstract/corporate/ehs\_epp/ENV\_CONFLICT\_METAL\_Freescale\_Response.pdf Conflict Minerals statement FREESCALE ENVIRONMENTAL INFORMATION

EPP website

http://www.freescale.com/epp

FAQ

**Technical Service Request** 

LINKS TO BLANK IPC1752 FORMS

http://www.freescale.com/webapp/sps/site/overview.jsp?code=ENVIRON\_FAQ

https://www.freescale.com/webapp/servicerequest.create\_SR.framework?defaultCategory=Hardware Product Support&defaultTopic=Environmentally Preferred Prod

Blank IPC1752 v0.9 Form  $http://www.freescale.com/files/abstract/corporate/ehs\_epp/IPC-1752-2\_v0.9\_MCD\_Template.pdf$ http://www.freescale.com/files/abstract/corporate/ehs\_epp/IPC-1752-2\_v1.1\_MCD\_Template.pdf Blank IPC1752 v1.1 Form

## IPC1752 XML LINKS

http://www.freescale.com/mcds/MRF6S18060NBR1\_IPC1752\_v09.xml

http://www.freescale.com/mcds/MRF6S18060NBR1\_IPC1752\_v11.xml

http://www.freescale.com/mcds/MRF6S18060NBR1\_IPC1752A.xml